

## DAFTAR PUSTAKA

- [ADA] American Diabetes Association. (2014). *Diagnosis and Classification of Diabetes Mellitus*. Diabetes Care.
- Ahmad, A. R., Handayani, V., Syarif, R. A., Najib, A., Hamidu, L. (2019). *Mahoni (Swietenia mahagoni (L.) Jacq. Herbal Untuk Penyakit Diabetes*. Edisi ke-1. Makassar : Nas Media Pustaka.
- Astuti, A., Antriana, N., Zelpia. (2017). Biji Mahoni (Swietenia Mahagoni) Menurunkan Glukosa Darah Pada Diabetes Melitus Tipe II. *Jurnal Ipteks Terapan*. Volume 11(3): 187-193.
- Aulia R., dan Broto S. (2018). Virtual Doking Senyawa Daun Sengketan (*Achyranthees aspera*) dan Adas Bintang (*Anisi Stellati Fructus*) Terhadap Protein *dihydrofolate reductase* Memanfaatkan PyRx-Vina. *The 7<sup>th</sup> University Research Colloquium 2018*. Hal. 1-8.
- Bonfield, T. L., Farver, C. F., Barna, B. P., Malur, A., Abraham, S., Raychaudhuri, B., Kavuru, M. S., Thomassen, M. J., Peroxisome Proliferator-Activated Receptor- $\gamma$  is Deficient in Alveolar Macrophages from Patients with Alveolar Proteinosis. *American Journal of Respiratory Cell and Molecular Biology*. Vol 29: 677-682.
- [BPPK] Badan Penelitian dan Pengembangan Kesehatan (2013). *Riset Kesehatan Dasar 2013*. Jakarta : BPPK.
- Chan, O. H., Stewart, B. H. (1996). Physicochemical and Drug-Delivery Considerations for Oral Drug Bioavailability. *Drug Discovery Today*. Volume 11(1): 461-473.
- De, D., Chatterjee, K., Ali, K. M., Bera, T. K., Ghosh, D. (2011). Antidiabetic Potentially of The Aqueous-Methanolic Ekstrak of Seed of *Swietenia mahagoni (L.) Jacq.* In Streptozotocin-Induced Diabetic Male Albino Rat: A Correlative and Evidence-Based Approach with Antioxidative and Antihyperlipidemic Activities. *Hindawi Publishing Corporation: Evidence Based Complementary and Alternative Medicine*. Hlm: 1-11.
- Djalil, A. D., Genatrika, E., Utamingrum, W., Nursakinah, N., Utami, A., Fitria, M. (2017). Antidiabetic Effect of Mahogany (*Swietenia macrophylla* King) Leaves Extracts in Glucose Induced Diabetic Rats. *Advanced Science Letters*. Volume 24(1): 100-102.
- Djalil, A.D., Kartasmita, R.E., Ibrahim, S., Tjahjono, D.H. (2012). Toxicity Prediction of Photosensitizers Bearing Carboxylic Acid Groups by ECOSAR and Toxtree. *Journal of Pharmacology and Toxicology*. Volume 7(5): 219-230.
- Ferreira, L., Dos, S. R., Olivia, G., Andricopulo, A. (2015). Molecular docking and Structure-Based Drug Design Strategies. *Molecules*. Volume 20(7): 13384-13421.

- Guimarães, C. R. W., Mathiowetz, A. M., Shalaeva, M., Goetz, G., Liras, S. (2012). Use of 3D Properties to Characterize Beyond Rule-of-5 Property Space for Passive Permeation. *Journal of Chemical Information and Modeling*. Volume 1(52): 882-890.
- Gunardi., Ratna, A. S., Purwanto, B.T., Sulistyowati, E., Musinah, S. (2009). Metode RPTLC dan Optimasi Fase Gerak Dalam Penetapan Harga Rm Sebagai Salah Satu Parameter Lipofilisitas Dalam Rancangan Obat. *Media Medika Indonesia*. Volume 43(5): 254-259.
- Hashim, M. A., Yam, M. F., Hor, S. Y., Lim, C. P., Asmawi, M. Z., Sadikun, A. (2013). Anti-hyperglycemic Activity of *Swietenia macrophylla* king (Meliaceae) Seed Extract in Normoglycaemic Rats Undergoing Glucose Tolerance Test. *Chinese Medicine*. Volume 8(11): 1-8.
- [IDF] International Diabetes Federation. (2013). *IDF Diabetes Atlas. Edisi ke-6*. Brussels, Belgium: International Diabetes Federation.
- Kadota, S., Marpaung, L., Kikuchi, T., Ekimoto, H. (1990). Constituents of The Seeds of *Swietenia mahagoni* Jacq. L. Isolation, Structures, and <sup>1</sup>H- and <sup>13</sup>C- Nuclear Magnetic Resonance Signal Assignments of New Tetranortriterpenoids Related to Swietenine and Swietenolide. *Pharmaceutical Society of Japan: Chem, Pharm, Bull*. Volume 38(3): 639-651.
- Kaur, P., Chamberlin, R., Poulos, T. L., Sevrioukova, I. F. (2015). Struktur-based Inhibitor Design for Evaluation of a CYP3A4 Pharmacophore Model. *Journal of Medicinal Chemistry*. United States: Departments of Pharmaceutical Sciences, Chemistry and Molecular Biology and Biochemistry, University of California Irvine.
- Kesuma, D., Siswandono., Purwanto, B.T., Hardjono, S. (2018). Uji *in silico* Aktivitas Sitotoksik dan Toksisitas Senyawa Turunan *N*-(Benzoil-*N'*-feniltiourea Sebagai Calon Obat Antikanker. *Journal of Pharmaceutical Science and Clinical Research*. Volume 01(1): 01-11.
- Kroemer, R. T. (2007). Structure-Based Drug Design: Docking and Scoring. *Current Protein and Peptide Science*. Volume 8(4): 312-328.
- Kvandova, M., I., Dovinova, I. (2017). *Functioning of the PPAR Gamma and its Effect on Cardiovascular and Metabolic Disease*. Slovak Republik : Institute of Normal and Pathological Physiology.
- Lapenna, S., Worth, A. (2017). Analysis of The Cramer Classification Scheme for Oral Systemic Toxicity-Implications for its Implementation in Toxtree. *JRC Scientific and Technical Reports*. Luxemburg: Publications Office of The European Union.
- Li, DD., Chen, JJ., Chen, Q., Li, GW., Chen, J., Yue, JM., Chen, ML., Wang, XP., Shen, JH., Shen, X., Jiang, HL. (2005). *Swietenia mahagoni* Extract

- Agonistic Activity to PPAR $\gamma$  and Gives Ameliorative Effects on Diabetic db/db Mice. *Acta Pharmacologia Sinica*, Volume 26(2): 220-222.
- Lipinski, C. A., Lombardo, F., Dominy, B. W., Feeney P. J. (1997). Experimental and Computational Approaches to estimate solubility and Permeability in Drug Discovery and Development Settings. *Advanced Drug Delivery Reviews*. Volume 23: 3-25.
- Morris, G. M., and Wilby, M. L. (2008). Molecular Docking. *Molecular Modeling of Proteins*: 365-382.
- Mostafa, M., Jahan, I. A., Riaz, M., Hossain, H., Nimmi, I., Miah, A. S., Chowdhury, J. U. (2011). Comprehensive Analysis of The Composition of Seed Cake and its Fatty Oil from *Swietenia mahagoni* Jacq. Growing in Bangladesh. *Journal Pharm Science*, Volume 10(1): 49-52.
- Mursiti, S. (2016). The Hypoglycemia Effect of Alkaloid Compounds from Oil Free Mahogany Seedds (*Swietenia macrophylla*, King). *European Journal of Medicinal Plant*, Volume 16(4): 1-5.
- Naveen, Y. P. (2014). Pharmacological Effects an Active Phytoconstituents of *Swietenia mahagoni*. *Journal pf Integrative Medicine*, Volume 12(2): 86-93.
- Pasaribu, G. (2007). Sifat Fisis dan Mekanis Empat Jenis Kayu Andalan Asal Sumatera Utara. *Jurnal Penelitian Hasil Hutan*, Volume 25(1): 15-27.
- [Perkeni] Perkumpulan Endokrinologi Indonesia. (2015). *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. Edisi ke-1. Jakarta: PB PERKENI.
- Preedy, V. V., Watson, R. R., Vinood, P. (2011). *Nuts and Seeds in Health and Disease Prevention*. [Online] United States of America: TNQ Books and Journals Pvt Ltd. Available from: [sciencedirect.com/book/9780123756886/nuts-and-seeds-in-health-and-disease-prevention#book-description](http://sciencedirect.com/book/9780123756886/nuts-and-seeds-in-health-and-disease-prevention#book-description). [Accessed: 14 November 2019].
- Putri, K. P., Pramono, A. A., Syamsuwida, D. (2018). Produksi Buah dan Benih Mahoni (*Swietenia macrophylla* King) Berdasarkan Diameter Tajuk dan Kondisi Stomata Daun. *Jurnal Perbenihan Tanaman Hutan*. Volume 5(2): 135-144.
- Sahgal, G., Ramanathan, S., Sasidharan, S., Mordhi, M. N., Ismail, S., Mansor, S. M. (2009). Phytochemical and Antimicrobial Activity of *Swietenia mahagoni* Crude Methanolic Seed Extract. *Tropical Biomedicine*, Volume 26(3): 274-279.
- Santoso, B., Hanwar, D., dan Suhendi, A., (2015). Predikasi 3D Molekular Aktivitas Turunan Senyawa Polihidroksi Zerumbon Terhadap Glikogen Sinatase inase-3 Beta (GSK-3) Menggunakan DOCK6. *2<sup>nd</sup> Univ. Res. Coloquium* 2015. Hal. 1-7.

- Saputri, K. E., Fakhmi, N., Kusumaningtyas, E., Priyatama, D., Santoso, B. (2016). Docking Molekular Potensi Anti Diabetes Melitus Tipe 2 Turunan Zerumbon Sebagai Inhibitor Aldosa Reduktase dengan Autodock-Vina. *Chimica et Natura Acta*. Volume 4(1): 16-20.
- Shirley, K. K. (2009). *Prognostic and Therapeutic Potential of Nuclear Receptors in Head and Neck Squamous Cell Carcinomas*. Department of Ortorhinolaryngology, University of Mainz.
- Soegondo, S., (2006). *Farmakoterapi Pada Pengendalian Glikemia Diabetes Mellitus Tipe 2 Edisi ke-4*. Pusat Penerbitan Departemen Ilmu Penyakit Dalam FK UI: Jakarta.
- Suryani, N., H. Endang, T., Aulanni'am. (2013). Pengaruh Ekstrak Metanol Biji Mahoni terhadap Peningkatan Kadar Insulin, Penurunan Ekspresi TNF- $\alpha$  dan Perbaikan Jaringan Pankreas Tikus Diabetes. *Jurnal Kedokteran Brawijaya*, Volume 27(3): 137-145.
- Syarif, A., Estuningtyas, A., Setiawati, A., Muchtar, A., Arif, A., Bahry, B., Suyatna, F. D., Dewoto, H. R., Utama, H., Darmansjah, I., Wiria, M. S. S., Nafrialdi., Wilmana, P. F., Ascobat, P., Setiabudy, R., Sunaryo., Wardhini, S., Suherman, S. K., Gunawan, S. G., Ganiswarna, V. HS., Arozal, W., Mariana, Y., Istiantoro, Y. H., Sadikin, Z. D., Louisa, M., Elysaabeth. (1972). *Farmakologi dan Terapi Edisi 5*. Jakarta: Departemen Farmakologi dan Terapeutik Universitas Indonesia.
- Toxtree, (2010). Retrieved 15 Februari, 2020 from Toxtree version 2.2.0 Web site: [http://toxtree.sourceforge.net/download.html#Toxtree\\_2.2.0](http://toxtree.sourceforge.net/download.html#Toxtree_2.2.0):Toxtree 2010.
- Verma, J., V. M. Khedkar., E. C. Coutinho. (2010). 3D-QSAR in Drug Design-A Review. *Current Topics in Medical Chemistry*, Volume 10(1): 95-115.
- Wazaify, M., F. U. Afifi., M. El-Khateeb., K. Ajlouni. (2011). Complementary and Alternative Medicine Use among Jordanian Patients with Diabetes. *Complementary Therapies in Clinical Practice*, Volume 17(2): 71-75.
- Widyawati, T. (2010). Aspek Farmakologi Sambiloto (*Andrographis paniculata* Nees). *Majalah Kedokteran Nusantara*. Volume 40(3): 216-222.