

## DAFTAR PUSTAKA

1. Ahmad, Zahrudin dan Damayanti, 2018. *Penuaan Kulit: Patofisiologi dan Manifestasi Klinis. (Skin Aging: Pathophysiology and Clinical Manifestation)*. Berkala Ilmu Kesehatan Kulit dan Kelamin – Periodical of Dermatology and Venereology. Vol 30/ No. 3/ Desember 2018.
2. Thappa, D. dan Konda, D, 2013. *Age reversing*  
: *An overview. Indian Journal of Dermatology, Venereology, and Leprology.* 79, 3-8.
4. Gulcin, I., Uguz., M.T., Oktay, M., 2004, *Evaluation of the Antioxidant & Antimicrobial Activities of Clary Sage (Salvia sclarea.)*, Turk I. Agric. For., 28: 25-33.
5. Trilaksani, Wini, 2003. *Antioksidan: Jenis, Sumber, Mekanisme Kerja dan Peran Terhadap Kesehatan*. Institut Pertanian Bogor, Bogor.
6. Ramadhan, Bayuanggara Cahya, Sandra A.A dan Munif Ghulamahdi. 2015. *Potensi Kadar Bioaktif yang Terdapat Pada Daun Kepel (Stelechocarpus burahol)*.
7. Diniatik, 2015. *Penentuan Kadar Flavonoid Total Ekstrak Etanolik Daun Kepel*. Kartika-Jurnal Ilmiah Farmasi, Juni 2015, 3 (1), 1-5. ISSN 2354-6565
8. Purwatiningsih, Hakim,A.R., Purwatini,I.,(2010). *Antihyperuricemic Activity Of The Kepel [Stelechocarpus burahol (Bl.)Hook.F.&Th.] Leaves Extract And Xanthine Oxidase Inhibitory Study*. International journal of Pharmacy and Pharmaceutical Sciences. Volume 2. Issue 2 : 123-127
9. Sunarni, T., Suwidjiyo Pramono dan Ratna Asmah. 2007. *Flavonoid antioksidan penangkap radikal dari daun kepel (Stelechocarpus burahol (Bl.) Hook f. & Th.)*. Majalah Farmasi Indonesia, 18(3), 111 – 116,
10. Purwatiningsih, Purwantini ,I . dan D Santoso. (2011). *Activity Of The Kepel [Stelechocarpus burahol (Bl.) Hook.F.&Th.] And The Extract As Raw Material For Antihyperuricemic Medicaments*. Asian Journal of Pharmaceutical and Clinical Research 4(1): 149-153
11. Diniatik, Suwijjiyo Pramono and Sugeng Riyanto. 2017. *Kaemferol From Stelechocarpus burahol, (Bl.) Hook F & Th. Leaves and Xanthine Oxidase Inhibition ctivity*. Asian Journal of Pharmaceutical and Clinical Research. Vol 10, Issue 4: 322-328.

12. Sayuti,K.,Yenrina,R.,(2015). *Antioksidan Alami dan Sintetik*. [Online] Edisi 1. Padang : Andalas University Press. Dapat diakses di :<http://repository.unand.ac.id> [diakses : 29 Oktober 2019]
13. Khaira, K., (2010). *Menangkal Radikal Bebas dengan Antioksidan*. Jurnal Sainstek. Vol.2(2) : 183-187
14. Silalahi.J.,2006. *Makanan Fungsional*. [Online] .Yogyakarta : Penerbit Kanisius. Dapat diakses di:<https://books.google.co.id/books> [Diakses : 26 Oktober 2019]
15. Zuhra C.F.,Julianti,BR., dan Rizaldy,T.P. (2008) *Aktivitas Antioksidan Senyawa Flavonoid Dari Daun Katuk*. Jurnal Biologi Sumatera. Volume 3(1): 7-10 . ISSN:1907-5537
16. Isfardiyana, S.H., Safitri, S.R., 2014. *Pentingnya Melindungi Kulit Dari Sinar Ultraviolet Dan Cara Melindungi Kulit Dengan Sun Block Buatan Sendiri*. Jurnal Inovasi dan Kewirausahaan. 3, 8.
17. Donglikar, Mukund M dan Sharada Laxman D. 2016. *Suncreens : A review*. J Pharmacon. 8.
18. Shashank, K. and Pandey, A. K. (2013), *Chemistry and biological activities of flavonoids*, Hindawi The Scientific World Journal, 2013(12), pp. 533–548. doi: 10.1016/j.tifs.2005.08.006.
19. Wahyuningsih KA. *Astaxanthin memberikan efek proteksi terhadap photoaging*. Danianus Journal of Medicine. 2011; 3(10):149-60
20. Widowati, W. et al. (2016), *Antioxidant and Anti Aging Assays of Oryza sativa & Extracts, Vanillin and Coumaric Acid*, Journal of Natural Remedies, 16(3), p. 88. doi: 10.18311/jnr/2016/7220.
21. Vijayakumar, R., Abd Gani, S. S. and Mohd Mokhtar, N. F. (2017) *Anti-Elastase, Anti-Collagenase and Antimicrobial Activities of the Underutilized Red Pitaya Peel: an in Vitro Study for Anti-Aging Applications*, Asian Journal of Pharmaceutical and Clinical Research, 10(8), p. 251. doi: 10.22159/ajpcr.2017.v10i8.19048.
22. Handayani, Rini dan Sulisty, Joko. 2008. *Sintesis Senyawa Flavonoid- $\alpha$ -Glikosida Secara Reaksi Transglikosilasi Enzimatik dan Aktivasnya sebagai Antioksidasi*. Biodiversitas. Vol 9 (1) : 1-4
23. Lin, D. et al. (2016). *An overview of plant phenolic compounds and their importance in human nutrition and management of type 2 diabetes*, Molecules, 21(10). doi: 10.3390/molecules21101374.USDA, 2017

24. Haryjanto, Liliek. 2012. *Konservasi Kepel (Stelechocarpus burahol (Blume) Hook.F Thomson) : Jenis yang Telah Langka*. Balai Besar Penelitian Bioteknologi dan Pemuliaan Tanaman Hutan. Mitra Hutan Tanaman. Volume 7 (1) : 11-17
25. Tisnadaja D.E Saliman,S. dan P Simanjuntak. (2006). *Pengkajian Burahol [Stelechocarpus burahol (Bl.) Hook.F.&Th.] sebagai buah yang memiliki kandungan senyawa antioksidan*. Biodeversitas. Volume 7(2): 199-202
26. Purwatiningsih, Purwantini ,I . dan D Santoso. (2011). *Activity Of The Kepel [Stelechocarpus Burahol (Bl.)Hook.F.&Th.] And The Extract As Raw Material For Antihyperuricemic Medicaments*. Asian Journal of Pharmaceutical and Clinical Research 4(1): 149-153
27. Nurliyana, R.et al.(2010). *Antioxidant Study Of Pulp And Peel Dragon Fruits: A Comparative Study*. International Food Research Journal. Volume 17:365-375
28. Molyneux, P. (2004). *The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity*. Journal of Science Technology, 26(2), 211-219.
29. Najihudin,A.,Chaerunnisaa, A. dan Subarnas,A. (2017) . *Aktivitas Antioksidan Ekstrak Dan Fraksi Batang Trengguli Dengan Metode DPPH*. IJPST. Volume 4(2) 70-78
30. Maryam,St., Baits, M. dan Nadia,A. *Pengukuran aktivitas antioksidan ekstrak etanol daun kelor menggunakan metode FRAP*. Jurnal Fitofarmaka Indonesia. Volume 2 (2) 115:118
31. Tahir., dkk. 2016. *Uji Aktivitas antioksidan buah semangka (Citrullus lanatus) dengan metode FRAP* . Jurnal As-Syifaa. Vol 08 (01): 31-38.
32. Salamah, N dan Nurrushoimah. (2014). *Antioxidant Activity Etanolic Extract of Centella asiatica HERB Using Beta Caroten-Linoleat Method*. FARMASAINS. Volume 2 (4) : 177-181
33. Backer, C.A. and Van der Brick.R.C. 1965. *Flora of Java*. NVP Novdhroof Groningen the Netherland
34. Sari, A.K. 2015. *Penetapan Kadar Polifenol Total, Flavonoid Total dan Uji Aktivitas Antioksidan Ekstrak Etanol Daun Sirsak (Annona muricata Linn) dari Jember Pada Ketinggian Tanah yang Berbeda*. UNEJ Jember:7-8.
35. Nugroho, A.E., Malik, A., Pramono, S., 2013 *Total Phenolic and Flavonoid Contents In Vitro antihypertension activity of purified extract of Indonesian cashew leaves (Anacardium occidentale L)*. Int. Food Res. J. 20,7. 2013

36. Winarsi, H. 2007. *Antioksidan Alami dan Radikal Bebas*. Kanisius. Yogyakarta: 1-20. 79-82. 147-161
37. Gandjar, I. G. & Rohman, A., 2007, *Kimia Farmasi Analisis*. Pustaka Pelajar, Yogyakarta.
38. Syamsu, Nur, Rumiati dan Endang Lukitaningsih., 2017. *Skrining Aktivitas Antioksidan, Antiaging dan Penghambatan Tyrosinase dari Ekstrak Etanolik dan Etil Asetat Daging Buah dan Kulit Buah Langsung (Lansium domesticum Corr) Secara In Vitro*. Tradisional Medicine Journal. Vol 22(1), p 63-72.
39. Arifin, B., Ibrahim, S., 2018. *Struktur, Bioaktivitas dan Antioksidan Flavonoid*. Jurnal Zarah. Volume 6 (1) : 21-29
40. Kim, O.S., 2005, *Radical Scavenging Capacity and Antioxidant Activity of The Vitamin Fraction In rice bran*. J Food Sci. (3): 208- 213
41. Kulisic, T., Radonic, A., Katalinic, V., Milo, M., 2004. *Use of different methods for testing antioxidative activity of oregano essential oil*. Food Chem. 85, 633-640.
42. Nurulita, N. A. et al. (2019). *Uji Aktivitas Antioksidan dan Anti-aging Body Butter dengan Bahan Aktif Ekstrak Daun Kelor*. Jurnal Ilmu Kefarmasian Indonesia. Volume 17(1): 1-8
43. Hassimotto N M A, Genovese I S, Lajolo F M. *Antioxidant activity of dietary fruits, vegetables, and commercial frozen fruit pulps*. Journal of Agricultural and Food Chemistry. 2005;53(8); 2928–2935
44. Vaya, J., Aviram, M., 2001. *Nutritional Antioxidants mechanisms of action, analyses of activities and medical applications*. Curr. Med. Chem.-Immunol. Endocr. Metab. Agents 1, 99-117.
45. Pokorny, J. (Ed.), 2003. Chapter 1. *Antioxidant in food: practical applications, Reprint, ed, Woodhead publishing in food science and technology*. Woodhead, Cambridge. Pp 42-50.
46. Dewi, Shinta R, Naili Ulya dan Bambang D. Argo. 2018. *Kandungan Flavonoid dan Aktivitas Antioksidan Ekstrak Pleurotus ostreatus*. Jurnal Rona Teknik Pertanian. ISSN : 2085-2614; e-ISSN 2528 2654.
47. Vijayakumar, R., Abd Gani, S. S. and Mohd Mokhtar, N. F. (2017) *Anti-Elastase, Anti-Collagenase and Antimicrobial Activities of the Underutilized Red Pitaya Peel: an in Vitro Study for Anti-Aging Applications.*, Asian Journal of Pharmaceutical and Clinical Research, 10(8), p. 251. doi: 10.22159/ajpcr.2017.v10i8.19048.

48. Lin, D. et al. (2016). *An overview of plant phenolic compounds and their importance in human nutrition and management of type 2 diabetes*, *Molecules*, 21(10). doi: 10.3390/molecules21101374.
49. Sharma, Subhash. *Applied Multivariate Techniques*, John Wiley&Sons
50. Widodo H, Sisindari S, Asmara W, Rohman A. *Antioxidant activity, total phenolic and flavonoid contents of selected medicinal plants used for liver diseases and its classification with chemometrics*. *J Appl Pharm Sci*, 2019; 9(06):099–105.
51. Van Marion, M. M. H. (2006), *Matrix Metalloproteinases and Collagen Remodeling*, (July), p. 56
52. Bencini, A. and Lippolis, V. (2010), *1,10-Phenanthroline: A versatile building block for the construction of ligands for various purposes*, *Coordination Chemistry Reviews*, 254(17–18), pp. 2096–2180. doi:10.1016/j.ccr.2010.04.008.

