

DAFTAR PUSTAKA

- Abdelrahman, T & H. Newton. 2011. *Wound Dressing: Principles and Practice. Surgery.* 29: 491-495.
- Darwin, D. 2013. *Pengembangan Bahan Biomaterial untuk Pemakaian di Bidang Kesehatan dengan Teknik Radiasi Pengion.* Pusat Aplikasi Teknologi Isotop dan Radiasi, BATAN. Hal: 251-275.
- Elbadawy et al.. 2017. *A Review on Polymeric Hydrogel Membranes for Wound Dressing Applications: PVA-based Hydrogel Dressings. Journal of Advanced Research.* 8:217–233.
- Haryanto. 2016. *Hydrogel for Wound Dressing and Anti Adhesion Barrier.* IRECOMS LPPM – LPIP – Universitas Muhammadiyah Purwokerto.
- Hassan, C.M. & N. A. Peppas. 2000. *Structure and Morphology of Freeze/Thawed PVA Hydrogels, Macromolecules, School of Chemical Engineering.* Purdue University, West Lafayette, Indiana. 33: 2472.
- Ikada, Y. et al.. 1977. *Preparation of Hydrogels by Radiation Technique. Radiat Phys Chem.* 9: 633-645.
- Rajendran, S. & S. C. Anand. 2002. *Development in Medical Textile.* The Textile Institute. Manchester.
- Selvaraj et al.. 2015. Wound Dressing – A Review.
(<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4662938/>)
- Vasile , C and Zaikov, G.F.(2009) *Environmentally Degredible Material Based On Multicomponen Polimeric System,* Koninklijke Brill NV, Leiden, The Netherlends:21.
- Gibas, I and Janik, H., (2010). *Review: Synthetic Polimer Hydrogel For Biomedical Applications,* Chemistry & Chemical Tecnology Vol.4,No.4:297-298.

- Yoshii, F. et al.. 1999. *Electron Beam Crosslinked PEO and PEO/PVA Hydrogels for Wound Dressing. Radiation Physics and Chemistry*. 55: 133-138.
- Rachel et al..2015.effect of crosslinking Agen Concentration on Properties of Unmedicated Hyrogel .*Pharmaceutics*.7: 305-319;
- Lee, K.Y., and Mooney, D.J. 2001. Hydrogels for tissue engineering. *Chem Rev*. 101: 1869-1880.
- Nam, S.Y., Nho, Y.C., Hong, S.H., Chae, G.T., jang, H.S., Suh, T.S., Ahn, W.S., Ryu, K.E., and Chun, H.J. 2004. Evaluation of poly (vinyl alcohol)/alginate hydrogels cross-linked by γ -ray irradiation technique. *Macromolecular Research*. 12 (2): 219-224.
- Mishra, S., Bajpai, R., Katare, R., and Bajpai, A.K. 2007. Radiation induced crosslinking effect on semiinterpenetrating polymer networks of poly(vinyl alcohol). *eXPRESS Polymer Letters*, I (7): 407-415
- Zain, N.A.M., Suhaimi, M.S., and Idris, A. 2011. Development and modification of PVA-alginate as a suitable immobilization matrix. *Process Biochemistry* 46: 2122-2129.
- Wu, K.Y.A. and Wisecarver, K.D. 1992. Cell immobilization using PVA crosslinked with boric acid. *Biotech. and Bioeng*. 39: 447-449
- .Pasqui, D., Cagna , M.D and Berbuci, R .,(2012) Polysaccharida-Bbased hydrogel: The Key Role of Water Affecting Mecanical Propertis, *Poliymer*,4:1517.
- Riyajan, Sa-ad, Wattana Sukhlaaied, and Woranut Keawmang. 2015. "Preparation and Properties of a Hydrogel of Maleated
- Sukhlaaied, Wattana, and Sa-ad Riyajan. 2013. "Synthesis and Properties of Carrageenan Grafted Copolymer with Poly(Vinyl Alcohol)." *Carbohydrate Polymers* 98 (1). Elsevier Ltd.: 677–85.

Haryanto et al.. 2014. *Fabrication of Poly(ethylene oxide) Hydrogels for Wound Dressing Application Using E-Beam. Macromolecular Research. 22: 131-138.*

Hoffman, A.S. 2002. Hydrogels for biomaterial applications. *Adv. Drug. Deliv. Rev. 43: 3-12.*

