

DAFTAR PUSTAKA

- Aisiyah, R. H. V. N., 2019. Pengaruh Panjang Rantai Carbon Lipid Padat Terhadap Karakteristik Nanostructured Lipid Carrier Resveratrol. *Journal Of Pharmaceutical Science and Clinical Research*, Volume 02, pp. 69-81.
- Akenaka, T. H. k. H. H. I. S. S. H. d. S., 2013. Ekstraksi Efektif Kurkuminoid dengan Grinding Kunyit (Temulawak longa) dengan Medium Chain Trigliserol. *Foods and Technology*, 19(4), pp. 655-659.
- Akhter, M. H. M. G. H. M. I. M. K., 2014. . Lipid Based Drug Delivery System: Classification, Drug Transport Across Enterocyte, Role of Lipid Chain Length in Suppression of Body Fat Accumulation.. *International Journal of Pharmacy*, 4(2), pp. 98-108.
- Alam Tausif, K. S. B. G. M. F. H. S. B. J. A., 2018. Adaptation of Quality by Design-Based Development of Isradipine Nanostructured Lipid Carrier and Its Evaluation for In Vitro Gut Permeation and In Vivo Solubilization Fate. *Journal of Pharmaceutical Sciences*, pp. 1-13.
- Americas ICI Inc, 1984. *The HLB System : a time-saving guide to emulsifier selection*. America: Wilmington, Delaware 19897.
- Anand, K. N. & A., 2007 . “Bioactivity of Curcumin : Problems and Promis” and Medical Applications. *J. Mol. Pharmaceutics and Current Science*, Volume 4 and 87, pp. 807-18 and 44-53.
- Anggarwal, B. Y. W. L. S. a. G. S., 2013. Curcumin-free turmeric exhibits antiinflammatory and anticancer activities: Identification of novel components of turmeric.. *Molecular Nutrition and Food Research*, 57(9), pp. 1529-1542.
- Annisa, R. E. H. d. M. D., 2016. “Pengembangan Sistem Nanostructured Lipid Carriers (NLC) Meloxicam dengan Lipid Monostearin dan Miglyol 808 Menggunakan Metode Emulsifikasi”. *Departemen Farmasetika Fakultas Farmasi Universitas Airlangga*.
- AOAC, 2012. ‘Appendix K : Guidelines for Dietary Supplements and Botanicals’. *AOAC OFFICIAL METHODS OF ANALYSIS*.
- AOAC, 2016. Appendix F : Guidelines for Standars Method Performance Requirements. *AOAC Official Method Of Analisis*.

- Azis, A. M. T. R. Y. S., 2016. Pengaruh Konsentrasi Minyak Dan Emulsifier Terhadap Karakteristik Nanoemulsi Minyak Kayu Manis (*Cinnamomum Burmanii*). *Food Science and Technology*.
- Bandarkar, a. I. S., 2011. Lyophilized Gliclazidepoloxamer, Solid Dispersions for Enhancement of In Vitro Dissolution and In Vivo Bioavailability. *International Journal Pharmaceutical*, Volume 3, pp. 122-127.
- Behbahani Elham *et al*, M. G. S. M. A. B. K. R. C. D., 2019. Curcumin Loaded Nanostructured Carriers: In Vitro Digestin and Release Studies. *Polihedron*, Volume 164, pp. 113-122.
- Bhadra A, G. K. P. N. P. C. B. R. P. G. A. M. R. N. A. P., 2017. Impact of detergents on the physiochemical behavior of itraconazoleloaded nanostructured lipid carriers. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, Volume 516, pp. 63-71.
- Bhatia, A. S. P. C. D. d. M., 2011. Chitosan nanoparticles as carrier of immunorestoratory plant extract: synthesis, characterization and immunorestoratory efficacy. *International Journal of Drug Deliver*, Volume 3, pp. 381-385.
- Bnyan R, K. I. E. T. S. I. G. S. N. F. R. M., 2018. Surfactant effects on lipid-based vesicles properties. *Journal of Pharmaceutical Sciences* .
- Buzea, C. B. I. I. P. d. R. K., 2007. Nanomaterial and nanoparticles: sources and toxicity. *Biointerphases*, Volume 2, p. 170–172..
- Carmona-Ribeiro, A., 2010. Biomimetic nanoparticles: preparation, characterization and biomedical applications. *International Journal of Nanomedicine*, Volume 5, pp. 249-259.
- Chen, I. H. J. O. R. R. D. T. C., 2011. Rapid Range Shifts of Species Associated with High Levels of Climate Warming. *Science*. Volume 333.
- Choi Y, P. B. M., 2012. . Enhanced Solubility and Oral Bioavailability of Itraconazole by Combining Membrane. *International Journal of Pharmaceutics*, 434(1-2), pp. 264-271.
- Christensen JO, K. S. B. M. G. K. A. M., 2004. Solubilisation of poorly Water-soluble drugs during in vitro lipolysis of medium- and long-chain triacylglycerols. *European Journal of Pharmaceutical Sciences* , Volume

- 23, p. 287–296.
- Das S, K. P. K. S. T. R., 2011. Formulation design, preparation and physicochemical characterizations of solid lipid nanoparticles containing a hydrophobic drug: effects of process variables.. *Colloids Surf*, Volume 88, pp. 483-489.
- Dirjen POM, 1979. In: *Farmakope Indonesia*. Jakarta: Departemen Kesehatan RI, pp. 32-33.
- Dudhipala Narendar, K. Y. J. & T., 2018. Comparative study of nisoldipine-loaded nanostructured lipid carriers and solid lipid nanoparticles for oral delivery: preparation, characterization, permeation and pharmacokinetic evaluation. *ARTIFICIAL CELLS, NANOMEDICINE, AND BIOTECHNOLOGY*.
- Fathi *et al*, A. A. E. M. F. G. E.-B. M., 2018. Nanostructured lipid carriers for improved oral delivery and prolonged antihyperlipidemic effect of simvastatin. *Colloids Surf B Biointerfaces*, Volume 162, p. 236–245.
- Ferreira M, C. L. L. S. R. S., 2015. Optimization of nanostructured lipid carriers loaded with methotrexate: a tool for inflammatory and cancer therapy.. *Int J Pharm*, p. 65–72.
- Fessenden, R. d. f. J., 1999. In: *Kimia Organik Jilid II*. 3 ed. Jakarta: Erlangga, pp. 11-25, 436-440.
- Flora, G. G. D. T. A., 2013. Nanocurcumin: a promising therapeutic advancement over native curcumin. *Crit Rev The Drug Carrier System*, 30(4), pp. 331-6.
- Gandjar, I. G. a. R. A., 2015. *Kimia Farmasi Analisis*. XI ed. Yogyakarta: Pustaka Pelajar.
- Ghate M Vivek, S. L. P. P. A. D. N. P., 2016. Nanostructured Lipid Carriers for the Topical Delivery of Tretinoin. *European Journal of Pharmaceutics and Biopharmaceutics*.
- Ghorab M, G. A. G. S., 2015. EFFECT OF VISCOSITY, SURFACTANT TYPE AND CONCENTRATION ON PHYSICO-CHEMICAL PROPERTIES OF SOLID LIPID NANOPARTICLES. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(3).
- Gonzalez-Mira E, E. M. G. M. S. E., 2010. Design and ocular tolerance of

- flurbiprofen loaded ultrasound-engineered NLC.. *Colloids Surf B Biointerfaces*, Volume 81, pp. 412-421.
- Gordillo, G. C. E. M. H., 2018. Solid lipid nanoparticles and nanostructured lipid carriers: A review emphasizing on particle structure and drug release. *European Journal of Pharmaceutics and Biopharmaceutics*, Volume 133, pp. 285-308.
- Haider *et al*, 2020. 'Nanostructured lipid carriers for delivery of chemotherapeutics: A review', *Pharmaceutics*,. 12(3).
- Harmita, 2004. Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. *Majalah Kefarmasian*, 01(03).
- Harvey, D., 2000. *Modern Analytical Chemistry*. New York: McGraw-Hill Comp..
- Hazra, K. K. R. S. B. C. A. D. M. R. M., 2015. UV-VISIBLE SPECTROPHOTOMETRIC ESTIMATION OF CURCUMIN IN NANOFORMULATION. *International Journal of Pharmacognosy*, 2(3), pp. 127-130.
- Hewlings dan Kalman, 2017. Curcumin: A Review of Its' Effects on Human Health. *Foods*, Volume 6.
- Hidayah *et al*, H. T. S. A. d. W. R., 2021. FORMULASI DAN UJI STABILITAS NANOSTRUCTURED LIPID CARRIERS (NLC) DARI KURKUMIN SEBAGAI TARGET TERAPI TUBERKULOSIS.
- Hu, F. J. S. Y. H. Y. Y. Z. S., 2005. Preparation and characterization of stearic acid nanostructured lipid carriers by solvent diffusion method in an aqueous system. *Colloids and Surfaces B. Biointerfaces*, Volume 45, p. 167–173.
- Hung, L. C. B. M. T. B. I. R. N. H. H. M., 2011. An improved method for the preparations of nanostructured lipid carriers containing heat-sensitive bioactives. *Colloids and Surfaces B: Biointerfaces*, 87(1), p. 180–186..
- ICH, 2005. "Validation of analytical procedures: text and methodology", *ICH Harmonised Tripartite Guideline. International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use*. Chicago, USA, s.n.

- Jayaprakasha, G. L. J. M. R. a. K. S., 2005. Chemistry and biological activities of C. Longa. *Food Science & Technology*, pp. 533-548.
- Joshi Medha, P., 2008. Nanostructured lipid carrier (NLC) based gel of celecoxib. *International Journal of Pharmaceutics*, Volume 346, p. 124–132.
- Karamsetty, V. S. T. A. M. D. G. A. G. K. N. P. P. a. S. s. K., 2016. Karamsetty, V.M., Surya Tej, Afrasim Moin, D.V., Gowda, Anjali Godugu KaNano structured Lipid Carrier Based Drug Delivery System. *Jefferson County Parks and Recreation Commission.* , 8(2), pp. 627-643.
- Kaukonen AM, B. B. P. C. W. N. C., 2004. Drug Solubilization Behavior During In Vitro Digestion of Simple Triglyceride Lipid Solution Formulations. *Pharmaceutical Research*, 21(2).
- Kaur P, G. T. R. G. M. R. G. A., 2016. Development, Optimizzation and Evaluation of Surfactant-Based Pulmonary Nanolipid Carrier System of Paclitaxel for the Management of Drug Resistance Lung Cancer Using Box-Behnken Design.. *Informa Health Care: Drug Delivery*, 23(6), pp. 1912-1925.
- Kelidari HR, M. M. B. R. S. M. A. J. P. P. N. M. G. A. M.-S. K. N. A., 2017. Improved yeast delivery of fluconazole with a nanostructured lipid carrier system.. *Biomed Pharmacother*, pp. 83-88.
- Khan Saba, S. M. F. M. B. S. A. J., 2016. Tacrolimus-loaded nanostructured. *European Journal of Pharmaceutics*.
- Kommuru T, G. B. K. M. R. I., 2001. Self- emulsifying Drug Delivery Systems (SEDDS) of Coenzyme Q10: Formulation Development and Bioavailability..
- Laine A-L, H. N. C. A. B. J. B. J. V. A. ..., 2012. Brain tumour targeting strategies via coated ferrociphenol lipid nanocapsules. *European Journal of Pharmaceutics and Biopharmaceutics.*, 81(3), pp. 690-3.
- Lanimarta, Y., 2012. Pembuatan dan Uji Penetrasi Nanopartikel Kurkumin-Dendrimer Poliamidoamin (PAMAM) Generasi 4 Dalam Sediaan Gel Menggunakan Sel Difusi Frabz. *Indonesian University Journal*.
- Lemery Emmanuele, B. S. C. Y. B. C. ., O. T. G. A. B. A., 2015. Skin toxicity of surfactants: Structure/toxicity relationships. *Colloids and Surfaces A:*

Physicochemical and Engineering Asp.

- Li Y, Z. Y. L. D. L. H. H. W. D. Y., 2013. Curcumin attenuates diabetic neuropathic pain by downregulating TNF- α in rat model. *International Journal of Medical Sciences*.
- Lipinski, C., 2000. Drug-like Properties and the Causes of Poor Solubility and Poor Permeability.. *Journal of Pharmacological and Toxicological Methods*, 44(1), pp. 235-249.
- Liu Wenli, T. R. W. J. Y. J. H. Z. J. Z. L., 2012. Preparation and evaluation of self-microemulsifying drug delivery system of baicalein. *Fitoterapia*, Volume 83, p. 1532–1539.
- Lollo G, V. M. U.-G. G. L. L. F. F. C. D. e. a., 2015. Development of multifunctional lipid nanocapsules for the co-delivery of paclitaxel and CpG-ODN in the treatment of glioblastoma. *International Journal of Pharmaceutics*, 495(2), pp. 972-80.
- Maheshwari, R. S. A. G. J. S. R., 2006. Multiple biological activities of curcumin: A short review. *Life Sciences*, Volume 78, p. 2081–2087..
- Mochammad Yuwono, G. I., 2005. Validation method of analysis by using Chromatography. *Profiles of Drugs Substances, Excipients and Related Methodology*, Volume 32, pp. 243-258.
- Mohd A, a. V. S. K., 2016. Formulation and Pharmacokinetics of Vitamin E TPGS Melt Dispersion Granules: An Approach to Improve Oral Delivery of Flurbiprofen. *Bioequivalen*, Volume 8, pp. 089-94.
- Monteiro Lis Marie, R. L. P. C. C. G. L. B. d. A. a. N. B.-C., 2017. Buparvaquone Nanostructured Lipid Carrier: Development of an Affordable Delivery System for the Treatment of Leishmaniasis. *BioMed Research International*.
- Muchow M, M. P. M., 2008. Lipid nanoparticles with a solid matrix (SLN, NLC, LDC) for oral drug delivery. *Drug Development and Industrial Pharmacy*, Volume 34, pp. 1394-405.
- Muller R H, R. M. W. S., 2002. "Nanostructured Lipid Matrices for Improved Microencapsulation of Drugs". *International Journal Pharm. Department of Pharmaceutics, Biopharmaceutics and Biotechnology*, 242(121-128).

- Müller R H, S. R. K. M., 2011. 20 Years of Lipid Nanoparticles (SLN & NLC): Present State of Development & Industrial Applications. *Present State of Development & Industrial Application*, pp. 207-227.
- Mun, J. K. K. K. S. S. K. C. L. S. S. W. K. K. T. a. K., 2013. Synergistic Antibacterial Effect of Curcumin Against Methicillin-resistant Staphylococcus aureus. *Phytomedicine*, Volume 20, pp. 714-718.
- Mun, J. K. Y. K. K. S. Y. K. Y. L. D. S. D. K. K. a. K. D., 2013. Synergistic Antibacterial Effect of Curcumin Against Methicillin-resistant Staphylococcus aureus. *Phytomedicine*, Volume 20, pp. 714-718.
- Nahak Prasant, G. K. B. R. P. G. M. S. S. K. C.-H. C. a. A. K. P., 2015. Physicochemical studies on local anaestheticloaded second generation nanolipid carriers. *Royal Society of Chemistry*.
- Pardeike, J. D. M. S. N. S. C. V. M. G. K. A. Z., 2011. Nanosuspensions as advanced printing ink for accurate dosing of poorly soluble drugs in personalized medicines. *International Journal of Pharmaceutics*, Volume 420, p. 93–100.
- Persson L, P. C. C. N. B. C., 2013. Computational Prediction of Drug Solubility in Lipid Based Formulation Excipients. *Pharm Reseach*, Volume 30, p. 3225–3237..
- Prasad, S. G. C. T. K. A. B., 2014. Curcumin, a component of golden spice: From bedside to bench and back. *Biotechnology Advances*, 32(6), pp. 1053-1064.
- Qian, C. D. A. X. H. M. C. J., 2011. "Solid Lipid Nano Particles : Effect of Carrier Oil and Emulsifier Type on Phase Behavior and Physical Stability". *J Am Oil Chem Soc*, pp. 17-28.
- Rabima, R. O., 2019. Karakterisasi & Aktivitas Antibakteri Dari Kurkumin Nanostructured Lipid Carrier. *Indonesia Natural Research Pharmaceutical Journal*, 3(2), pp. 2502-8421.
- Rahayu, W. S., 2019. *Petunjuk Praktikum Analisis Farmasi*. Purwokerto: Fakultas Farmasi Universitas Muhammadiyah Purwokerto.
- Rahayu, W. S. T. D. I., 2010. Kurkuminoid, Penetapan Kadarnya pada Jamu Serbuk Temulawak (*Curcuma xanthorrhiza* Roxb) Secara Spektrofotometri UV-Visible. *PHARMACY*, Volume 07.

- Rapalli K, K. V. G. S. W. T. D. S. P. M. S. G., 2020. UV Spectrophotometric method for characterization of curcuminloaded nanostructured lipid nanocarriers in simulated conditions:Method development, in-vitro and ex-vivo applications intopical delivery. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, Volume 224.
- Riyanto, 2014. *Validasi dan Verifikasi*. Yogyakarta: Deepublish.
- Rohmah, M. S. R. C. H. R. M., 2019. Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *Jurnal Aplikasi Teknologi Pangan*, 8(1).
- Rowe, S. O., 2009. *Handbook of Pharmaceutical Excipients*. Fifth ed. s.l.:Pharmaceutical Press.
- Savjani K, G. A. & S. J., 2012. Drug Solubility:Importance and Enhancement Techniques. *ISRN Pharmaceutics*.
- Savjani, G. A. S. K., 2012. Drug Solubility: Importance and Enhancement Techniques. *ISRN Pharmaceutics*.
- Sawant and Dodiya S, 2008. Recent Advances and Patents on Solid Lipid Nanoparticles. *Recent Patents on Drug Delivery & Formulation*, Volume 2, pp. 120-135.
- Sreelakshmi, J. d., 2011. Design and Evaluation of Self- Nanoemulsifying Drug Delivery System of Flutamide. *Journal of Young Pharmacist*, 03(1).
- Srivalli K, a. M. B., 2016. Improved Aqueous Solubility and Antihypercholesterolemic Activity of Ezetimibe on Formulating with Hydroxypropyl- β -Cyclodextrin and Hydrophilic Auxiliary Substances. *AAPS Pharm SciTech*, 17(2), pp. 272-283.
- Subramaniam, Z. H. S. N. H. N., 2020. Optimalisasi pembawa lipid berstruktur nano: memahami jenis, desain, dan parameterdalam proses formulasi. *Journal Nanopart Research*, Volume 141, p. 22.
- Suhail M, J. K. K. A. N. A. F., 2019. “Surfactants and their Role in Pharmaceutical Product Development: An Overview”. *Journal of Pharmacy and Pharmaceutics*, 6(2).
- Suharsanti R, N. S. N. L. E. R. M., 2019. Potency of Belimbing Wuluh (Averrhoa Bilimbi) as Antioxidant and Tyrosinase Inhibitor for Skin Whitening

- Products. *Journal of Pharmacist Reseach*, 8(4).
- Sun J, B. C. C. H. S. S. Z. Q. Z. Y., 2013. Curcumin-loaded solid lipid nanoparticles have prolonged in vitro antitumour activity, cellular uptake and improved in vivo bioavailability. *Colloids and Surfaces B*, Volume 111, pp. 367-375.
- Sun Jiabie, C. B. H. M. C. S. S., 2013. Curcumin-loaded solid lipid nanoparticles have prolonged in vitro antitumour activity, cellular uptake and improved in vivo. *Colloids and Surfaces B: Biointerfaces*, p. 368.
- Swarbrick, J., 2007. *Encyclopedia of Pharmaceutical Technology*. 3 ed. New York: Informa Health Care.
- Swidan A, M. Z. Z. M. N. E. N. M. M. S. B., 2018. DOE, formulasi, dan optimalisasi Nanostructured Lipid Carrier. *Jurnal Ilmu Farmasi Terapan*, 8(10), pp. 008-016.
- Syamsuhidayat, H. J., 1991. In: *Inventaris Tanaman Obat Indonesia*. Jakarta: Departemen Kesehatan Republik Indonesia, pp. 305-306.
- Tejeswari, H. V. H. N. T. G. Y. a. R. Y., 2014. Lipid Based Drug Delivery System for Enhancing Oral Bioavailability – A Con temporary Review. *Journal of Global Trendsin Pharmaceutical Science*, 5(4), pp. 2074-2082.
- Tetyczka, C. G. M. A.-N. M. F. E. R. E., 2017. Development of nanostructured lipid carriers for intraoral delivery of Domperidone. *International Journal of Pharmaceutics*, 526((1-2)), pp. 188-198.
- Tuminah, S., 2009. Efek Asam Lemak Jenuh dan Asam Lemak Tak Jenuh Trans terhadap Kesehatan. *Media Peneliti dan Pengembangan Kesehatan*, Volume XLX.
- Velmurugan R, S. S., 2015. Development and optimization of ifosfamide nanostructured lipid carriers for oral delivery using response surface methodology. *Appl Nanosci*.
- Wahlang B, B. Y. P. A. B., 2011. Identification of permeability- related hurdles in oral delivery of curcumin using the CaCo-2 cell model. *European Journal of Pharmaceutics and Biopharmaceutics*, Volume 77, pp. 275-282.
- Wang wenriu, Z. R. X. Q. L. A. X. Y. L. K. L. H. C. D. C. Y. W. S., 2015. Enhanced bioavailability and efficiency of curcuminfor the treatment of

- asthma by its formulation in solid lipid nanoparticles. *International Journal of Nanomedicine*, Volume 7, p. 3667–3677.
- Wang, L. Z. Z. D. G. X. Z. X. D. C. J. L. F. F. H. Y. S. Y. Z. Q., 2011. Development and in vitro evaluation of deacetylmucoepoxydiene nanosuspension. *Colloids Surf. B Biointerfaces*, Volume 83, p. 189–197.
- Xu W, L. P. Z. T., 2013. Polymeric Micelles, a Promising Drug Delivery System to Enhance Bioavailability of Poorly Water Soluble Drugs. *Journal of Drug Delivery*.
- Yadava Vivex, S. S. K. D. S. Y., 2009. Novel formulation of solid lipid microparticles of curcumin for anti-angiogenic and anti-inflammatory activity for optimization of therapy of inflammatory bowel disease. *Journal of Pharmacy and Pharmacology*, Volume 61, pp. 311-321.
- Yustinianus R, W. J. R. Y. R. N., 2019. Curcumin Content in Extract of some Rhizomes from Zingiberaceae Family. *Journal of Pharmaceutical and Medicinal Sciences*, 4(1), pp. 15-19.
- Zheng, B. d. M. D. J., 2020. 'Formulation of more efficacious curcumin delivery systems using colloid science: Enhanced solubility, stability, and bioavailability'. *Molecules*, 25(12), p. 1–25.