

## DAFTAR PUSTAKA

- Agustin dkk, 2015. profil disolusi tablet sustained release natrium diklofenak dengan menggunakan matrik metolose 90 SH 4000. *Jurnal sains Farmasi*, 1(2), 176-183.
- Aini, N. dkk, 2015. Profil disolusi terbanding penetapan kadar, dan kualitas fisik tablet atorvastatin innovator, generik bernama dagang, dan generik. *Jurnal Kefarmasian Indonesia*. 5(2): 90-97.
- Al-Kaff, Z. S. 2016. *Perbandingan kadar dan Profil Disolusi serta Mutu Fisik Tablet Glimepirid 2 mg Generik dan Generik Bermerk*. Jakarta: UIN Syarif Hidayatullah.
- Annajiah, wardah.2015. *Evaluasi Profil Disolusi Sediaan Lepas Lambat Diltiazem Hidroklorida Yang Beredar Di Pasaran*. Jakarta: Skripsi FKIK Universitas Islam Negri Syarif Hidayatullah.
- Anggarrini, Dwi G.W. 2015. *Optimasi Hidroksi Propil Metil Selulosa dan Carbopol pada tablet Gliclazide system Floating-Mucoadhesive menggunakan metode desain factorial*. Jember: Skripsi Fakultas Farmasi Universitas Jember.
- Ansel, H. C. 2005. *Pengantar Bentuk Sediaan Farmasi Edisi Keempat*. Jakarta: Universitas Indonesia Press.
- Ansel, H. C. (2008). *Pengantar Bentuk Sediaan Farmasi Edisi Keempat*. Jakarta: Universitas Indonesia Press.
- Biswal, S., Sahoo, J., Murthy, P.N., Giradkar, R.P., Avari, J.G., 2008. Enhancement of Dissolution Rate of Gliclazide Using Solid Dispersions with Polyethylene Glycol 6000. *AAPS PharmSciTech* 9, 563–570.

[BPOM] Badan Pengawas Obat dan Makanan. 2004. Peraturan Kepala Badan Pengawas Obat dan Makanan tentang Pedoman Uji Bioekuivalensi. Jakarta.

[BPOM] Badan Pengawas Obat dan Makanan. 2005. Peraturan Kepala Badan Pengawas Obat dan Makanan No HK.00.05.3.1818 tentang Pedoman Uji Bioekuivalensi. Jakarta.

Citrariana, Shesanthi., et al, 2020. Studi perbandingan Disolusi In Vitro Pada Formula Tablet Levofloksasin Immediate-Release Menggunakan Variasi Kadar Disintegran Sodium Starch Glycolate. *Majalah Farmaseutik*, 16(1): 83-90.

Departemen Kesehatan Republik Indonesia., (1979). Farmakope Indonesia Edisi III. Jakarta. Departemen Kesehatan Republik Indonesia.

Departemen Kesehatan Republik Indonesia., (1995). Farmakope Indonesia Edisi IV. Jakarta. Departemen Kesehatan Republik Indonesia.

Departemen Kesehatan Republik Indonesia., (2014). Farmakope Indonesia Edisi V. Jakarta. Departemen Kesehatan Republik Indonesia.

Departemen Kesehatan Republik Indonesia., (2020). Farmakope Indonesia Edisi VI. Jakarta. Departemen Kesehatan Republik Indonesia.

Desu, P. K. et. al., 2018. Formulation and evaluation of immediate release tablet of nevirapine solid dispersions. *ARC Journal of Pharmaceutical Sciences*, 4(3), 2455-1538.

Fudholi, A. (2013). *Disolusi dan Pelepasan Obat in Vitro*. Pustaka Pelajar.

FDA. (2000). *Guidance for Industry: Waiver of In Vivo Bioavailability and Bioequivalence Studies for Immediate-Release Solid Oral Dosage Forms Based*

*on a Biopharmaceutics Classification System, U. S. Department of Health and Human Services, Center for Drug Evaluation and . ROCKVILLE*

FDA, 2014. Content and Format of Labeling for Human Prescription Drug and Biological Products; Requirements for Pregnancy and Lactation labeling. Food and Drug Administration.

Gennaro, A. R. (2000). *Remington: The Science and Practice of Pharmacy. 20th ed. Vol. II.* Mack Publishing Company..

Gordon, M.S., Ellis, D.J., Molony, B. 1994. *In vitro dissolution versus in vivo evaluation of four different teofilin products.* Drug Dev. Ind. Pharm., 20(10):1711-1723.

Gunawan S.G. 2007. *Farmakologi dan Terapi Edisi 5.* Jakarta: Departemen Farmakologi dan Fakultas Kedokteran Universitas Indonesia.

Harahap, Y. 2010. *Peran Bioanalisis Dalam Penjaminan Kualitas Obat Dan Peningkatan Kualitas Hidup Pasien.* Jakarta: UI Press.

Handisoewignyo,L., dan Fudholi, A.2013. *sediaan solid.* Yogyakarta: Pustaka Pelajar.

Hiremath, S., Raghavendra, R., Sunil, F., Danki, L., Rampure, M., Swamy, P., & Bhosale, U. (2008). Dissolution enhancement of gliclazide by preparation of inclusion complexes with  $\beta$ -cyclodextrin. *Asian Journal of Pharmaceutics*, 2(1), 73. <https://doi.org/10.4103/0973-8398.41572>

Jaimini, M., Ranga, S., Kumar, A., Sharma,S., dan Chauhand, B., 2013. A Review on immediate release drug delivery system by using design of experiment. *Journal of drug discovery and therapeutics*, 1: 21-27.

KEMENKES RI, 2018. *Teknologi Sediaan Solid.* Jakarta: Kementrian Kesehatan Republik Indonesia.

- KEMENKES RI, 2016. *Farmasi fisik*. Jakarta: Kementrian Kesehatan Republik Indonesia.
- Khattab, I.S., Nada, A., Zaghloul, A.-A., 2010. Physicochemical characterization of gliclazide–macrogol solid dispersion and tablets based on optimized dispersion. *Drug Dev.ind. Pharm.* 36, 893–902.
- Khaidir, S., dkk, 2015. Formulasi tablet ekstrak kankung air dengan variasi kadar amilum manihot sebagai bahan penghancur. *Jurnal Ilmiah Farmasi*. 11 (1), 1-8.
- Lachman, L., Lieberman, H.A., dan Kaning, J.L., 2008. *Teori dan Praktek Farmasi Industri Edisi Ketiga*. Universitas Indonesia Press.
- Lobo, P., Lobo, J.M.S. 2001. Review modeling and comparison of dissolution profiles. *European Journal of Pharmaceutical Sciences*, 13:123-133.
- Mariyam, 2011. *Preparasi dan Karakteristik itosan suksinat sebagi matrik pada tablet enterik lepas lambat*. Depok: Skripsi FMIPA profram Studi Farmasi Universitas Indonesia.
- Mircioiu, C., 2019. Mathematical modeling of release kinetics from supramolecular drug delivery systems. *Pharmaceutics*. 11: 1-45.
- Motulsky dan Christopoulos, 2003. *Fitting models to biological data using linear and nonlinear regression: a practical guide to curve fitting*. San Diego CA: GraphPad Software,Inc
- Murtaza G., Ahmad, M., Khan, S.A., Hussain, I. 2012. *Evaluation of cefixime-loaded chitosan microspheres: analysis of dissolution data using ddsolver*. *Dissolution Technologies*, 13–19.
- Nasif, H., Zaini, E., 2017. *Uji Dissolusi Terbanding Tablet Metilprednisolon Generik Bermerek dan Generik Berlogo Dibandingkan Dengan Tablet Metilprednisolon Paten*. 19.6.

- Nisa, M., dkk, 2016. Formulasi glibenclamid dengan metode self emulsifying drug delivery system (SEDDS) dan uji invitro disolusi. *Jurnal ilmiah farmasi*. (5) 1: 2302-2493.
- Nugroho, A.K., Binnarjo, A., Hakim, A.R., Ermawati, Y., 2014. Compartmental modeling approach of losartan transdermal transport in vitro. *Indones. J. Pharm.*, 25, 31–38.
- Oktarina, A. & dkk, 2019. Modeling dan analisis data menggunakan software DDSolver. *jurnal biofarmasetika-farmakokinetika universitas sriwijaya*, 1-5.
- Paarakh, M.P., Jose, P.A., Setty, C., dan Peter, G.V., 2018. Release Kinetics – Concepts and Applications. *International Journal of Pharmacy Research & Technology*, 8:9.
- Papadopoulou., V., et al. 2015. On use weibull function for the discernment of drug release mechanisms. *International Journal of PHARMACEUTICS*.309: 44-50.
- Pahwa, R. dan Gupta, N., 2011. Superdisintegrant in the development of orally disintegrating tablet: A Review. *International journal of Pharmaceutical sciences and Research*, 2:14.
- Prasad, S. G. et. al., 2014. Formulation and evaluation of clopidogrel bisulfate immediate Release tablets. *Journal of global trends in pharmaceutical sciences*, 5(4), 2154-2166.
- Resztak M., TW Hermann., W Sawick., dan ,DZ Danielak. 2014. Pharmacokinetics and Pharmacodynamics of Gliclazide from Immediate and Modified Release Formulation Tablets in Rats. *Iranian Journal of Pharmaceutical Research* (2014), 13 (1): 29-37.
- Raghuram, B. 2013. Formulation and in vitro evaluation of sustained release matrix tablet of gliclazide. *Dissertation*. Adhiparasakthi collage of pharmacy.

- Retnaningsih, A. dkk., 2017. stabilitas tablet asam mefenamat yang beredar di beberapa puskesmas daerah lampung tengah secara spektrofotometri UV. *Jurnal Analis Farmasi*, 2(4): 270-277.
- Sabawi, D., Abbasi, S., Alja'fari, S., and Hamdan, I. 2013. Pharmaceutical Evaluation of Glibenclamide Products Available in the Jordanian Market. *African Journal of Pharmacy and Pharmacology*. Vol 7 (22). Pp 1464-1470.
- Saha, T., 2018. Preparation and evaluation of immediate release gliclazide tablet using superdisintegrants. *International Journal Of Pharmacognosy*, 5(5): 294-297.
- Sari, D. P. d., 2013. uji disolusi terbanding tablet metformin hidroklorida generik berlogo dan bermerek. *Majalah Farmaseutik*, 9(1): 254-258.
- Sarkar, A., Tiwari, A., Bhasin, P.S., Mitra, M., 2015. Pharmacological and pharmaceutical profile of gliclazide: A review. *J. Appl. Pharm. Sci.* 1, 11–19.
- Saryanti, D., Ismawati, H., & Setiawan, I. (2019). OPTIMASI CAMPURAN PATI JAGUNG DAN AVICEL PH 101 SEBAGAI BAHAN PENGHANCUR PADA TABLET EKSTRAK BUAH PARE ( *Momordica charantia* L .) SECARA GRANULASI. *Jurnal Ilmiah Manutung*, 5(1), 106–114.
- Shargel, L., Wu-Pong, S. and Yu, B.C A., 2005. *Biofarmasetika dan Farmakokinetika Terapan Edisi Kelima*. Alih Bahasa: Fasich, B.S. Surabaya:Pusat Penerbitan dan Percetakan Universitas.
- Shazly, G. A. And Mahrous, G.M., 2014. Assessment of The Physicochemical Properties and in Vitro Dissolution of Glibenclamide Tablet Marketed in Saudia Arabia. *Dissolution Techologies*.
- Shoaib, H.M., Merchant, H.A., Tazeen, J., dan Yousuf, R.I. 2006. Once-daily tablet formulation and in vitro release evaluation of cefpodoxime using hydroxypropyl methylcellulose : A technical note. *AAPS PharmSciTech* ; 7 (3)

Article 78.

- Simionato, D.L. 2018. Comparison between the dissolution profiles of nine meloxicam tablet brand commercially available in Buenos Aires, Argentina. *Saudi pharmaceutical Journal*; 26, 576-584.
- Siregar, C., Wikarsa., S. 2010. *Teknologi Farmasi Sediaan Tablet Dasar - Dasar Praktis*. Jakarta : EGC.
- Siswanto, A. 2015. Formulasi dan uji bioavailabilitas tablet floating aspirin menggunakan methocel k4m cr, natrium bikarbonat, dan ethochel. *Disertasi*. Universitas Gadjah Mada, Yogyakarta.
- Siswanto, Agus. 2016. Pemodelan Pelepasan In vitro Tablet Floating Teofilin Dengan DDSolver. *PHARMACY*, 13(01): 30-46.
- Siswanto, A., Fudholi , A., nugroho, A. K. & Martono, s., 2016. pemodelan farmakokinetika tablet floating aspirin pada kelinci dengan PKSolver. *jurnal ilmu kefarmasian*, 14(2): 166-173.
- Sitta.,LA., D., 2014. Drug release mechanisms of chemichally cross-linked albumin microparticles: Effect of the matrix erosion . *Colloids and surfaces B: Biointerfaces: Elsevier*. 122: 404-413.
- Stuart A. V. 2015. Comparing the Dissolution Profiles of Seven metformin Formulations in Simulated Intestinal Fluid. 10.14227/DT220115P17.
- Sugiono, 2010. *Metode penelitian kuantitatif kualitatif dan R&D*. Bandung : penerbit CV Alfabeta.
- Sulaiman T. Nanda. Saifullah. 2007. *Teknologi dan Formulasi Sediaan Tablet*. Yogyakarta: Universitas Gajah Mada.
- Suryani, I.W.2017. Formulasi Tablet Floating Glibenklamid menggunakan Matriks HPMC E6LV. *Skripsi*. Purwokerto : Universitas Muhammadiyah.

- Suprianto, 2016. Analisis kinetika pelepasan teofilin dari granul matriks kitosan. *jurnal ilmiah manuntung*, 2(1): 70-80.
- Sweetman, Sean C. 2009. *Martindale : The Complete Drug Reference Thirty Sixth Edition*. London: Pharmaceutical Press.
- Syofyan. 2010. Perbandingan Mutu dan Harga Tablet Asam Mefenamat Generik dengan Bermerk Dagang yang Beredar di Pasaran. Universitas Andalas.
- Syamsia, d., 2017. sifat fisik tablet dihidroartemisinin-piperaquin(DHP) sediaan generik dan sediaan dengan nama dagang yang beredar di kotamadya jayapura. *pharmacon*, 6(3): 310-314.
- Syukri, Y., 2018. Pemilihan bahan pengisi untuk formulasi tablet ekstrak buah mahkota dewa (*phaleria macrocarpa boerl*). *Jurnal Sains Farmasi & Klinis*, 05(01), 67-73.
- Talari, R, Varshosaz, J., Mostafavi, S. A., dan Nokhodchi, A. 2009. Dissolution Enhancement of Gliclazide Using pH Change Approach in Presence of Twelve Stabilizers with Various Physico-Chemical Properties. *Journal Pharmaceutical Sciences* 12(3), 250-265.
- Ulfa, A. M., Nofita & Azzahra, D., 2018. Analisa uji kekerasan, kerapuhan dan waktu hancur asam mefenamat kaplet salut generik dan merek dagang. *jurnal Farmasi Malahayati*, 1(2), Hal. 59-68.
- Vaishali, V., Karkhanis et al. 2012. Validation of UV Spektrophotometric method for estimation of Gliclazide in bulk and pharmaceutical formulation. *Journal of Pharmacy Research*, 5(2): 1160-1161.
- Wardiyah, F. 2016. Perbandingan mutu fisik tablet metformin hidroklorida merk dagang dan generik. Fakultas farmasi universitas muhammadiyah surakarta, Surakarta.

- Wells, J. 2002. *Pharmaceutical preformulation: the physicochemical properties of drug substances*, in Aulton, M.E., *Pharmaceutics: the science of dosage form desing. Ed. II*. Edinburg: Churcihill Livingstone. Hal. 113-138.
- Wlodarski k, Tajber L, Sawicki W. 2016. Physicochemical Properties Of Direct Compression Tablet With Spray Dried And Ball Milled Solid Dispersions Of Tadalafil in PvpVa. *Eur J pharm Biopharm*, 109:14-23.
- Yusuf, F. 2016. Studi perbandingan obat generik dan obat dengan nama dagang. *J. Farmanesia*. 9, 5–10.
- Zhang, Y., Huo, M., Zhou, J., Zou, A., Li, W., Yao, C., Xie, S. 2010. DDSolver: an add-in program for modeling and comparison of drug dissolution profiles. *The AAPS Journal*, 12(3):263–2718.
- Zou, J. & dkk, 2014. Evalution of the DDSolver Software Applications. *Biomed Research International*.1-9.