

DAFTAR PUSTAKA

- Abrahamse, Heidi, Hamblin, M.R. (2016). New Photosensitizers For Photodynamic Therapy. *Biochem. J.* 473: 347–364.
- Agostinis, P. *et al.* (2011). Photodynamic Therapy Of Cancer: An Update., *CA: A Cancer Journal for Clinicians*, 61(4), pp. 250–281.
- Allison, R.R., Moghissi, K. (2013). Photodynamic Therapy (PDT): PDT Mechanisms. *Clin. Endosc.* 46: 24.
- Al-Omari, S., (2013). Toward A Molecular Understanding Of The Photosensitizer–Copper Interaction For Tumor Destruction. *Biophys. Rev.* 5: 305–311
- Arslan, S. (2016). Phthalocyanines: Structure, Synthesis, Purification and Applications. *J. Life Sci.* 6(2): 10.
- Bhatia S, Tykodi SS, Thompson JA. (2009). Treatment of metastatic melanoma: an overview. *Oncology*.23(6):488-496.
- Chabner, B.A., Roberts, T.G. (2005). Chemotherapy And The War On Cancer. *Nat. Rev. Cancer* 5: 65–72.
- Chen, Z. L. (2019) ‘Photodynamic Anti-Tumor Efficiency of Hematoporphyrin Derivative’, *Biomedical Journal of Scientific & Technical Research*, 22(3).
- Daniel KG, Harbach RH, Guida WC, Dou QP (2004) Copper storage diseases: Menkes, Wilsons, and cancer. *Front Biosci* 9:2652–2662
- Demirbaş, Ü., Barut, B., Özel, A., Çelik, F., Kantekin, H., Sancak, K. (2019). Synthesis, Characterization and DNA Interaction Properties Of The Novel peripherally tetra 4-(3-methyl-4-(3-morpholinopropyl)-5-oxo-4,5-dihydro-1H-1,2,4-triazol-1-yl) Substituted Water Soluble Zn(II) and Cu(II) phthalocyanines. *J. Mol. Struct.* 1177: 571–578.
- Depkes RI.(2016).*Info DATIN Pusat Data dan Informasi Kementerian RI*. Jakarta: Kementrian Kesehatan RI.ISSN 2442-7659
- Dilber, G. *et al.* (2019).The peripheral and non-peripheral 2H-benzotriazole substituted phthalocyanines: Synthesis, characterization, photophysical and photochemical studies of zinc derivatives. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 217, pp. 128–140.

- Dougherty, T.J., Gomer, C.J., Henderson, B.W., Jori, G., Kessel, D., Korbek, M., Moan, J., Peng, Q., (1998). Photodynamic Therapy. *J. Natl. Cancer Inst.* 90, 17.
- Eatock MM, Schatzlein A, Kaye SB (2000) Tumour vasculature as a target for anticancer therapy. *Cancer Treat Rev* 26:191–204
- Fitriatuzzakiyyah, N., Sinuraya, R.K.(2017). Cancer Therapy with Radiation: The Basic Concept of Radiotherapy and Its Development in Indonesia. *Indones. J. Clin. Pharm.* 6: 311–320.
- Gabbiani, Chiara.(2009). *Protein as Possible Target for Antitumor Metal Complexes*. Firenze, Italy: Firenze University Press
- Globocan. (2018). *Latest global cancer data: Cancer burden rises to 18,1 million new cases and 9,6 million cancer deaths in 2018*. IARC Cancer, 3. Diakses tanggal 31 Agustus 2020.
- Habibah, Rifka Notiana. (2020). Uji Aktivitas Antikanker *Magnesium Phthalocyanine* Terhadap Sel Kanker Payudara T47d Secara *Photodynamic Therapy*. Purwokerto. Fakultas farmasi, Universitas Muhammadiyah Purwokerto.
- Hepokur, C., Günsel, A., Yarasir, M.N., Bilgiçli, A.T., Tüzün, B., Tüzün, G., Yaylim, İ., (2017). Novel type ketone-substituted metallophthalocyanines: synthesis, spectral, structural, computational and anticancer studies. *RSC Adv.* 7, 56296–56305.
- Hirschmann-Jax, C., Foster, A.E., Wulf, G.G., Nuchtern, J.G., Jax, T.W., Gobel, U., Goodell, M.A., Brenner, M.K., (2004). A distinct “side population” of cells with high drug efflux capacity in human tumor cells. *Proc. Natl. Acad. Sci.* 101, 14228–14233.
- Indrawati, R., Karwur, F.F., Limantara, L., (2010). Perkembangan Sensitizer pada Terapi Fotodinamika Tumor dan Kanker Hingga Penuntunan Nanopartikel (Nanoparticulate Targeting) Dengan Antibodi Monoklonal 11. *Indonesian Journal of Cancer* Vol. 4, No. 3

- Ion, R.-M., (2011). The Use of Phthalocyanines and Related Complexes in Photodynamic Therapy, in: Nyokong, T., Ahsen, V. (Eds.), Photosensitizers in Medicine, Environment, and Security. *Springer Netherlands, Dordrecht*, pp. 315–349.
- Jiang, B.-P., Hu, L.-F., Wang, D.-J., Ji, S.-C., Shen, X.-C., Liang, H., (2014). Graphene loading water-soluble phthalocyanine for dual-modality photothermal/photodynamic therapy via a one-step method. *J Mater Chem B* 2, 7141–7148.
- Jonker, J.W., Buitelaar, M., Wagenaar, E., (2001). The breast cancer resistance protein protects against a major chlorophyll-derived dietary phototoxin and protoporphyria. *Med. Sci.* 6.
- Josefsen, L.B., Boyle, R.W. (2008). Photodynamic Therapy and the Development of Metal-Based Photosensitisers. *Met.-Based Drugs*.2008: 1–23.
- Kim, Se kwon. (2015). *Handbook of Anticancer Drugs from Marine Origin*. Busan, South Korea: Springer
- Kuo HW, Chen SF, Wu CC, Chen DR, Lee JH (2002) Serum and tissue trace elements in patients with breast cancer in Taiwan. *Biol Trace Elem Res* 89:1–11
- Lawrence TS, Ten Haken RK, Giaccia A. (2008). Principles of radiation oncology. In: DeVita VT Jr, Lawrence TS, Rosenberg SA. *Cancer: Principles and Practice of Oncology, 8th ed.* Philadelphia, PA
- Li, X., Peng, X.-H., Zheng, B.-D., Tang, J., Zhao, Y., Zheng, B.-Y., Ke, M.-R., Huang, J.-D. (2018). New application of phthalocyanine molecules: from photodynamic therapy to photothermal therapy by means of structural regulation rather than formation of aggregates. *Chem. Sci.* 9: 2098–2104.
- Lo, P.-C. *et al.* (2020) ‘The unique features and promises of phthalocyanines as advanced photosensitisers for photodynamic therapy of cancer’, *Chemical Society Reviews*, 49(4), pp. 1041–1056.
- Lovell, J.F., Liu, T.W.B., Chen, J., Zheng, G., (2010). Activatable Photosensitizers for Imaging and Therapy. *Chem. Rev.* 110: 2839–2857
- Maiya, B.G., (2000). Photodynamic Therapy (PDT): 2. Old and new photosensitizers. *Resonance* 5, 15–29.

- Malatesti, N. *et al.* (2016) ‘Synthesis, characterisation and in vitro investigation of photodynamic activity of 5-(4-octadecanamidophenyl)-10,15,20-tris(N-methylpyridinium-3-yl)porphyrin trichloride on HeLa cells using low light fluence rate’, *Photodiagnosis and Photodynamic Therapy*, 15, pp. 115–126.
- Miller, J., Baron, E., Scull, H., Hsia, A., Berlin, J., McCormick, T., Colussi, V., Kenney, M., Cooper, K., Oleinick, N. (2007). Photodynamic Therapy With The Phthalocyanine Photosensitizer Pc 4: The Case Experience With Preclinical Mechanistic And Early Clinical–Translational Studies. *Toxicol. Appl. Pharmacol.* 224: 290–299.
- Miller KD, Siegel RL, Lin CC. (2016). Cancer treatment and survivorship statistics. *CA Cancer J Clin.*66(4):271-289.
- Moreira, L.M., Vieira dos Santos, F., Lyon, J.P., Maftoum-Costa, M., Pacheco-Soares, C., Soares da Silva, N. (2008). Photodynamic Therapy: Porphyrins and Phthalocyanines as Photosensitizers. *Aust. J. Chem.* 61: 741.
- Moret, F., Reddi, E., (2017). *Strategies for optimizing the delivery to tumors of macrocyclic photosensitizers used in photodynamic therapy (PDT)*. J. Porphyr. Phthalocyanines 21, 239–256.
- Naidoo, C., Kruger, C. A. and Abrahamse, H. (2018) ‘Photodynamic Therapy for Metastatic Melanoma Treatment: A Review’, *Technology in Cancer Research & Treatment*, 17, p. 153303381879179.
- Ng, D.K. (2014). Phthalocyanine-Based Photosensitizers: More Efficient Photodynamic Therapy?. *Future Med. Chem.* 6: 1991–1993.
- Nursafi Tri Eka Utari K., , Intan Sari A., Rafi Ka Sari., Winda A.K.Agnessri Harti. (2013). Kegunaan Daun Sirsak (*Annona Muricata* L) Untuk Membunuh Sel Kanker Dan Pengganti Kemoterapi. *Jurnal KesMaDaSka* .Surakarta: Stikes Kusuma Husada
- Ryan CJ, Wilding G (2000) Angiogenesis inhibitors. New agents in cancer therapy. *Drugs Aging* 17:249–255
- Safitri, Isti Wilda. (2020). Uji Aktivitas Antikanker *Cobalt (Ii) Phthalocyanine* Terhadap Sel Kanker Payudara (T47d) Secara *Photodynamic Therap*. Purwokerto. Fakultas Farmasi, Universitas Muhammadiyah Purwokerto

- Sakamoto, K., Ohno-Okumura, E. (2009). Syntheses and Functional Properties of Phthalocyanines. *Materials*. 2: 1127–1179.
- Schubert E.F., (2006), Light Emitting Diodes, 2nd ed., *Cambridge University Press*, USA.
- Septiana, Widia Ade. (2020). Uji Aktivitas Antikanker Zn Phthalocyanine Terhadap Sel Kanker Payudara (T47d) Secara *Photodynamic Therapy*. Purwokerto. fakultas farmasi, Universitas Muhammadiyah Purwokerto.
- Shi, R. *et al.* (2017) ‘Preclinical Study of Antineoplastic Sinoporphyrin Sodium-PDT via In Vitro and In Vivo Models’, *Molecules*, 22(1), p. 112.
- Sriphana, U., Yenjai, C., Tungnoi, S., Srirapa, J., Junsongduang, A., (2018). Flavonoids from *Milletia leucantha* and Their Cytotoxicity. *Nat. Prod. Commun.* 13.
- Suhendi. A., Haryoto, Indrayudha, P., Muhtadi, Azizah, T. (2013). Determination of antioxidant activity of extract polar and semipolar fraction of *cynometra ramiflora* Lin. *Jurnal Penelitian Saintek*, Vol. 18, Nomor 2
- Sujarwata dan Fianti. (2017). *Transistor Film Tipis Organik*. Yogyakarta: DEEPUBLISH
- Staicu, A., Pascu, A., Nuta, A., Sorescu, A., Raditoiu, V., Pascu, M.L. (2013). Studies About Phthalocyanine Photosensitizers To Be Used In Photodynamic Therapy. *Romanian Reports in Physics*, Vol. 65(3): 1032–1051.
- Touka, N., Benelmadjat, H., Boudine, B., Halimi, O., Sebais, M. (2013). Copper Phthalocyanine Nanocrystals Embedded Into Polymer Host: Preparation And Structural Characterization. *J. Assoc. Arab Univ. Basic Appl. Sci.* 13: 52–56.
- Van Straten D, Mashayekhi V, de Bruijn HS, Oliveira S, Robinson DJ. (2017). Oncologic photodynamic therapy: basic principles, In Hamblin M. *Current Clinical Status and Future Directions. Cancers*.9(2):19.
- World Health Organization 2018: *International gency for Research on Cancer: Press Release Latest Global Cancer Data.* (2018). Retrieved 29 September, 2019 from World Health Organization Web site: <http://www.who.int/cancer/PRGlobocanFinal.pdf?ua=1> Intext citation: World Health Organization 2018.

- Yaku, H., Murashima, T., Miyoshi, D., Sugimoto, N., (2013). A Highly Sensitive Telomerase Activity Assay that Eliminates False-Negative Results Caused by PCR Inhibitors. *Molecules* 18, 11751–11767.
- Yaku, H., Murashima, T., Miyoshi, D., Sugimoto, N., (2010). Anionic phthalocyanines targeting G-quadruplexes and inhibiting telomerase activity in the presence of excessive DNA duplexes. *Chem. Commun.* 46, 5740.
- Zhang, J. *et al.* (2017). An Updated Overview On The Development Of New Photosensitizers For Anticancer Photodynamic Therapy'. *Acta Pharmaceutica Sinica B*, 8(2), pp. 137–146.

