

DAFTAR PUSTAKA

- Ahmadkhaniha, R., Mottaghi, S., Zargarpoor, M., & Souri, E. (2014). Validated HPLC Method for Quantification of Pregabalin in Human Plasma Using 1-Fluoro-2,4-dinitrobenzene as Derivatization Agent. *Chromatography Research International*, 2014, 1–6. <https://doi.org/10.1155/2014/450461>
- Al-Majed, A. A. (2008). A new LC method for determination of some aminoglycoside antibiotics in dosage forms and human plasma using 7-fluoro-4-nitrobenz-2-oxa-1,3-diazole as a fluorogenic pre-column label. *Chromatographia*, 68(11–12), 927–934. <https://doi.org/10.1365/s10337-008-0792-2>
- Betina, V. (1983). Antibiotics. *Journal of Chromatography Library*. [https://doi.org/10.1016/S0301-4770\(08\)61331-7](https://doi.org/10.1016/S0301-4770(08)61331-7)
- Cabanes, A., Cajal, Y., Haro, I., Anton, J. M. G., Arboix, M., & Reig, F. (1991). Gentamicin determination in biological fluids by HPLC, using tobramycin as internal standard. *Journal of Liquid Chromatography*, 14(10), 1989–2010. <https://doi.org/10.1080/01483919108049669>
- Clarot, I., Chaimbault, P., Hasdenteufel, F., Netter, P., & Nicolas, A. (2004). Determination of gentamicin sulfate and related compounds by high-performance liquid chromatography with evaporative light scattering detection. *Journal of Chromatography A*. <https://doi.org/10.1016/j.chroma.2003.12.032>
- Company, S. P. (1982). *by high-performance*. 232, 212–218.
- Drulis-Kawa, Z., Gubernator, J., Dorotkiewicz-Jach, A., Doroszkiewicz, W., & Kozubek, A. (2006). A comparison of the in vitro antimicrobial activity of liposomes containing meropenem and gentamicin. *Cellular and Molecular Biology Letters*. <https://doi.org/10.2478/s11658-006-0030-6>
- El-Didamony, A. M., Amin, A. S., Ghoneim, A. K., & Telebany, A. M. (2006). Indirect spectrophotometric determination of gentamicin and vancomycin

- antibiotics based on their oxidation by potassium permanganate. *Central European Journal of Chemistry*. <https://doi.org/10.2478/s11532-006-0035-z>
- Evans, G., Biddlecombe, B., & Callejas, S. (2004). Mass Spectrometry And Quantitative Bioanalysis. In *A Handbook of Bioanalysis and Drug Metabolism*. <https://doi.org/10.1201/9780203642535.ch5>
- FDA, C., Services, U. S. D. of H. and H., FDA, F. and D. A., Food and Drug Administration, & Administration, F. and D. (2001). Guidance for Industry: Bioanalytical Method Validation. US Department of Health and Human Services. *Food and Drug Administration, Center for Drug Evaluation and Research (CDER), Center for Veterinary Medicine (CV)*. <https://doi.org/http://www.labcompliance.de/documents/FDA/FDA-Others/Laboratory/f-507-bioanalytical-4252fnl.pdf>
- Food and Drug Administration (FDA). (2001). Guidance for Industry Bioanalytical Method Validation. *Veterinary Medicine*.
- Gandjar, I.G., Rohman, A. (2007). Kimia Analisis Farmasi. In *pustaka pelajar*.
- Gandjar, I. G., & Rohman, A. (2007). *Kimia Farmasi Analisis*. PustakaPelajar.
- Gubernator, J., Drulis-Kawa, Z., & Kozubek, A. (2006). A simply and sensitive fluorometric method for determination of gentamicin in liposomal suspensions. *International Journal of Pharmaceutics*. <https://doi.org/10.1016/j.ijpharm.2006.07.039>
- Harmita, H. (2004). Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian*. <https://doi.org/10.7454/psr.v1i3.3375>
- Hirschmann, J. V. (1988). Topical Antibiotics in Dermatology. *Archives of Dermatology*. <https://doi.org/10.1001/archderm.1988.01670110051011>
- Huber, L. (2007). Validation and Qualification in Analytical Laboratories. In *Validation and Qualification in Analytical Laboratories*. <https://doi.org/10.3109/9780849382680>

- Imai, K., Watanaba, Y., & Toyo'oka, T. (1982). Fluorometric assay of amino acids and amines by use of 7-fluoro-4-nitrobenzo-2-oxa-1,3-diazole(NBD-F) in high-performance liquid chromatography. *Chromatographia*, 16(1), 214–215. <https://doi.org/10.1007/BF02258904>
- Isoherranen, N., & Soback, S. (2000a). *Determination of Gentamicins C 1 , C 1a , and C 2 in Plasma and Urine by HPLC*. 842, 837–842.
- Isoherranen, N., & Soback, S. (2000b). Determination of gentamicins C1, C(1a), and C2 in plasma and urine by HPLC. *Clinical Chemistry*. <https://doi.org/10.1093/clinchem/46.6.837>
- J Kuehl, P. (2012). Development and Validation of an HPLC Assay For Dual Detection of Gentamicin Sulfate and Leucine From a Novel Dry Powder For Inhalation. *Journal of Analytical & Bioanalytical Techniques*, 03(06), 3–6. <https://doi.org/10.4172/2155-9872.1000152>
- Januar, H. I. (2009). Perbandingan Beberapa Metode Analisis Histamin Untuk Produk Perikanan. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 4(2), 48. <https://doi.org/10.15578/squalen.v4i2.150>
- Moldoveanu, S. C., & David, V. (2017). RP-HPLC Analytical Columns. In *Selection of the HPLC Method in Chemical Analysis*. <https://doi.org/10.1016/b978-0-12-803684-6.00007-x>
- Olmstead, C. B. (1979). Antibiotics in dermatology. An update. *Cutis*, 24(4), 414–425.
- Omar, M. A., Nagy, D. M., Hammad, M. A., & Aly, A. A. (2013). Validated spectrophotometric methods for determination of certain aminoglycosides in pharmaceutical formulations. *Journal of Applied Pharmaceutical Science*. <https://doi.org/10.7324/JAPS.2013.30329>
- Paul, M., & Leibovici, L. (2009). Combination Antimicrobial Treatment Versus Monotherapy: The Contribution of Meta-analyses. In *Infectious Disease Clinics of North America*. <https://doi.org/10.1016/j.idc.2009.01.004>

Shargel, L., Foster, T., & Pappa, H. (2005). USP Advisory Panels on the USP Performance Test. In *Pharmacoepial Forum*.

Stead, D. A., & Richards, R. M. E. (1996). Sensitive fluorimetric determination of gentamicin sulfate in biological matrices using solid-phase extraction, pre-column derivatization with 9-fluorenylmethyl chloroformate and reversed-phase high-performance liquid chromatography. *Journal of Chromatography B: Biomedical Applications*, 675(2), 295–302. [https://doi.org/10.1016/0378-4347\(95\)00355-X](https://doi.org/10.1016/0378-4347(95)00355-X)

Susanti, M., & Dachriyanus. (2017). *Kromatografi Cair Kinerja Tinggi*. Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK) Universitas Andalas. <https://doi.org/DOI.org> (Crossref)

Walker, S. E., & Coates, P. E. (1981). High-performance liquid chromatographic method for determination of gentamicin in biological fluids. *Journal of Chromatography B: Biomedical Sciences and Applications*, 223(1), 131–138. [https://doi.org/10.1016/S0378-4347\(00\)80075-4](https://doi.org/10.1016/S0378-4347(00)80075-4)

Yun, M. H., & Kwon, K. Il. (2006). High-performance liquid chromatography method for determining alendronate sodium in human plasma by detecting fluorescence: Application to a pharmacokinetic study in humans. *Journal of Pharmaceutical and Biomedical Analysis*, 40(1), 168–172. <https://doi.org/10.1016/j.jpba.2005.06.025>