

DAFTAR PUSTAKA

- Abdullah, M. (2011). Kanker Kolon. Dalam: Rani, AA., Syam, AF., editor. *Buku ajar gastroenterology Edisi ke-1*. Jakarta: Interna Publishing. Hal. 460–474.
- Abdullah, M. (2014). Tumor Kolorektal. Dalam: Setiati, S., Alwi, I., Sudoyo, AW., Simadibrata, M., Setyohadi, B., Syam, AF., editor. *Buku Ajar Ilmu Penyakit Dalam Edisi ke-6*. Jakarta: Interna Publishing. Hal. 3023–3031.
- Achyad, D.E. and Rasyidah, R. (2000). *Lada Piper nigrum Linn*. Retrieved 14 October 2019 Web site: http://www.asiamaya.com/jamu/isi/lada_pipernigrum.htm. Makassar.
- Adhvaryu, M.R., Reddy, N. and Parabia, M.H. (2008). Anti-tumor activity of four ayurvedic herbs in dalton lymphoma ascites bearing mice and their short-term in vitro cytotoxicity on DLA-cell-line. *African Journal of Traditional Complementary and Alternative Medicines*. Volume 5(4): 409-418.
- American Cancer Society 2018: *The American Cancer Facts and Figures of the 2018*. (2019). Retrieved 2 October 2019 from American Cancer Society Web site: <http://www.cancer.org>
- Anam, C. (2010). Ekstraksi oleoresin jahe (*Zingiber officinale*) kajian dari ukuran bahan, pelarut, waktu dan suhu. *Jurnal Pertanian MAPETA*. Volume 12(2): 101-110.
- Aziz, N.S., Seng, N.S.S., Razali, N.S.M., Lim, S.J. and Mustapha, W.A.W. (2019). A review on conventional and biotechnological approaches in white pepper production. *Journal of the Science of Food and Agriculture*. Volume 99(6): 2665-2676.

Battaglia, E., Benoit, I., Brink, J., Wiebenga, A., Coutinho, P.M., Henrissat, B. and

Vries, R.P. (2011). Carbohydrate-active enzymes from the zygomycete fungus *Rhizopus oryzae*: a highly specialized approach to carbohydrate degradation depicted at genome level. *BMC Genomics*. Volume 12(1): 38.

Benoit, I., Coutinho, P.M., Schols, H.A., Gerlach, J.P., Henrissat, B. and Vries, R.P.

(2012). Degradation of different pectins by fungi: correlations and contrasts between the pectinolytic enzyme sets identified in genomes and the growth on pectins of different origin. *BMC Genomics*. Volume 13: 321.

Berg, K.C.G., Eide, P.W., Eilertsen, I.A., Johannessen, B., Bruun, J., Danielsen, S.A., Bjornslett, M., Meza-Zepeda, L.A., Eknaes, M., Lind, G.E., Myklebost, O., Skotheim, R.I., Sveen, A. and Lothe, R.A. (2017). Multi-omics of 34 colorectal cancer cell lines - a resource for biomedical studies. *Molecular Cancer*. Volume 16(1): 116.

Bezzerá, D.P., Pessoa, C., de Moraes, M.O., de Alencar, N.M.N., Mesquita, R.O., Lima, M.W., Alves, A.P.N.N., Pessoa, O.D.L., Chaves, J.H., Silveira, E.R. and Costa-Lotufo, L.V. (2008). *In vivo* growth inhibition of sarcoma 180 by piperlonguminine, an alkaloid amide from the *Piper* species. *Journal of Applied Toxicology*. Volume 28(5): 599-607.

Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R.L., Torre, L.A. and Jemal, A. (2018). Global cancer statistic 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *A Cancer Journal for Clinicians*. Volume 68(6): 394-424.

CCRC Farmasi UGM 2014 : *Sel WiDr*. (2019). Retrieved 17 October 2019 from

Chen, T.R., Drabkowski, D., Hay, R.J., Macy, M. and Peterson, W. Jr. (1987).
WiDr is a derivative of another colon adenocarcinoma cell line, ht-29. *Journal of Cancer Genet Cytogenet*. Volume 27(1):125-134.

Dahham, S.S., Tabana, Y.M., Iqbal, M.A., Ahmed, M.B.K., Ezzat, M.O, Majid, A.S.A. and Majid, A.M.S.A. (2015). The Anticancer, antioxidant and antimicrobial properties of the sesquiterpene β - caryophyllene from the essential oil of *Aquilaria crassna*. *Molecules*. Volume 20(7): 11808-11829.

Dalimartha, S. (2004). *Deteksi Dini Kanker & Simplisia Antikanker*. Jakarta: Penebar Swadaya Jakarta.

Da Silva, S.L., Figueiredo, P.M. and Yano, T. (2007). Cytotoxic evaluation of essential oil from *Zanthoxylum rhoifolium* Lam. leaves. *Acta Amazonica*. Volume 37(2): 281-286.

[Depkes RI] Departemen Kesehatan RI. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat* Cetakan Pertama. Jakarta: Dikjen POM.

Doyle, A. and Griffiths, J.B. (2000). *Cell and Tissue Culture for Medical Research*.
New York: John Willey and Sons Ltd.

Din, F.V.N., Dunlop, M.G. and Stark, L.A. (2004). Evidence for colorectal cancer cell specificity of aspirin effects on NFkB signalling and apoptosis. *British Journal of Cancer*. Volume 91(2): 381-388.

Duval, R.E., Clarot, I., Dumarcay-Charbonnier, F., Fontanay, S. and Marsura, A. (2012). Interest of designed cyclodextrin-tools in gene delivery. *Annales Pharmaceutiques Francaises*. Volume 70(6): 360-369.

Fitriyana, L., Irmayanti, Sari, P.M. and Muhardina, V. (2018). Ekstraksi oleoresin lada hitam secara maserasi menggunakan metode permukaan respon. *Serambi Engineering*. Volume 3(1): 215-221.

Feng, J.C. (2013). Screening and identification of an indigenous bacterial strain high active for fermentative production of white pepper (*piper nigrum* L.). *Advances Materials Research*. Volume 781-784: 1489-1494.

GLOBOCAN 2018: *Cancer Today*. (2019). Retrieved 1 October 2019 from International Agency for Research on Cancer Web site: <http://gco.iarc.fr/>

Grinevicius, V.M.A.S., Kviecinski, M.R., Mota, N.S.R.S., Ourique, F., Castro, L.S.E.V.W., Andregueti, R.R., Correia, J.F.G., Filho, D.W., Pich, C.T. dan Pedrosa, R.C. (2016). *Piper nigrum* ethanolic extract rich in piperamides causes ROS overproduction, oxidative damage in DNA leading to cell cycle arrest and apoptosis in cancer cells. *Journal of Ethnopharmacology*. Volume 189: 139-147.

Grinevicius, V.M.A.S., Andrade, K.S., Ourique, F., Micke, G.A., Ferreira, S.R.S. dan Pedrosa, R.C. (2017). Antitumor activity of conventional and supercritical extracts from *Piper nigrum* L. cultivar Bragantina through cell cycle arrest and apoptosis induction. *Journal of Supercritical Fluids*. Volume 128: 94-101.

Haryoto., Muhtadi., Indrayudha, P., Azizah, T, dan Suhendi, A. (2013). Aktivitas sitotoksik ekstrak etanol tumbuhan sala (*Cynometra ramiflora* Linn) terhadap sel HeLa, T47D, dan WiDr. *Jurnal Penelitian Saintek*. Volume 18(2): 21-28.

Hu, Q., Zhang, J., Xu, C., Li, C. and Liu, S. (2017). The dynamic microbiota profile

during pepper (*Piper nigrum* L.) peeling by solid-state fermentation. *Current Microbiology*. Volume 74(6): 739-746.

Kapoor, I.P.S., Singh, B., Singh, G., De Heluani, C.S., De Lampasona, M.P. and Catalan, C.A.N. (2009). Chemistry and *in vitro* antioxidant activity of volatile oil and oleoresins of black pepper (*Piper nigrum*). *Journal of Agricultural and Food Chemistry*. Volume 57(12): 5358-5364.

Kaur, H., He, B., Zhang, C., Rodriguez, E., Hage, D.S. and Moreau, R. (2018). Piperine potentiates curcumin-mediated repression of mTORC1 signaling in human intestinal epithelial cells: implications for the inhibition of protein synthesis and TNF- α signaling. *The Journal of Nutritional Biochemistry*. Volume 57: 276-286.

[Kemenkes RI] Kementerian Kesehatan RI. (2013). *Riset Kesehatan Dasar (RISKESDAS)*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.

Kementerian Kesehatan RI 2016: *Bulan Peduli Kanker Payudara*. (2019).

Retrieved 1 October 2019 from Kementrian Kesehatan Web site:

www.pusdatin.kemkes.go.id/article/view/17020100002/bulan-peduli-kanker-payudara.html.

Kimman, M., Norman, R., Jan, S., Kingston, D. and Woodward, M. (2012). The burden of cancer in member countries of the association of southeast asian nation (ASEAN). *Asian Pasific Journal of Cancer Prevention*. Volume 13(2): 411-420.

Khushbu, C., Roshni, S., Anar, P., Carol, M., & Mayuree, P. (2011).
Phytochemical

and therapeutic potential of *Piper longum* Linn a review. *International Journal of Research in Ayurveda and Pharmacy*. Volume 2(1): 157-161.

Kolarova, N. and Augustin, J. (2001). Production of polysaccharide hydrolases
in the genus *Rhizopus*. *Folia Microbiology*. Volume 46(3): 223-226.

Levrero, M., Laurenzi, V. De., Constanzo, A., Sabatini, S., Gong, J., Wang, J.Y.J.
and Melino, G. (2000). The p53/p63/p73 family of transcription factors:
overlapping and distinct functions. *Journal of Cell Science*. Volume 113(10):
1661-1670.

Liu, H.C., Chen, G.G., Vlantis, A.C., Leung, B.C.S., Tong, M.C.E. and van
Hasselt,

C.A. (2006). 5-Fluorouracil mediates apoptosis and g1/s arrest in laryngeal
squamous cell carcinoma via a p53-independent pathway. *The Cancer
Journal*. Volume 12(6): 482-493.

Madhavi, B.B., Nath, A.R., Banji, D., Madhu, M.N., Ramalingam, R. and Swetha,
D. (2009). Extraction, identification, formulation and evaluation of piperine in
alginate beads. *International Journal of Pharmacy and Pharmaceutical
Sciences*. Volume 1(2): 151-161.

Mangan, Y. (2003). *Cara Bijak Menaklukan Kanker*. Jakarta: Agro Media
Pustaka.

Maretniatin, C.D., 2008, *Uji potensi antifungi ekstrak etanol dau sirih merah
(Piper*

crocatum Ruiz & Pav.) terhadap Candida albicans secara in vitro skripsi.
Yogyakarta. Fakultas Farmasi, Universitas Sanata Dharma

Meyerhardt, J.A. and Mayer, R.J. (2005). Systemic therapy for colorectal cancer. *New England Journal of Medicine*. Volume 352(5): 476-487.

Morsy, N.F.S. and Abd El-Salam, E.A. (2017). Antimicrobial and antiproliferative of black pepper (*Piper nigrum* L.) essential oil and oleoresin. *Journal of Essential Oil Bearing Plants*. Volume 20(3): 779-790.

Mukhriani. (2014). Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *Jurnal Kesehatan*. Volume 7(2): 361-367.

National Cancer Institute 2009: *What Is Cancer?* Retrieved 15 October 2019 from U.S. National Institutes of Health. Web site: <http://www.cancer.gov/cancertopics/what-is-cancer>.

Noguchi, P., Wallace, R., Johnson, J., Early, E.M., O'Brien, S. and Ferrone, S. (1979). Characterization of the WiDr: a human colon carcinoma cell line. *In Vitro*. Volume 15(6): 401-408.

Olalere, O.A., Abdurrahman, N.H., Alara, O.R., and Habeeb, O.A. (2017). Parametric optimization of microwave reflux extraction of spice oleoresin from white pepper (*Piper nigrum*). *Journal of Analytical Science and Technology*. Volume 8(1): 1-8.

Ovadge, P., Ma, D., Tremblay, P., Roma, A., Steckle, M., Guerrero, J.A., Arnason, J.T. dan Pandey, S. (2014). Evaluation of the efficacy & biochemical mechanism of cell death induction by *Piper longum* extract selectively in *in-vitro* and *in-vivo* models of human cancer cells. *PLOS ONE*. Volume 9(11): e113250.

Palozza, P., Serini, S., Maggiano, N., Giuseppe, T., Navarra, P., and Ranelletti,

- F.O. (2005). β -Carotene downregulates the steady-state and heregulin-a-induced cox-2 pathways in colon cancer cells. *Journal Nutrition*. Volume 135(1): 129-136.
- Patil, K. (2011). *Role of Piperine as a Bioavailability Enhancer*. India: University Bhanpur.
- Rismunandar. (2000). *Lada Budidaya dan Tata Niaga*. Depok: Penebar Swadaya.
- Rismunandar, M., and N. Riski. (2003). *Lada Budidaya dan Tata Niaga Edisi Revisi*. Jakarta : Penebar Swadaya.
- Rismunandar. (2007). *Lada Budidaya dan Tata Niaga*. Jakarta: Penebar Swadaya.
- Rosnah, S. and Chan, S.C. (2014). Enzymatic rettings of green pepper berries for white pepper production. *International Food Research Journal*. Volume 21(1): 237-245.
- Rukmana, R. (2003). *Usaha Tani Lada Perdu*. Yogyakarta: Kanisius.
- Samuel, W., 2004, *Pengaruh jenis pelarut dan suhu terhadap rendemen oleoresin temu hitam*. skripsi. Malang. Fakultas Teknologi Pertanian, Universitas Brawijaya.
- Sari, L.O.R.K. (2006). Pemanfaatan obat tradisional dengan pertimbangan manfaat dan keamanan. *Majalah Ilmu Kefarmasian*. Volume 3(1): 1-7.
- Sharma, A.K., Kumar, S., Chashoo, G., Saxena, A.K. dan Pandey, A.K. (2014). Cell cycle inhibitory activity of *Piper longum* against A549 cell line and its protective effect against metal-induced toxicity in rats. *Indian Journal of Biochemistry and Biophysics*. Volume 51(5): 358-364.

- Sigh, A. and Duggal, S. (2009). Piperine-review of advances in pharmacology. *International Journal of Pharmaceutical Sciences and Nanotechnology*. Volume 2(3): 615-620.
- Sigh, S., Kapoor, I.P.S., Singh, G., Schuff, C., de Lampasona, M.P. and Catalan, C.A.N. (2013). Chemistry, antioxidant, and antimicrobial potentials of white pepper (*Piper nigrum* L) essential oil and oleoresins. *The National Academy of Science India*. Volume 83(3): 357-366.
- Singletary, K. (2010). Black Pepper: overview of health benefits. *Journal Nutrition Today*. Volume 45(1): 43-47.
- Sirait, D., 2008, *Penentuan Kadar Lemak dalam Margarin dengan Metode Ekstraksi Sokletasi* skripsi. Medan. Universitas Sumatera Utara.
- Sriwiryajan, S., Sukpondma, Y., Srisawat, T., Madla, S. and Graidist, P. (2017). (-)-Kusunokinin and piperloguminine from *Piper nigrum*: An alternative option to treat breast cancer. *Biomedicine and Pharmacotherapy*. Volume 92: 732- 743.
- Steinberg, M: *Colorectal Cancer, Screening Guidelines Update*. (2012). Retrieved 15 October 2019 from US Pharmacist Web site: http://www.medscape.com/viewarticle/776784_3.
- Sulhatun., Jalaluddin, I. and Tisara. (2013). Pemanfaatan lada hitam sebagai bahan baku pembuatan oleoresin dengan metode ekstraksi. *Jurnal Teknologi Kimia*. Volume 2(2): 16-30.
- Suprihatin. (2010). *Teknologi Fermentasi*. Surabaya: UNESA Pres.

Suwarto. (2013). *Lada*. Jakarta: Penebar Swadaya.

Thankamani, V.L. and Giridhar, R.N. (2004). Fermentative production of white pepper using indigenous bacterial isolates. *Biotechnology and Bioprocess Engineering*. Volume 9(6): 435-439.

Tjitrosoepomo G. (2004). *Taksonomi Tumbuhan (Spermatophyta)*. Yogyakarta: Gadjah Mada University Press.

Trivedi, M.N., Khemani, A., Vachhani, U.D., Shah, C.P. and Santani, D.D. (2011).

Pharmacognostic, phytochemical analysis and antimicrobial activity of two piper species. *International Journal of Comprehensive Pharmacy*. Volume 2(7): 1-4.

Vinod, V., Kumar, A. and Zachariah., T.J. (2014). Isolation, characterization and identification of pericarp-degrading bacteria for the production of off-odour-free white pepper from fresh berries of *Piper nigrum* L. *Journal of Applied Microbiology*. Volume 116(4): 890–902.

Wijaya, D.R., Paramitha, M. dan Putri, N.P. (2019). Ekstraksi oleoresin jahe gajah (*Zingiber officinale* var. *Officinarum*) dengan metode sokletasi. *Jurnal Konversi*. Volume 8(1): 9-16.

Winarno, F. G. and Agustinah, W. (2005). *Herba dan Rempah Aplikasinya dalam Hidangan*. Bogor: M-Brio Press.

World Health Organization 2012: *Estimated Cancer Incidence, Mortality and Prevalence Worldwide in 2012*. (2019). Retrieved 16 October 2019 from

International Agency for Research on Cancer World Health Organization Web site: http://globocan.iarc.fr/Pages/fact_sheets_cancer.aspx.

World Health Organization 2015: *Cancer*. (2019). Retrieved 16 October 2019 from

World Health Organization Web site:

<http://www.who.int/mediacentre/factsheets/fs297/en/index.html>.

Yaffe, P.B., Doucette, C.D., Walsh, M. and Hoskin, D.W. (2013). Piperine impairs

cell cycle progression and causes reactive oxygen species-dependent apoptosis in rectal cancer cells. *Experimental and Molecular Pathology*. Volume 94(1): 109-114.

Yaffe, P.B., Coombs, M.R.P., Doucette, C.D., Walsh, M. and Hoskin, D.W. (2014).

Piperine, an alkaloid from black pepper, inhibits growth of human colon cancer cells via G1 arrest and apoptosis triggered by endoplasmic reticulum stress. *Molecular Carcinogenesis*. Volume 54(10): 1070-1085.

Zhao, Z., Liu, H., Wang, C. and Xu, J.R. (2013). Comparative analysis of fungal genomes reveals different plant cell wall degrading capacity in fungi. *BMC Genomics*. Volume 14(1): 274.