

DAFTAR PUSTAKA

- Ahmed, A.Sh., Mandal, U.K., Taher, M., Susanti, D., Jaffri, J.Md., 2018. *PVA-PEG physically cross-linked hydrogel film as a wound dressing: experimental design and optimization*. *Pharm. Dev. Technol.* 23, 751–760.
- Andini, T., Yusriadi, Y., Yuliet, Y., 2017. *Optimasi Pembentuk Film Polivinil Alkohol dan Humektan Propilen Glikol pada Formula Masker Gel Peel off Sari Buah Labu Kuning (Cucurbita moschata Duchesne) sebagai Antioksidan*. *J. Farm. Galen. Galen. J. Pharm. E-J.* 3, 165–173.
- Anggraeni, Y., Sulistiawati, F., Astria, D.N., (2016). *(The Effect of Plasticizer Glycerol and Sorbitol on the Characteristics of Chitosan-Tripolyphosphate Films Dressing Containing Asiaticoside)*. *Jurnal Ilmu Kefarmasian Indonesia*. Volume 14(2): 128-134.
- Ansel, H. C.. (1989). *Pengantar Bentuk Sediaan Farmasi*. Edisi IV. Terjemahan Ibrahim, F.. Jakarta: Penerbit Universitas Indonesia Press.
- Batubara, I. 2003. *Hidup Sehat dengan Produk Holtikultura Nusantara*. Jakarta: Departemen Pertanian.
- Boateng, J.S., Matthews, K.H., Stevens, H.N.E., Eccleston, G.M., 2008. *Wound Healing Dressings and Drug Delivery Systems: A Review*. *J. Pharm. Sci.* 97, 2892–2923.
- Dutta, J., 2012. *Synthesis and Characterization of γ -irradiated PVA/PEG/CaCl₂ , Hydrogel for Wound Dressing*. *Am. J. Chem.* 2, 6–11.
- Eaglstein WH, Davis SC, Mehle AL, Mertz PM. 1988. *Optimal use of an occlusive dressing to enhance healing: Effect of delayed application and early removal on wound healing*. *Arch Dermatol* 124:392–395.
- Febriyenti. Et al. (2014). *Honey gel and Film for burn wound*. *Int. J. Drug Delivery*. Volume 6(1): 01-06.
- Gray D, White RJ. 2004. *The wound exudate continuum: An aid to wound assessment*. *Wounds UK: Applied wound management Suppl.* Pp 19–21.

- Ibibia, E.-K.T., n.d. *SPECTROSCOPIC DETERMINATION OF TOTAL PHENOLIC AND FLAVONOID CONTENTS, AND ANTIOXIDANT ACTIVITY, OF THE LEAVES OF PERSEA AMERICANA* 5, 6.
- J. Kim, C.M. Lee, *Wound healing potential of a polyvinyl alcoholblended pectin hydrogel containing Hippophaerahmnoides L. Extract in a rat model*, Int. J. Biol. Macromol, 99 (2017) 586-593.
- Marzoeki, Djohansjah. *Ilmu Bedah Luka dan Perawatannya*, Airlangga University Press, Surabaya 1993
- Montgomery, Douglas C., (2012). *Design and analysis of experiments, Eighth edition*. John Wiley & Sons, Inc. New York.
- Mulyawanti, I., Budijanto, S., Yasni, S., (2016). *Optimasi Formula dan Struktur Mikroskopik Pasta Bebas Gluten Berbahan Dasar Puree Ubi Jalar Ungu dan Tepung Kacang Hijau*. Jurnal Agritech. Volume 36(1).
- Nofita, R. Et al.(2017). *Pembuatan Film Balutan Primer untuk Luka Bakar yang Mengandung Kolagen Kulit Ikan Gabus (Channa striata)*. Jurnal Sains dan Teknologi Farmasi. Volume 19(1)
- Ollstein, R.N. 1996. *Luka Bakar. Dalam Keterampilan Pokok Ilmu Bedah, Edisi Keempat. T.F. Nealon dan W.H. Nealon*. Jakarta: EGC.
- Park, J.-S., Kim, H.-A., Choi, J.-B., Gwon, H.-J., Shin, Y.-M., Lim, Y.-M., Khil, M.S., Nho, Y.-C., 2012. *Effects of annealing and the addition of PEG on the PVA based hydrogel by gamma ray*. Radiat. Phys. Chem. 81, 857–860. <https://doi.org/10.1016/j.radphyschem.2012.02.005>
- Rezvanian, M., Ahmad, N., Mohd Amin, M.C.I., Ng, S.-F., 2017. *Optimization, characterization, and in vitro assessment of alginate-pectin ionic cross-linked hydrogel film for wound dressing applications*. Int. J. Biol. Macromol. 97, 131–140.
- R. Stone, J.T. Wall, S. Natesan, R.J. Christy, *PEG-Plasma Hydrogels Increase Epithelialization Using a Human ex vivo Skin Model*, Int. J. Mol. Sci, 19 (2018) 31- 56
- Sentat, T., Rizki, P. 2015. *Uji aktivitas ekstrak etanol daun alpukat (Persea americana Mill.) terhadap penyembuhan luka bakar pada punggung mencit putih jantan (Mus musculus)*. Jurnal Ilmiah
- Selvan, K N, T.S, Uppluluti, V.N.V.A.,, 2020. *Hydrogel based scaffolding polymeric biomaterials: Approaches towards skin tissue regeneration*. J. Drug Deliv. Sci. Technol. 55, 101456. <https://doi.org/10.1016/j.jddst.2019.101456>

- Singer AJ, Clark RAF. *Mechanisms of disease: Cutaneous wound healing*. N Engl J Med. 1999; 341(10): 738-46
- Ș. Marin, M.G. AlbuKaya, M.V. Ghica, C. DinuPîrvu, L. Popa, D.I. Udeanu, G. Mihai, M. Enachescu, *Collagen-Polyvinyl Alcohol-Indomethacin Biohybrid Matrices as Wound Dressings*, *Pharmaceutics*, 10(4) (2018) 224-240.
- Sung, J.H., Hwang, M.-R., Kim, J.O., Lee, J.H., Kim, Y.I., Kim, J.H., Chang, S.W., Jin, S.G., Kim, J.A., Lyoo, W.S., 2010. *Gel characterisation and in vivo evaluation of minocycline-loaded wound dressing with enhanced wound healing using polyvinyl alcohol and chitosan*. Int. J. Pharm. 392, 232–240.
- Thomas S, Loveless PA. 1997. *A comparative study of twelve hydrocolloid dressings*. World Wide Wounds 1:1–12.
- Kim, J.A., Lyoo, W.S., 2010. *Gel characterisation and in vivo evaluation of minocycline-loaded wound dressing with enhanced wound healing using polyvinyl alcohol and chitosan*. Int. J. Pharm. 392, 232–240. <https://doi.org/10.1016/j.ijpharm.2010.03.024>