

DAFTAR PUSTAKA

- Adi et al. (2019). Formulasi Dan Karakterisasi Sediaan Nanoemulsi Vitamin A. *Media Gizi Indonesia*, 14 (1), 1–3.
- Aggarwal, G., Harikumar, S., Jaiswal, P., & Singh, K. (2014). Development of self-microemulsifying drug delivery system and solid-self-microemulsifying drug delivery system of telmisartan. *International Journal of Pharmaceutical Investigation*, 4(4), 195. <https://doi.org/10.4103/2230-973x.143123>
- Ainurofiq. (2006). *Pengaruh tipe emulsi sederhana dan emulsi ganda terhadap pola pelepasan Natrium Salisilat secara In Vitro*.
- Aisyah, F., Michrun, N., & Rezki, R. (2015). *Teknologi Sediaan Farmasi*.
- Ananda et al. (2017). Pengaruh Peningkatan Tween 20 Sebagai Surfaktan Terhadap Karakteristik Dan Kestabilan Fisik Sediaan Self Nanoemulsifying Drug Delivery System (SNEEDS) Simvastatin. *Media Farmasi Indonesia*, 10 No 2.
- Anindhita and Oktaviani. (2016). Formulasi Self-Nanoemulsifying Drug Delivery System (SNEDDS) Ekstak Daun Pepaya (*Carica papaya L.*) dengan Virgin Coconut Oil (VCO) sebagai Minyak Pembawa. *JURNAL PENA MEDIKA*, 2, 103–111.
- Ariga, R. A. (2019). Decrease anxiety among students who will do the objective structured clinical examination with deep breathing relaxation technique. *Open Access Macedonian Journal of Medical Sciences*, 7(16), 2619–2622. <https://doi.org/10.3889/oamjms.2019.409>
- Ariyani, L. W., & Wulandari. (2020). Formulasi Sediaan Nanogel Minyak Zaitun sebagai Antiacne. *Jurnal Ilmiah Cendekia Eksakta*, 92–100.
- Athikomkulchai, S., Watthanachaiyingcharoen, R., Tunvichien, S., Vayumhasuwan, P., Karnsomkiet, P., Sae-jong, P., & Ruangrunsi, N. (2008). The Development Of Anti-Acne Products From Materials and Methods : Plant materials Test organisms Culture methods. *Journal of Health Research*, 22(3), 109–113.
- Aviara, N. A., & Ajibola, O. O. (2002). Thermodynamics of moisture sorption in melon seed and cassava. *Journal of Food Engineering*, 55(2), 107–113. [https://doi.org/10.1016/S0260-8774\(02\)00023-7](https://doi.org/10.1016/S0260-8774(02)00023-7)
- Barat, J., & Tiffany, F. L. (2017). *Teknik Budidaya Melon (Cucumis melo . L) secara Tabulampot di Kebun Buah TABULAMPOT , DITAMAN BUAH MEKARSARI ,. March*.
- Begum, H. A. (2018). Antioxidant, antimicrobial activity and phytochemical analysis of the seeds extract of *Cucumis sativus* Linn. *Pure and Applied Biology*, 7(4), 433–441. <https://doi.org/10.19045/bspab.2018.700202>
- Bhargava and Madhav. (2018). Validation of Transmittance as Tool to Measure Particle Size Distribution using Response Surface Methodology Approach.

- Bhatt and Madhav. (2011). A Detailed Review On Nanoemulsion Drug Delivery System. *International Journal Of Pharmaceutical Sciences And Research*, 2(10).
- Bolton, S. dan B. C. (1997). *Pharmaceutical Statistic Practice and Clinical Applications* (5 the edit, Vol. 135).
- Buckley, J. P. (1966). Pharmaceutical sciences (Np). *Science*, 151(3712), 874–875. <https://doi.org/10.1126/science.151.3712.874>
- Close and Menke. (1986). *Selected topics in animal nutricion : a manual prepared for the 3 rd Hohenheim Course On Animal Nutrition in the Tropic and Semi-Tropics* (2. ed). Feldating :DSE, ZEL,.
- Damayanti, maya. (2014). Uji Efektivitas Larutan Bawang Putih (*Allium sativum*) terhadap Pertumbuhan Bakteri *Propionibacterium acnes* secara In Vitro. In *Skripsi* (Vol. 7, Issue 8).
- de Meza, T. (2013). Should we use olive oil or sunflower oil on a preterm infant's skin? *Infant*, 9(5), 170–172. <https://login.proxy.bib.uottawa.ca/login?url=http://search.ebscohost.com/login.aspx?direct=true&db=cin20&AN=2012298696&lang=fr&site=ehost-live>
- Debnath, S., Satyanarayana, & Kumar. (2011). Nanoemulsion-A Method to Improve The Solubility of Lipophilic Drugs, *Pharmanest. Pharmanest*, 2(2–3), 72–76.
- Depkes RI. (1979). *Farmakope Indonesia* (Edisi III (ed.)). Departemen Kesehatan Republik Indonesia.
- Depkes RI. (1995). *Farmakope Indonesia*. Kementrian Kesehatan Republik Indonesia.
- Depkes RI. (2000). *Parameter Standarisasi Umum Ekstrak Tumbuhan Obat* (Vol.1). Dirjen Pengawasan Obat dan Makanan.
- Divyashree, M., Vijaya Kumar, D., Ballamoole, K. K., Shetty A, V., Chakraborty, A., & Karunasagar, I. (2020). Occurrence of antibiotic resistance among Gram negative bacteria isolated from effluents of fish processing plants in and around Mangalore. *International Journal of Environmental Health Research*, 30(6), 653–660. <https://doi.org/10.1080/09603123.2019.1618799>
- Donsi, F., Annunziata, M., Sessa, M., & Ferrari, G. (2011). Nanoencapsulation of essential oils to enhance their antimicrobial activity in foods. *LWT - Food Science and Technology*, 44(9), 1908–1914. <https://doi.org/10.1016/j.lwt.2011.03.003>
- Duangjit, S., Mehr, L. M., Kumpugdee-Vollrath, M., & Ngawhirunpat, T. (2014). Role of simplex lattice statistical design in the formulation and optimization of microemulsions for transdermal delivery. *Biological and Pharmaceutical Bulletin*, 37(12), 1948–1957. <https://doi.org/10.1248/bpb.b14-00549>

- Febriani et al. (2015). Karakterisasi Simplisia dan Ekstrak Etanol Daun Sirsak (Annona Muricata Linn). *Prosiding Penelitian SPeSIA Unisba*, 2460–6472.
- Fulekar, M. . (2010). *Nanotechnology : Importance and Application* (Edition Ia). International Publishing House Pvt. Ltd.
- Garrity, G. M., Bell, J. A., Lilburn, T. G., & Lansing, E. (2004). *T Axonomic O Utlne of the P Rokaryotes B Ergey ' S M Anual ® of S Ystematic B Acteriology , . May*. <https://doi.org/10.1007/bergeysoutline200405>
- Gupta, P. K. (2010). The pharma research. *The Pharma Research*, 3, 117–138.
- Gupta, P. K., Pandit, J. K., Kumar, A., Swaroop, P., & Gupta, S. (2010). Pharmaceutical Nanotechnology Novel Nanoemulsion –High Energy Emulsification Preparation, Evaluation and Application. *The Pharma Research*, 3(3), 117–138.
- Hakim, Nurul Anisah. (2017). *Formulasi dan Evaluasi Nanoemulsi Dari Ekstra Virgin Olive Oil (Minyak Zaitun Ekstra Murni) Sebagai Anti-Aging*. Universitas Sumatera Utara.
- Hakim, Nurul Anisha, Arianto, A., & Bangun, H. (2018). Formulasi dan Evaluasi Nanoemulsi dari Extra Virgin Olive Oil (Minyak Zaitun Ekstra Murni) sebagai Anti-Aging. *Talenta Conference Series: Tropical Medicine (TM)*, 1(2), 391–397. <https://doi.org/10.32734/tm.v1i2.222>
- Hambali, et al. (2014). *Ekstraksi Antosianin Dari Ubi Jalar Dengan Variasi Konsentrasi Solven, Dan Lama Waktu Ekstraksi*.
- Jusnita and Syurya. (2019). Karakterisasi Nanoemulsi Ekstrak Daun Kelor (Moringa oleifera Lamk.). *Jurnal Sains Farmasi & Klinis*, 6, 16–24. <https://doi.org/10.25077/jsfk.6.1.16-24.2019>
- Kalangi, S. J. R. (2013). *HISTOFISIOLOGI KULIT*.
- Kale, S., & Deore, S. (2017). Emulsion Microemulsion and Nanoemulsion. *Systematic Review in Pharmacy*, 8(1), 39–47.
- Madelina, W., & Sulistyaningsih. (2018). Review: Resistensi Antibiotik pada Terapi Pengobatan Jerawat. *Jurnal Farmaka*, 16(2), 105–117.
- Maharani, A. (2015). *Penyakit Kulit*.
- Mollet, H adn Grubenmann, A. (2001). *Formulation Technology Emulsion, Suspensions, Solid Forms*.
- Muzaffar, F., Singh, U. K., & Chauhan, L. (2013). Review on microemulsion as futuristic drug delivery. *International Journal of Pharmacy and Pharmaceutical Sciences*, 5(3), 39–53.
- Najib et al. (2017). STANDARISASI EKSTRAK AIR DAUN JATI BELANDA DAN TEH HIJAU. *Jurnal Fitofarmaka Indonesia*, 4, 2.
- Ngaeni, N. Q., Ismunandar, A., & Setyawaty, R. (2014). Identifikasi Senyawa Antrakuinon Pada Daun Mengkudu (Morinda citrifolia L) Menggunakan

Kromatografi Lapis Tipis. *Prosiding Seminar Nasional Hasil - Hasil Penelitian Dan Pengabdian LPPM UMP, Desember 2014*, 384–387.

- Nurzaman, F., Djajadisastra, J., & Elya, B. (2018). Identifikasi Kandungan Saponin dalam Ekstrak Kamboja Merah (*Plumeria rubra* L.) dan Daya Surfaktan dalam Sediaan Kosmetik. *Jurnal Kefarmasian Indonesia*, 8(2), 85–93. <https://doi.org/10.22435/jki.v8i2.325>
- Pertanian dan Bisnis Universitas Kristen Satya Wacana Jl, F., Andree Wijaya Setiawan, M., Kado Nugroho, E., & Ninan Lestario, L. (2015). EKSTRAKSI BETASIANIN DARI KULIT UMBI BIT (*Beta vulgaris*) SEBAGAI PEWARNA ALAMI EXTRACTION OF BETACYANIN FROM BEET (*Beta vulgaris*) PEEL FOR NATURAL DYES. *Juli & Desember*, 27(1), 38–43.
- Priyanka, D., Shalini, T., & Navneet, V. K. (2013). a Brief Study on Marigold (*Tagetes* Species): a Review. *International Research Journal of Pharmacy*, 4(1), 43–48.
- Radji, M. (2011). *Buku Ajar Mikrobiologi : Panduan Mahasiswa Farmasi dan Kedokteran*.
- Ratnasari Devi, et al. (2017). Pengaruh Perbandingan Surfaktan Dan Kosurfaktan Terhadap Karakteristik Dan Kestabilan Mikroemulsi Minyak Zaitun (*Olive Oil*). *Jurnal Farmamedika (Pharmamedica Journal)*, Volume 2. <https://doi.org/https://doi.org/10.4719/ath.v2i2.48>
- Redha, A. (2010). Flavonoid: Struktur, Sifat Antioksidatif dan Peranannya Dalam Sistem Biologis. *Jurnal Berlin*, 9(2), 196–202. <https://doi.org/10.1186/2110-5820-1-7>
- Rimadhani, M., & Rahmadewi. (2015). Antibiotik Oral pada Pasien Akne Vulgaris : Penelitian Retrospektif. *Periodical of Dermatology and Venereology*, 27(2), 84–89.
- Rowe, R. et al. (2009). *Handbook Of Pharmaceutical Excipient* (6th Ed).
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients*. Pharmaceutical Press.
- Salwa Adhisya, D., Arumsari, A., & Nety, K. (2019). Uji Aktivitas Antibakteri Ekstrak Etanol Biji Melon (*Cucumis sativus* L.) Terhadap Bakteri *Propionibacterium acnes* dan *Staphylococcus epidermidis* Penyebab Jerawat. *Prosiding Farmasi*, 5(2460–6472).
- Sayuti. (2015). Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Ketepeng Cina (*Cassia alata* L.). *Jurnal Kefarmasian Indonesia*, 5 No 2.
- Shah, B.N, et all. (2010). Phytopharmacological Profile of *Lagenaria siceraria* : A Review. *Asian Journal of Plant Science*.
- Singh et al. (2012). Development and characterization of a nanoemulsion gel formulation for transdermal delivery of carvedilol. *International Journal Of Drug Development and Research*, 4 (1), 151–161.

- Sobir, dan Firmansyah, D, S. (2010). *Budidaya Melon Unggul*.
- Stetefeld et al. (2016). Dynamic light scattering: a practical guide and applications in biomedical sciences. *Biophysical Reviews*, 8 (4), 409–427.
- Suryana, S., Nuraeni, Y. Y. A., & Rostinawati, T. (2017). Aktivitas Antibakteri Ekstrak Etanol Dari Lima Tanaman Terhadap Bakteri Staphylococcus Epidermidis Dengan Metode Mikrodilusi M7 – A6CLSI. *Indonesian Journal of Pharmaceutical Science and Technology*, 4(1), 1.
<https://doi.org/10.15416/ijpst.v4i1.8982>
- Syakri, S., Ikhlas Arsul, M., & Nurlina. (2019). Pengujian Aktivitas Antibakteri Ekstrak Etanol Kulit Buah Semangka Merah (*Citrullus lanatus*(Thunb.) Matsum. & Nakai) Terhadap Bakteri *Propionibacterium acnes*. *Jurnal Farmasi FKIK UINAM*, 2, 2019.
- Utami. (2012). *Formulasi Dan Uji Penetrasi In Vitro Nanoemulsi, Nanoemulsi Gel, Dan Gel Kurkumin*.
- Wahyuningsih, I., & Latief, Y. (2021). Formulasi Self Nano Emulsifying Drug Delivery System (SNEDDS) Minyak Biji Jinten Hitam dengan Surfaktan Tween 80 dan Kosurfaktan Sorbitol. *Jurnal Ilmu Kefarmasian Indonesia*, 19(9), 118–124.
- Wangkanusa, D., Lolo, W. A., & Wewengkang, D. S. (2016). Uji Aktivitas Antibakteri Dari Ekstrak Daun Prasman (*Eupatorium Triplinerve* Vahl.) Terhadap Pertumbuhan Bakteri *Staphylococcus Aureus* Dan *Pseudomonas Aeruginosa*. *Pharmacon*, 5(4), 203–210.
<https://doi.org/10.35799/pha.5.2016.14003>
- Yuliani et al. (2016). COMPARISON OF PHYSICAL STABILITY PROPERTIES OF POMEGRANATE SEED OIL NANOEMULSION DOSAGE FORMS WITH LONG-CHAIN TRIGLYCERIDE AND MEDIUM-CHAIN TRIGLYCERIDE AS THE OIL PHASE. *Traditional Medicine Journal*, 21 (2), 93–98.
- Yuliani, S. H., Hartini, M., Stephanie, Pudyastuti, B., & Istyastono, E. P. (2016). Perbandingan Stabilitas Fisis Sediaan Nanoemulsi Minyak Biji Delima Dengan Fase Minyak Long-Chain Triglyceride dan Medium Chain Triglyceride. *Traditional Medicine Journal*, 21(August), 3–7.
- Yuliasari et al. (2014). KARAKTERISTIK NANOEMULSI MINYAK SAWIT MERAH YANG DIPERKAYA DENGAN BETA-KAROTEN. *Jurnal Penelitian Tanaman Industri*, 20 (3), 111.