

DAFTAR PUSTAKA

- Almajano, M. P., Carbó, R., Delgado, M. E., & Gordon, M. H. (2007). Effect of pH on the antimicrobial activity and oxidative stability of oil-in-water emulsions containing caffeic acid. *Journal of food science*, 72(5), C258–C263. <https://doi.org/10.1111/j.1750-3841.2007.00387.x>
- Agoes, A., (2010). *Tanaman Obat Indonesia*. Jakarta: Salemba Medika.
- Aini, R., Widiastuti, R., Afra, N., Politeknik, N., Setya, B., & Yogyakarta, I. (2016). Uji Efektifitas Formula Spray Dari Minyak atsiri Herba Kemangi (*Ocimum Sanctum L*) sebagai repellent nyamuk *Aedes aegypti*. *Jurnal Ilmiah Manuntung*, 2(2), 189–197.
- Ansel, H.C., 2008, *Pengantar Bentuk Sediaan Farmasi: Beberapa Macam Preparat: Tinktur, Ekstrak encer, Ekstrak Air, Amonia, Asam Encer, Spirtus, dan Radiofarmasi*, Edisi 4, Jakarta., UI Press, p. 607-608.
- Amalia, R., & Auli, H. (2017). PENGARUH PENGGUNAAN PEWARNA ALAMI, WAKTU PENGUKUSAN DAN SUHU TERHADAP PEMBUATAN SNACK MIE KERING RAINBOW. *Jurnal Teknologi Agro-Industri*, 3(1). <https://doi.org/10.34128/jtai.v3i1.10>
- Barbaro, S. E., dan Symond, J.A., 2006, The Efficacy of a Novel Quaternary Ammonium Foot Spray (NQAFS) Against Foot Odor Causing Microorganisms, *Rivier College Online Academic Journal*, Vol.2 No.1, Spring, p.1.
- Backer, C.A.; Brink, R.C. *Bakhuizen Van Den*. (1963). *Flora of Java (Spermatophytes only)* / C.A. Backer, R.C. Bakhuizen Van Den Brink. Netherlands :: N.V.P. Noordhoff.
- Amalia, R., & Auli, H. (2017). PENGARUH PENGGUNAAN PEWARNA ALAMI, WAKTU PENGUKUSAN DAN SUHU TERHADAP PEMBUATAN SNACK MIE KERING RAINBOW. *Jurnal Teknologi Agro-Industri*, 3(1). <https://doi.org/10.34128/jtai.v3i1.10>
- Backer, C. A., & Van Den, R. C. B. (1963). *Flora of Java (Spermatophytes only): Vol. III*. N.V.P. Noordhoff.
- Becker, L. C., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D. C., Marks, J. G., Shank, R. C., Slaga, T. J., Snyder, P. W., Gill, L. J., & Heldreth, B. (2019). Safety Assessment of Glycerin as Used in Cosmetics. *International Journal of Toxicology*, 38(3_suppl), 6S-22S. <https://doi.org/10.1177/1091581819883820>

- Caesarita, D. P. (2011). *PENGARUH EKSTRAK BUAH NANAS (Ananas comosus) 100 % TERHADAP BAKTERI Staphylococcus aureus DARI UNIVERSITAS DIPONEGORO*. 1–10.
- Capoun, T., & Krykorkova, J. (2020). Internal Standards for Quantitative Analysis of Chemical Warfare Agents by the GC/MS Method: Nerve Agents. *Journal of Analytical Methods in Chemistry*, 2020, 8857210–8857210. PubMed. <https://doi.org/10.1155/2020/8857210>
- Chandra, S., Khan, S., Avula, B., Lata, H., Yang, M. H., ElSohly, M. A., & Khan, I. A. (2014). Assessment of Total Phenolic and Flavonoid Content, Antioxidant Properties, and Yield of Aeroponically and Conventionally Grown Leafy Vegetables and Fruit Crops: A Comparative Study. *Evidence-Based Complementary and Alternative Medicine*, 2014, 253875. <https://doi.org/10.1155/2014/253875>
- Chessa, D., Ganau, G., Spiga, L., Bulla, A., Mazzarello, V., Campus, G. V., & Rubino, S. (2016). Staphylococcus aureus and Staphylococcus epidermidis Virulence Strains as Causative Agents of Persistent Infections in Breast Implants. *PloS One*, 11(1), e0146668–e0146668. PubMed. <https://doi.org/10.1371/journal.pone.0146668>
- Cho, K. S., Lim, Y.-R., Lee, K., Lee, J., Lee, J. H., & Lee, I.-S. (2017). Terpenes from Forests and Human Health. *Toxicological Research*, 33(2), 97–106. PubMed. <https://doi.org/10.5487/TR.2017.33.2.097>
- Damogalad, V., Jaya Edy, H., & Sri Supriati, H. (2013). Formulasi Krim Tabir Surya Ekstrak Kulit Nanas (Ananas Comosus L Merr) Dan Uji in Vitro Nilai Sun Protecting Factor (Spf). *PHARMACON Jurnal Ilmiah Farmasi – UNSRAT*, 2(02), 2302–2493.
- Erukainure, O., Ajiboye, J., Okafor, O., Okoro, E., Asieba, G., Sarumi, B., Sunday, A., & Zaruwa, M. (2016). Alcoholic lung injury: Pineapple peel extract modulates antioxidant enzymes and attenuates lipid peroxidation in rat models. *Clinical Phytoscience*, 2. <https://doi.org/10.1186/s40816-016-0026-3>
- Flick, E. W. (1992). *Cosmetic and Toiletry Formulations*. Noyes Publications.
- Guimarães, A. C., Meireles, L. M., Lemos, M. F., Guimarães, M. C. C., Endringer, D. C., Fronza, M., & Scherer, R. (2019). Antibacterial Activity of Terpenes and Terpenoids Present in Essential Oils. *Molecules (Basel, Switzerland)*, 24(13), 2471. PubMed. <https://doi.org/10.3390/molecules24132471>
- Hayward, C., Ross, K. E., Brown, M. H., & Whiley, H. (2020). Water as a Source of Antimicrobial Resistance and Healthcare-Associated Infections. *Pathogens (Basel, Switzerland)*, 9(8), 667. PubMed. <https://doi.org/10.3390/pathogens9080667>

- Husin, S., Mahmud, M., Ramasamy, S., Othman, R., & Yaacob, J. S. (2018). *Effect of seedling size and flowering time on fruit quality, secondary metabolite production and bioactivity of pineapple [Ananas comosus (L.) Merr. Var. 'Yankee'] fruits.*
- Jasmine Praveena, R., & Estherlydia, D. (2014). Comparative study of phytochemical screening and antioxidant capacities of vinegar made from peel and fruit of pineapple (*Ananas comosus* L.). *International Journal of Pharma and Bio Sciences*, 5(4), B394–B403.
- Ketnawa, S., Chaiwut, P., & Rawdkuen, S. (2011). Extraction of bromelain from pineapple peels. *Food Science and Technology International*, 17(4), 395–402. <https://doi.org/10.1177/1082013210387817>
- Kiranasari, A., Bonita, A., Melina, E., Winston, K., Baht, N., Sutandi, N., Dewi, B. E., Ningsih, I., & Sjatha, F. (2018). Antibacterial Activity of Several Indonesian Endemic Plants against *Staphylococcus epidermidis*, *Staphylococcus aureus* and Methicillin-resistant *Staphylococcus aureus*: *Proceedings of BROMO Conference*, 178–182. <https://doi.org/10.5220/0008359501780182>
- Lasekan, O., & Hussein, F. K. (2018). Classification of different pineapple varieties grown in Malaysia based on volatile fingerprinting and sensory analysis. *Chemistry Central Journal*, 12(1), 140. <https://doi.org/10.1186/s13065-018-0505-3>
- Mahizan, N. A., Yang, S.-K., Moo, C.-L., Song, A. A.-L., Chong, C.-M., Chong, C.-W., Abushelaibi, A., Lim, S.-H. E., & Lai, K.-S. (2019). Terpene Derivatives as a Potential Agent against Antimicrobial Resistance (AMR) Pathogens. *Molecules*, 24(14), 2631. <https://doi.org/10.3390/molecules24142631>
- Mahyun, F., Kusuma, A. P., & Tamhid, H. A. (2018). Formulation peel-off gel mask of *Impatiens balsamina* L. As an antibactery against *Staphylococcus aureus*. *Jurnal Kedokteran Dan Kesehatan Indonesia*, 9(3), 168–174. <https://doi.org/10.20885/JKKI.Vol9.Iss3.art6>
- Martins, B. C., Rescolino, R., Freitas Coelho, D. de, Espindola, F. S., Zanchetta, B., Tambourgi, E. B., & Silveira, E. (2014). Studies of stability and characterization this enzyme bromelain in pineapple (*Ananas comosus*). *BMC Proceedings*, 8(Suppl 4), P137–P137. PMC. <https://doi.org/10.1186/1753-6561-8-S4-P137>
- Meneguetti, M. G., Laus, A. M., Ciol, M. A., Auxiliadora-Martins, M., Basile-Filho, A., Gir, E., Pires, D., Pittet, D., & Bellissimo-Rodrigues, F. (2019). Glycerol content within the WHO ethanol-based handrub formulation: Balancing tolerability with antimicrobial efficacy.

- Antimicrobial Resistance & Infection Control*, 8(1), 109. <https://doi.org/10.1186/s13756-019-0553-z>
- Mohd Ali, M., Hashim, N., Abd Aziz, S., & Lasekan, O. (2020). Pineapple (*Ananas comosus*): A comprehensive review of nutritional values, volatile compounds, health benefits, and potential food products. *Food Research International*, 137, 109675. <https://doi.org/10.1016/j.foodres.2020.109675>
- Novak-Bilić, G., Vučić, M., Japundžić, I., Meštrović-Štefekov, J., Stanić-Duktaj, S., & Lugović-Mihić, L. (2018). IRRITANT AND ALLERGIC CONTACT DERMATITIS - SKIN LESION CHARACTERISTICS. *Acta Clinica Croatica*, 57(4), 713–720. PubMed. <https://doi.org/10.20471/acc.2018.57.04.13>
- Orodu, V., Enearepuadoh, A., & Ivan. (2021). *EXTRACTION AND GC-MS ANALYSIS OF OIL EXTRACTED FROM PINEAPPLE (Ananas comosus) PEELS*. <https://doi.org/10.23977/mpcr.2021.010101>
- Prasetyo, & Inorihah, E. (2013). *Pengelolaan Budidaya Tanaman Obat-Obatan (Simplasia)*. Badan Penerbitan Fakultas Pertanian UNIB.
- Rahmi, H., Widayanti, A., & Hanif, A. (2019). Utilization of Bromelain Enzyme from Pineapple Peel Waste on Mouthwash Formula Against *Streptococcus mutans*. *IOP Conference Series: Earth and Environmental Science*, 217, 012036. <https://doi.org/10.1088/1755-1315/217/1/012036>
- Saegeman, V., Ectors, N., Lismont, D., Verduyck, B., & Verhaegen, J. (2008). Short- and long-term bacterial inhibiting effect of high concentrations of glycerol used in the preservation of skin allografts. *Burns : Journal of the International Society for Burn Injuries*, 34, 205–211. <https://doi.org/10.1016/j.burns.2007.02.009>
- Saliani, M., Jalal, R., & Kafshdare Goharshadi, E. (2015). Effects of pH and Temperature on Antibacterial Activity of Zinc Oxide Nanofluid Against *Escherichia coli* O157: H7 and *Staphylococcus aureus*. *Jundishapur Journal of Microbiology*, 8(2), e17115–e17115. PubMed. <https://doi.org/10.5812/jjm.17115>
- Sapkota, A. (2020). *Nutrient Agar-Principle, composition, preparation result*. <https://microbenotes.com/nutrient-agar-principle-composition-preparation-and-uses/>
- Sharma, G. K., Gadiya, J., & Meenakshi, D. (2018). *Textbook of Cosmetic Formulations*. pothi.com.
- Tristantini, D., & Amalia, R. (2019). *Quercetin concentration and total flavonoid content of anti-atherosclerotic herbs using aluminum chloride colorimetric assay*. 030012. <https://doi.org/10.1063/1.5139349>

Untari, E. K., & Robiyanto, R. (2018). Uji Fisikokimia dan Uji Iritasi Sabun Antiseptik Kulit Daun Aloe vera (L.) Burm. F. *Jurnal Jamu Indonesia*, 3(2), 55–61. <https://doi.org/10.29244/jji.v3i2.54>

