

DAFTAR PUSTAKA

- Achir, N. *et al.* (2010) 'Kinetic study of β -carotene and lutein degradation in oils during heat treatment', *Eur. J. Lipid Sci. Technol.*, 13, pp. 349–361.
- Agustina, L. *et al.* (2017) 'Formulasi dan Evaluasi Sabun Mandi Cair dengan Ekstrak Tomat (*Solanum Lycopersicum L.*) sebagai Antioksidan', *Jurnal Wiyata*, 4(2).
- Aji, A.P., Nurulita, N.A. and Diniatik (2021) 'Uji Aktifitas Serum Ekstrak Terpurifikasi Daun Apuh-Apuhan (*Azolla microphylla*) Sebagai Antiaging', *Prosiding SainTeKes*, 2, pp. 159–168.
- Andarina, R. and Djauhari, T. (2017) 'Antioksidan dalam dermatologi', 4(1), p. 10.
- Andayani, R. (2008) 'Penentuan Aktivitas Antioksidan, Kadar Fenolat Total dan Likopen pada Buah Tomat (*Solanum lycopersicum L.*)', 13(1), p. 7.
- Ariyanti, E.L., Handayani, R.P. and Yanto, E.S. (2020) 'Formulasi Sediaan Serum Antioksidan Dari Ekstrak Sari Tomat (*Solanum lycopersicum L.*) dan Ekstrak Kayu Manis (*Cinnamomum burmannii*) Sebagai Perawatan Kulit', *Journal of Holistic and Health Sciences*, 4(1), pp. 50–57. Available at: <https://doi.org/10.51873/jhhs.v4i1.80>.
- Astuti, A. *et al.* (2020) 'Formulasi Serum Anti-Aging Minyak Atsiri Lada Hitam (*Piper Nigrum L.*) Dan Uji Aktivitas Antioksidan Menggunakan Metode DPPH', 05(01), p. 11.
- Azmir, J. *et al.* (2013) 'Techniques for extraction of bioactive compounds from plant materials: A review', *Journal of Food Engineering*, 117(4), pp. 426–436. Available at: <https://doi.org/10.1016/j.jfoodeng.2013.01.014>.
- Badaring, D.R. *et al.* (2020) 'Uji Ekstrak Daun Maja (*Aegle marmelos L.*) terhadap Pertumbuhan Bakteri *Escherichia coli* dan *Staphylococcus aureus*', *Indonesian Journal of Fundamental Sciences*, 6(1), p. 16. Available at: <https://doi.org/10.26858/ijfs.v6i1.13941>.
- Baki, G. (2015) 'Introduction to Cosmetic Formulation and Technology', p. 739.
- Baran, M.T., Miziak, P. and Bonio, K. (2020) 'Characteristics of carotenoids and their use in the cosmetics industry', *Journal of Education, Health and Sport*, 10(7), p. 192. Available at: <https://doi.org/10.12775/JEHS.2020.10.07.020>.
- Barel, A.O., Paye, M. and Maibach, H.I. (eds) (2009) *Handbook of Cosmetic Science and Technology*. 3rd ed. New York: Informa Healthcare.

- Bhowmik, D. *et al.* (2012) 'Tomato-A Natural Medicine and Its Health Benefits', 1(1), p. 11.
- Blancard, D. (2012) 'The Tomato Plant and its Culture', in *Tomato Diseases*. Elsevier, pp. 17–34. Available at: <https://doi.org/10.1016/B978-0-12-387737-6.50001-7>.
- Chairunnisa, S., Wartini, N.M. and Suhendra, L. (2019) 'Pengaruh Suhu dan Waktu Maserasi terhadap Karakteristik Ekstrak Daun Bidara (*Ziziphus mauritiana* L.) sebagai Sumber Saponin', *Jurnal Rekayasa dan Manajemen Agroindustri*, 7(4), p. 551. Available at: <https://doi.org/10.24843/JRMA.2019.v07.i04.p07>.
- Chaudhary, P. (2018) 'Bioactivities of phytochemicals present in tomato', *J Food Sci Technol*, p. 17.
- Dahlizar, S. *et al.* (2022) 'Formulasi Emulgel Gamma Oryzanol dengan Menggunakan Carbopol sebagai Gelling Agent', *Jurnal Sains Farmasi & Klinis*, 9(2), p. 129. Available at: <https://doi.org/10.25077/jsfk.9.2.129-137.2022>.
- Dayan, N. (ed.) (2017) *Handbook of Formulating Dermal Applications: a definitive practical guide*. Hoboken, New Jersey: Beverly, Massachusetts: Scrivener Publishing: John Wiley & Sons, Inc.
- De Kruijff, J.K. *et al.* (2014) 'On Prilling of Hydrophilic Microgels in Lipid Dispersions Using Mono- N- Carboxymethyl Chitosan for Oral Biologicals Delivery', *Journal of Pharmaceutical Sciences*, 103(11), pp. 3675–3687. Available at: <https://doi.org/10.1002/jps.24172>.
- Draelos, Z.K. (2010) *Cosmetic dermatology: products and procedures*. Hoboken, NJ: Wiley-Blackwell Pub.
- Farnsworth, N.R. (1966) 'Biological and Phytochemical Screening of Plants', *Journal of Pharmaceutical Sciences*, 55(3), pp. 225–276. Available at: <https://doi.org/10.1002/jps.2600550302>.
- Ferrer-Dubois, A.E. *et al.* (2018) 'Phytochemical determination of *Solanum lycopersicum* L. fruits irrigated with water treated with static magnetic field', *Revista Cubana de Química*, 30(2), pp. 232–242.
- Fujiwara, Y. *et al.* (2012) 'Tomatidine, a Tomato Sapogenol, Ameliorates Hyperlipidemia and Atherosclerosis in ApoE-Deficient Mice by Inhibiting Acyl-CoA:cholesterol Acyl-transferase (ACAT)', *Journal of Agricultural and Food Chemistry*, 60(10), pp. 2472–2479. Available at: <https://doi.org/10.1021/jf204197r>.
- Habibi, A.I., Firmansyah, R.A. and Setyawati, S.M. (2018) 'Skrining Fitokimia Ekstrak n-Heksan Korteks Batang Salam (*Syzygium polyanthum*)', *Indonesian Journal of Chemical Science*, 7(1), p. 4.

- Hakim, A.R. and Saputri, R. (2020) 'Narrative Review: Optimasi Etanol sebagai Pelarut Senyawa Flavonoid dan Fenolik', *Jurnal Surya Medika*, 6(1), pp. 177–180. Available at: <https://doi.org/10.33084/jsm.v6i1.1641>.
- Haliza, M.N., Amananti, W. and Santoso, J. (2020) 'Formulasi Sediaan Serum Spray Ekstrak Pegagan (*Centella asiatica* L.) Sebagai Anti Aging Alami', 7(1), p. 6.
- Harborne, J.B. (1987) *Phytochemical Methods*. Dordrecht: Springer Netherlands. Available at: <https://doi.org/10.1007/978-94-009-5921-7>.
- Harjanti, R. and Nilawati, A. (2020) 'Aktivitas Antioksidan dan Potensi Tabir Surya Serum Ekstrak Terpurifikasi Daun Wangon (*Oxalis psittacorum* (Willd.) Vahl.)', *Jurnal Farmasi Indonesia*, 17(1), pp. 18–28. Available at: <https://doi.org/10.31001/jfi.v17i1.779>.
- Henderson, A.H. *et al.* (2020) 'Antioxidant and Anti-Elastase Activity of Ethanol Extract of Tomato (*Solanum lycopersicum* L.)', *Buletin Penelitian Tanaman Rempah dan Obat*, 31(2), p. 67. Available at: <https://doi.org/10.21082/bullittro.v31n2.2020.67-74>.
- Henderson, A.H., Lister, I.N.E. and Fachrial, E. (2019) 'Comparison of Antioxidant and Anti-hyaluronidase Activity of Tomato (*Solanum lycopersicum* L.) Extract and Lycopene', 52(1), p. 8.
- Heng, K.Y. *et al.* (2015) *Handbook of Cosmeceutical Excipients and Their Safeties*. Woodhead Publishing (Woodhead Publishing Series in Biomedicine).
- Hikmawanti, N.P.E. *et al.* (2021) 'Pengaruh Variasi Metode Ekstraksi Terhadap Perolehan Senyawa Antioksidan Pada Daun Katuk (*Sauropus androgynus* (L.) Merr)', *Jurnal Farmasi Udayana*, 10, p. 1. Available at: <https://doi.org/10.24843/JFU.2021.v10.i01.p01>.
- Hoang, H.T., Moon, J.-Y. and Lee, Y.-C. (2021) 'Natural Antioxidants from Plant Extracts in Skincare Cosmetics: Recent Applications, Challenges and Perspectives', *Cosmetics*, 8(4), p. 106. Available at: <https://doi.org/10.3390/cosmetics8040106>.
- Huliselan, Y.M., Runtuwene, M.R.J. and Wewengkang, D.S. (2015) 'Aktivitas Antioksidan Ekstrak Etanol, Etil Asetat, dan n-Heksana Dari Daun Sesewanua (*Clerodendron squamatum* Vahl.)', *Pharmakon Jurnal Ilmiah Farmasi*, 4(3), p. 9.
- Kalangi, S.J.R. (2014) 'Histofisiologi Kulit', *Jurnal Biomedik (JBM)*, 5(3). Available at: <https://doi.org/10.35790/jbm.5.3.2013.4344>.
- Karadag, A., Ozcelik, B. and Saner, S. (2009) 'Review of Methods to Determine Antioxidant Capacities', *Food Analytical Methods*, 2(1), pp. 41–60. Available at: <https://doi.org/10.1007/s12161-008-9067-7>.

- Kolarsick, P.A.J., Kolarsick, M.A. and Goodwin, C. (2011) 'Anatomy and Physiology of the Skin':, *Journal of the Dermatology Nurses' Association*, 3(4), pp. 203–213. Available at: <https://doi.org/10.1097/JDN.0b013e3182274a98>.
- Madia, V. *et al.* (2021) 'Recent Advances in Recovery of Lycopene from Tomato Waste: A Potent Antioxidant with Endless Benefits', *Molecules*, 26(15), p. 4495. Available at: <https://doi.org/10.3390/molecules26154495>.
- Maong, R., Rorong, J.A. and Fatimah, F. (2015) 'Aktivitas Ekstrak Buah Tomat (*Lycopersicum esculentum* Mill) Sebagai Penstabil Oksigen Singlet Dalam Reaksi Fotooksidasi Asam Linoleat', *Jurnal MIPA*, 4(2), p. 60. Available at: <https://doi.org/10.35799/jm.5.1.2016.12288>.
- Mardhiani, Y. (2017) 'Formulasi Dan Stabilitas Sediaan Serum Dari Ekstrak Kopi Hijau (*Coffea Canephora* Var. *Robusta*) Sebagai Antioksidan', *Indonesia Natural Research Pharmaceutical Journal*, 2(2), pp. 19–33.
- Marinova, G. and Batchvarov, V. (2011) 'Evaluation Of The Methods For Determination Of The Free Radical Scavenging Activity By DPPH', *Bulgarian Journal of Agricultural Science*, 17(1), p. 14.
- Molyneux, P. (2004) 'The use of the stable free radical diphenylpicryl- hydrazyl (DPPH) for estimating antioxidant activity', 26(2), p. 9.
- Mudhana, A.R. (2021) 'Pengaruh Trietanolamin Dan Asam Stearat Terhadap Mutu Fisik Dan Stabilitas Mekanik Krim Sari Buah Tomat', *Indonesian Journal of Pharmacy and Natural Product*, 4(2). Available at: <https://doi.org/10.35473/ijpnp.v4i2.1342>.
- Mursyid, A.M. (2017) 'Evaluasi Stabilitas Fisik dan Profil Difusi Sediaan Gel (Minyak Zaitun)', *Jurnal Fitofarmaka Indonesia*, 4(1), pp. 205–211. Available at: <https://doi.org/10.33096/jffi.v4i1.229>.
- Pandey, A. and Tripathi, S. (2014) 'Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug', *Journa of Pharmacognosy dan Phytochemistry*, 2(5), pp. 115–119.
- Periago, J. *et al.* (2009) 'Bioactive compounds, folates and antioxidant properties of tomatoes (*Lycopersicum esculentum*) during vine ripening', *International Journal of Food Sciences and Nutrition*, 60(8), pp. 694–708. Available at: <https://doi.org/10.3109/09637480701833457>.
- Pratiwi, D., Sidoretno, W.M. and Aisah, N. (2021) 'The Combination of Turmeric (*Curcuma domestica*) Rhizome Extract and Collagen in A Serum Formulation as an Antioxidant', 4(2021), p. 7.
- Pujiastuti, A. and Kristiani, M. (2019) 'Formulasi dan Uji Stabilitas Mekanik Hand and Body Lotion Sari Buah Tomat (*Licopersicon esculentum* Mill.)

- sebagai Antioksidan', *Jurnal Farmasi Indonesia*, 16(1), pp. 42–55. Available at: <https://doi.org/10.31001/jfi.v16i1.468>.
- Purwati, E. and Pratiti, N. (2021) 'Uji Aktivitas Antibakteri Ekstrak Buah Tomat (*Solanum lycopersicum* L.) Terhadap Bakteri *Propionibacterium acnes*', *Jurnal Farmasi Indonesia AFAMEDIS*, 2(2), pp. 20–31.
- Rowe, R.C., Sheskey, P.J. and Quinn, M.E. (2009) *Handbook of Pharmaceutical Excipients*. 6th ed. London: Pharmaceutical press.
- Sadeer, N.B. *et al.* (2020) 'The Versatility of Antioxidant Assays in Food Science and Safety—Chemistry, Applications, Strengths, and Limitations', *Antioxidants*, 9(8), p. 709. Available at: <https://doi.org/10.3390/antiox9080709>.
- Septiawan, D. (2012) *Perbandingan Variasi Jumlah Trietanolamin Terhadap Stabilitas Sifat Fisik Dan Sifat Kimia Gel Antiseptik Ekstrak Bunga Rosella (*Hibiscus sabdariffa* L.)*. Skripsi. Universitas Sebelas Maret.
- Shahtalebi, M.-A., Siadat, A.-H. and Karbasizade, S. (2015) 'Preparation and evaluation of the clinical efficacy and safety of tomato lotion containing lycopene', *J Herbmed Pharmacol*, 4(4), pp. 142–148.
- Sima, F.M., Majawati, E. and Kurniawan, H. (2019) 'Uji Kadar Likopen dan Aktivitas Antioksidan pada Buah Tomat', *Jurnal Kedokteran Meditek*, 25(3), pp. 94–99. Available at: <https://doi.org/10.36452/jkdoktmeditek.v25i3.1778>.
- Simaremare, E.S. (2014) 'Skrining Fitokimia Ekstrak Etanol Daun Gatal (*Laportea decumana* (Roxb.) Wedd)', (01), p. 10.
- Sjahjadi, F.R., Febriyenti and Lucida, H. (2021) 'Formula Optimization of a Sunscreen Cream of Tomato's Purified Extract', in *2nd International Conference on Contemporary Science and Clinical Pharmacy 2021 (ICCSCP 2021)*, Padang, Indonesia. Available at: <https://doi.org/10.2991/ahsr.k.211105.007>.
- Sopyan, I., Gozali, D. and Tiassetiana, S. (2017) 'Formulation of tomato extracts (*Solanum lycopersicum* L.) as a sunscreen lotion', *National Journal of Physiology, Pharmacy and Pharmacology*, p. 1. Available at: <https://doi.org/10.5455/njppp.2017.7.1039921112017>.
- Sujana, D. *et al.* (2020) 'Review Artikel: Potensi Likopen Dari Buah Tomat (*Solanum lycopersicum* L) Sebagai Antiaging Topikal', *Jurnal Insan Farmasi Indonesia*, 3(1), pp. 56–65. Available at: <https://doi.org/10.36387/jifi.v3i1.479>.
- Suryani, Putri, A.E.P. and Agustyiani, P. (2017) 'Formulasi dan Uji Stabilitas Sediaan Gel Ekstrak Terpurifikasi Daun Paliasa (*Kleinhovia hospita* L.) Yang Berefek Antioksidan', *Jurnal Ilmiah Farmasi-UNSRAT*, 6(3).

- Syafrida, M., Darmanti, S. and Izzati, M. (2018) 'Pengaruh Suhu Pengeringan Terhadap Kadar Air, Kadar Flavonoid dan Aktivitas Antioksidan Daun dan Umbi Rumput Teki (*Cyperus rotundus* L.)', *Bioma : Berkala Ilmiah Biologi*, 20(1), p. 44. Available at: <https://doi.org/10.14710/bioma.20.1.44-50>.
- Syamsidi, A., Sulastri, M.Si., Apt, E. and Syamsuddin, A.M. (2021) 'Formulation and Antioxidant Activity of Mask Clay Extract Lycopene Tomato (*Solanum lycopersicum* L.) with Variation of Concentrate Combination Kaoline and Bentonite Bases', *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 7(1). Available at: <https://doi.org/10.22487/j24428744.2021.v7.i1.15462>.
- Syarifah, A., Budiman, A. and Nazilah, S.A. (2021) 'Formulation and Antioxidant Activity of Serum Gel of Ethyl Acetate Fraction From *Musa x paradisiaca* L.', in. *4th International Conference on Sustainable Innovation 2020–Health Science and Nursing (ICoSIHSN 2020)*, Yogyakarta, Indonesia. Available at: <https://doi.org/10.2991/ahsr.k.210115.066>.
- Tamara, A., Harjanti, R. and Nilawati, A. (2020) 'Evaluasi Aktivitas Tabir Surya Krim Ekstrak Etanol Buah Tomat (*Solanum lycopersicum* L.) Secara in Vitro dan in Vivo', *Prosiding Seminar Nasional Unimus*, 3.
- Tioosi, R.F.J. *et al.* (2014) 'In vitro and in vivo evaluation of the delivery of topical formulations containing glycoalkaloids of *Solanum lycocarpum* fruits', *European Journal of Pharmaceutics and Biopharmaceutics*, 88(1), pp. 28–33. Available at: <https://doi.org/10.1016/j.ejpb.2014.01.010>.
- Tsabitah, A.F. *et al.* (2020) 'Optimasi Carbomer, Propilen Glikol, dan Trietanolamin Dalam Formulasi Sediaan Gel Ekstrak Etanol Daun Kembang Bulan (*Tithonia diversifolia*)', *Majalah Farmaseutik*, 16(2), p. 111. Available at: <https://doi.org/10.22146/farmaseutik.v16i2.45666>.
- Wardhani, R.A.P. (2015) 'Uji Aktivitas Antibakteri Ekstrak Kulit Buah Rambutan (*Nephelium lappaceum* L.) Pada Bakteri', *Indonesian Journal of Chemical Science*, 4(1).
- Wulansari, A.N. (2018) 'Alternatif Cantigi Ungu (*Vaccinium varingiaefolium*) Sebagai Antioksidan Alami : Review', *Farmaka*, 16(2), p. 10. Available at: <https://doi.org/10.24198/jf.v16i2.17574>.
- Zaddana, C. and Meida, U. (2021) 'Formulasi dan Uji Aktivitas Antioksidan Serbuk Minuman Instan Sari Buah Tomat (*Solanum lycopersicum*)', *Jurnal Ilmiah Farmasi*, 11(1), p. 12.
- Zhang, Q.-W., Lin, L.-G. and Ye, W.-C. (2018) 'Techniques for extraction and isolation of natural products: a comprehensive review', *Chinese*

Medicine, 13(1), p. 20. Available at: <https://doi.org/10.1186/s13020-018-0177-x>.

Zhou, J.-R. *et al.* (2016) 'Anti-hyaluronidase Activity in Vitro and Amelioration of Mouse Experimental Dermatitis by Tomato Saponin, Esculeoside A', *Journal of Agricultural and Food Chemistry*, 64(2), pp. 403–408. Available at: <https://doi.org/10.1021/acs.jafc.5b05320>.

Zubaydah, W.O.S. and Fandinata, S.S. (2020) 'Formulasi Sediaan Masker Gel Peel-Off Dari Ekstrak Buah Tomat (*Solanum lycopersicum* L.) Beserta Uji Aktivitas Antioksidan', *Journal Syifa Sciences and Clinical Research*, 2(2).

Zulaikhah, S.T. (2017) 'The Role of Antioxidant to Prevent Free Radicals in The Body', *Sains Medika*, 8(1), p. 39. Available at: <https://doi.org/10.26532/sainsmed.v8i1.1012>.

