

DAFTAR PUSTAKA

- 6m2n - SARS-CoV-2 3CL protease (3CL pro) in complex with a novel inhibitor - Summary - Protein Data Bank Japan. (2020).
- Autodock. (2012). *AutoDock*.
- Benarba, B., & Pandiella, A. (2020). Medicinal Plants as Sources of Active Molecules Against COVID-19. *Frontiers in Pharmacology*, 11(August), 1–16. <https://doi.org/10.3389/fphar.2020.01189>
- Brasseur, L. &. (1995). The hydrophobic. *Review Literature And Arts Of The Americas*, 535–540.
- Chitranshi, N., Gupta, V. K., Rajput, R., Godinez, A., Pushpitha, K., Shen, T., Mirzaei, M., You, Y., Basavarajappa, D., Gupta, V., & Graham, S. L. (2020). Evolving geographic diversity in SARS-CoV2 and in silico analysis of replicating enzyme 3CLprotargeting repurposed drug candidates. *Journal of Translational Medicine*, 18(1), 1–15. <https://doi.org/10.1186/s12967-020-02448-z>
- Dai, L., & Gao, G. F. (2021). Viral targets for vaccines against COVID-19. *Nature Reviews Immunology*, 21(2), 73–82. <https://doi.org/10.1038/s41577-020-00480-0>
- Dassault Systèmes BIOVIA. (2016). BIOVIA Discovery Studio Visualizer. *V16.1.0.15350*, 1–2. <http://accelrys.com>
- Głowacki, E. D., Irimia-Vladu, M., Bauer, S., & Sariciftci, N. S. (2013). Hydrogen-bonds in molecular solids-from biological systems to organic electronics. *Journal of Materials Chemistry B*, 1(31), 3742–3753. <https://doi.org/10.1039/c3tb20193g>
- Grottesi, A., Bešker, N., Emerson, A., Manelfi, C., Beccari, A. R., Frigerio, F., Lindahl, E., Cerchia, C., & Talarico, C. (2020). Computational studies of SARS-CoV-2 3clpro: Insights from md simulations. *International Journal of Molecular Sciences*, 21(15), 1–18. <https://doi.org/10.3390/ijms21155346>
- Ihtimamul, U. I. (2021). *Analisis Penambatan Molekul, Prediksi Toksisitas, dan Profil Farmakokinetika kandungan Kimia Tanaman Herbal Indonesia Terhadap target Molekuler Terapi penyakit COVID-19*.
- Jiang, S., Wang, M., Jiang, Z., Zafar, S., Xie, Q., Yang, Y., Liu, Y., Yuan, H., Jian, Y., & Wang, W. (2021). Chemistry and pharmacological activity of sesquiterpenoids from the chrysanthemum genus. *Molecules*, 26(10). <https://doi.org/10.3390/molecules26103038>
- Jin, Z., Du, X., Xu, Y., Deng, Y., Liu, M., Zhao, Y., Zhang, B., Li, X., Zhang, L., Peng, C., Duan, Y., Yu, J., Wang, L., Yang, K., Liu, F., Jiang, R., Yang, X., You, T., Liu, X., ... Yang, H. (2020). Structure of Mpro from SARS-CoV-2 and discovery of its inhibitors. *Nature*, 582(7811), 289–293. <https://doi.org/10.1038/s41586-020-2223-y>

- Muhammed, M. T., & Aki-Yalcin, E. (2019). Homology modeling in drug discovery: Overview, current applications, and future perspectives. *Chemical Biology and Drug Design*, 93(1), 12–20. <https://doi.org/10.1111/cbdd.13388>
- Mukesh, B., & Rakesh, K. (2011). ISSN 2229-3566 Review Article Molecular Docking : A REVIEW Bachwani Mukesh *, Kumar Rakesh. *International Journal of Research in Ayurveda & Pharmacy*, 2(6), 1746–1751.
- Pagadala, N. S., Syed, K., & Tuszynski, J. (2017). Software for molecular docking: a review. *Biophysical Reviews*, 9(2), 91–102. <https://doi.org/10.1007/s12551-016-0247-1>
- Pedersen, S. F., & Ho, Y. C. (2020). SARS-CoV-2: A storm is raging. *Journal of Clinical Investigation*, 130(5), 2202–2205. <https://doi.org/10.1172/JCI137647>
- ProSA-web. (2011). *ProSA-web - Protein Structure Analysis ProSA-web - Protein Structure Analysis* (pp. 1–4).
- PubChem. (2004). *PubChem*.
- PubChem. (2006). *Kikkanol-E @ pubchem.ncbi.nlm.nih.gov*. <https://pubchem.ncbi.nlm.nih.gov/compound/Kikkanol-E>
- PubChem. (2010). *46906714 @ pubchem.ncbi.nlm.nih.gov*. <https://pubchem.ncbi.nlm.nih.gov/compound/46906714>
- PyMOL *pymol*. (2009).
- Sharma, V., Sharma, R., Gautam, D. N. S., Kuca, K., Nepovimova, E., & Martins, N. (2020). Role of vacha (*Acorus calamus* Linn.) in neurological and metabolic disorders: Evidence from ethnopharmacology, phytochemistry, pharmacology and clinical study. *Journal of Clinical Medicine*, 9(4). <https://doi.org/10.3390/jcm9041176>
- Thomsen, R., & Christensen, M. H. (2006). MolDock: A new technique for high-accuracy molecular docking. *Journal of Medicinal Chemistry*, 49(11), 3315–3321. <https://doi.org/10.1021/jm051197e>
- Varma, A. K., Patil, R., Das, S., Stanley, A., Yadav, L., & Sudhakar, A. (2010). Optimized hydrophobic interactions and hydrogen bonding at the target-ligand interface leads the pathways of Drug-Designing. *PLoS ONE*, 5(8). <https://doi.org/10.1371/journal.pone.0012029>
- WHO. (2021). *Coronavirus disease (COVID-19)*. 2021. https://www.who.int/health-topics/coronavirus#tab=tab_1
- WHO. (2022). WHO Coronavirus Disease (COVID-19) Dashboard With Vaccination Data | WHO Coronavirus (COVID-19) Dashboard With Vaccination Data. In *World Health Organization* (pp. 1–5). <https://covid19.who.int/%0Ahttps://covid19.who.int/%0Ahttps://covid19.who.int/region/searo/country/bd>
- Yoshikawa, M., Morikawa, T., Toguchida, I., Harima, S., & Matsuda, H. (2000).

Medicinal flowers. II. Inhibitors of nitric oxide production and absolute stereostructures of five new germacrane-type sesquiterpenes, kikkanols D, D monoacetate, E, F, and F monoacetate from the flowers of *Chrysanthemum indicum* L. *Chemical and Pharmaceutical Bulletin*, 48(5), 651–656. <https://doi.org/10.1248/cpb.48.651>

Yuan, F., Wang, L., Fang, Y., & Wang, L. (2021). Global SNP analysis of 11,183 SARS-CoV-2 strains reveals high genetic diversity. *Transboundary and Emerging Diseases*, 68(6), 3288–3304. <https://doi.org/10.1111/tbed.13931>

