

## DAFTAR PUSTAKA

- Abate, M. A., Layne, R. D., Neely, J. L., & D'Alessandri, R. (1990). Effect of naproxen and sulindac on blood pressure response to atenolol. *DICP, Annals of Pharmacotherapy*, 24(9), 810–813. <https://doi.org/10.1177/106002809002400901>
- Abdel-Rahman, M. S., Reddi, A. S., Curro, F. A., Turkall, R. M., Kadry, A. M., & Hansrote, J. A. (1991). Bioavailability of aspirin and salicylamide following oral co-administration in human volunteers. *Canadian Journal of Physiology and Pharmacology*, 69(10), 1436–1442. <https://doi.org/10.1139/y91-215>
- ADA. (2017). Standars Of Medical Care In Diabetes — 2017 Standards of Medical Care in Diabetes d 2017. *The Journal of Clinical and Applied Research and Education*, 40(January), S48–S56.
- ADA. (2019). Standards of medical care in diabetes-2019. *Diabetic Retinopathy*, 1–36. [https://doi.org/10.1142/9789814304443\\_0001](https://doi.org/10.1142/9789814304443_0001)
- Andersson, T., Andrén, K., Cederberg, C., Edvardsson, G., Heggelund, A., & Lundborg, R. (1990). Effect of omeprazole and cimetidine on plasma diazepam levels. *European Journal of Clinical Pharmacology*, 39(1), 51–54. <https://doi.org/10.1007/BF02657057>
- Arif, H., Buchsbaum, R., Pierro, J., Whalen, M., Sims, J., Resor, S. R., Bazil, C. W., & Hirsch, L. J. (2010). Comparative effectiveness of 10 antiepileptic drugs in older adults with epilepsy. *Archives of Neurology*, 67(4), 408–415. <https://doi.org/10.1001/archneurol.2010.49>
- Arif, M. (2023). Pengaruh Usia Dan Jenis Kelamin Terhadap Kadar Gula Darah. *Journal of Science and Medical Laboratory*, 1(2), 68–74.
- Atika Ramdhini & Wahidah, A. & W. (2021). Evaluasi Rasionalitas Penggunaan Obat Diabetes Melitus Tipe Ii Pada Pasien Rawat Jalan Di Puskesmas Pasir Sakti Tahun 2019. *JFL: Jurnal Farmasi Lampung*, 9(1), 69–76. <https://doi.org/10.37090/jfl.v9i1.334>
- Bell, D. S. H. (2016). Aspirin in the prevention of cardiovascular events in patients with diabetes. *Postgraduate Medicine*, 128(2), 180–190. <https://doi.org/10.1080/00325481.2016.1131106>
- Cleland, J. G. F. (2022). Aspirin for Primary and Secondary Prevention of Cardiovascular Disease: Time to Stop? *Thrombosis and Haemostasis*, 122(3), 311–314. <https://doi.org/10.1055/s-0041-1740639>
- Concepción Zavaleta, M. J., Gonzáles Yovera, J. G., Moreno Marreros, D. M., Rafael Robles, L. del P., Palomino Taype, K. R., Soto Gálvez, K. N., Arriola Torres, L. F.,

- Coronado Arroyo, J. C., & Concepción Urteaga, L. A. (2021). Diabetic gastroenteropathy: An underdiagnosed complication. *World Journal of Diabetes*, 12(6), 794–809. <https://doi.org/10.4239/wjd.v12.i6.794>
- Dinas Kesehatan Cilacap. (2021). *Profil Kesehatan Kabupaten Cilacap Tahun 2021*. 0282.
- Dornhorst, A., Powell, S. H., & Pinsky, J. (1985). Aggravation By Propranolol of Hyperglycaemic Effect of Hydrochlorothiazide in Type II Diabetics Without Alteration of Insulin Secretion. *The Lancet*, 325(8421), 123–126. [https://doi.org/10.1016/S0140-6736\(85\)91900-2](https://doi.org/10.1016/S0140-6736(85)91900-2)
- Elements, P. (1993). Draft statement on pharmaceutical care. *American Journal of Hospital Pharmacy*, 50(1), 126–128. <https://doi.org/10.1093/ajhp/50.1.126>
- Gorostidi, M., & De La Sierra, A. (2013). Combination therapy in hypertension. *Advances in Therapy*, 30(4), 320–336. <https://doi.org/10.1007/s12325-013-0020-9>
- Hackam, D. G., & Spence, J. D. (2019). Antiplatelet therapy in ischemic stroke and transient ischemic attack: An overview of major trials and meta-analyses. *Stroke*, 50(3), 773–778. <https://doi.org/10.1161/STROKEAHA.118.023954>
- Hameed, S. (2019). Nav1.7 and Nav1.8: Role in the pathophysiology of pain. *Molecular Pain*, 15. <https://doi.org/10.1177/1744806919858801>
- Hansson, L., Lindholm, L. H., Niskanen, L., Lanke, J., Hedner, T., Niklason, A., Luomanmäki, K., Dahlöf, B., De Faire, U., Mörlin, C., Karlberg, B. E., Wester, P. O., & Björck, J. E. (1999). Effect of angiotensin-converting-enzyme inhibition compared with conventional therapy on cardiovascular morbidity and mortality in hypertension: the Captopril Prevention Project (CAPPP) randomised trial. *Lancet*, 353(9153), 611–616. [https://doi.org/10.1016/S0140-6736\(98\)05012-0](https://doi.org/10.1016/S0140-6736(98)05012-0)
- Harijanto, P. N., Setiati, S., Alwi, I., Sudoyo, A. W., Simadibrata, M., Setiyahadi, B., & Syad, A. F. (2014). Malaria. *Buku Ajar Ilmu Penyakit Dalam*, 71, 1754–1760.
- Hurst C Lawrence, B. (1980). The New England Journal of Medicine Downloaded from [nejm.org](http://nejm.org) on June 3, 2020. For personal use only. No other uses without permission. Copyright © 2009 Massachusetts Medical Society. All rights reserved. *The New England Journal of Medicine*, 2022.
- Jellinger, P. S., Handelsman, Y., Rosenblit, P. D., Bloomgarden, Z. T., Fonseca, V. A., Garber, A. J., Grunberger, G., Guerin, C. K., Bell, D. S. H., Mechanick, J. I., Pessah-Pollack, R., Wyne, K., Smith, D., Brinton, E. A., Fazio, S., & Davidson, M. (2017). American Association of Clinical Endocrinologists and American College of Endocrinology Guidelines for Management of Dyslipidemia and Prevention of

- Cardiovascular Disease. *Endocrine Practice : Official Journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*, 23(April), 1–87. <https://doi.org/10.4158/EP171764.APPGL>
- Jonathan, K., Kuswinarti, & Soetedjo, N. N. M. (2019). Pola Penggunaan Antidiabetes Oral Pasien Diabetes Melitus Tipe 2 di Bagian Penyakit Dalam RSUD Kota Bandung Tahun 2017. *Jurnal Cermin Dunia Kedokteran*, 46(6), 407–413.
- Kemkes RI. (2011). Modul Penggunaan Obat Rasional 2011. *Modul Penggunaan Obat Rasional*, 3–4.
- Kesehatan, P. M. (2020). PERMENKES NO 01.07 2020 Pedoman Pelayanan Tata Laksana DM II Dewasa. *Corporate Governance (Bingley)*, 10(1), 54–75.
- Ludvik, B., Clodi, M., Kautzky, A., Capek, M., Hartter, E., Pacini, G., & Prager, R. (1993). *Diabetologia*. 84–87.
- Mallat, S. G., Itani, H. S., & Tanios, B. Y. (2013). Current perspectives on combination therapy in the management of hypertension. *Integrated Blood Pressure Control*, 6, 69–78. <https://doi.org/10.2147/IBPC.S33985>
- Martinez-Hervas, S., Carmena, R., & Ascaso, J. F. (2011). Significance of LDL-C lowering therapy in diabetic patients. *Clinical Lipidology*, 6(4), 389–399. <https://doi.org/10.2217/clp.11.28>
- Maulidina, H. (2019). *Permenkes No.4 Tahun 2019 Tentang Standar Teknis Pemenuhan Mutu Pelayanan Dasar Pada Standar Pelayanan Minimal Bidang Kesehatan*. 2, 1–13.
- Mehta, J., & Gainesville, M. D. (1984). *hemostasis*.
- Navarese, E. P., Robinson, J. G., Kowalewski, M., Kołodziejczak, M., Andreotti, F., Bliden, K., Tantry, U., Kubica, J., Raggi, P., & Gurbel, P. A. (2018). Association between baseline LDL-C level and total and cardiovascular mortality after LDL-C lowering a systematic review and meta-analysis. *JAMA - Journal of the American Medical Association*, 319(15), 1566–1579. <https://doi.org/10.1001/jama.2018.2525>
- Neerati, P., Devde, R., & Gangi, A. K. (2014). Evaluation of the effect of curcumin capsules on glyburide therapy in patients with type-2 diabetes mellitus. *Phytotherapy Research*, 28(12), 1796–1800. <https://doi.org/10.1002/ptr.5201>
- Nicolucci, A., & Standl, E. (2011). Antiplatelet therapy for every diabetic person? *Diabetes Care*, 34(SUPPL. 2). <https://doi.org/10.2337/dc11-s210>
- Notoatmodjo, S. (2012). *Metodologo Penelitian Kesehatan*. AHLIMEDIA PRESS.
- Nouredin, S., Mohsen, J., & Payman, A. (2018). Effects of psyllium vs. placebo on constipation, weight, glycemia, and lipids: A randomized trial in patients with type

- 2 diabetes and chronic constipation. *Complementary Therapies in Medicine*, 40(June), 1–7. <https://doi.org/10.1016/j.ctim.2018.07.004>
- Pani, N., Mishra, S. B., & Rath, S. K. (2010). Diabetic parturient - Anaesthetic implications. *Indian Journal of Anaesthesia*, 54(5), 387–393. <https://doi.org/10.4103/0019-5049.71028>
- Peraturan Menteri Dalam Negeri. (2018). *PERMENDAGRI No 100 Tahun 2018 Tentang Penerapan Standar Pelayanan Minimal*. 1540. [www.peraturan.go.id](http://www.peraturan.go.id)
- Peraturan Pemerintah RI. (2018). PP No. 2 Tahun 2018 tentang Standar Pelayanan Minimal. *Kementerian Hukum Dan HAM*, 1–35. <https://peraturan.bpk.go.id/Home/Details/67029/pp-no-2-tahun-2018>
- Perhi. (2019). Konsensus Penatalaksanaan Hipertensi 2019. *Indonesian Society Hipertensi Indonesia*, 1–90.
- Pollar. (2010). *Antihipertenzivi I Diuretici*.
- Putri, C. A. (2021). Manajemen Nyeri Neuropati pada Pasien Diabetes Melitus Tipe 2. *Jurnal Medika Hutama*, 2(3), 2715–9728. <http://jurnalmedikahutama.com>
- Riskesdas. (2018). Laporan Riskesdas 2018 Kementerian Kesehatan Jawa Tengah Republik Indonesia. In *Laporan Nasional Riskesdas 2018*.
- Rodbard et al. (2007). AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS Endocrine Practice. *Endocrine Practice*, 13(1), 70.
- Rohilla, A., Rohilla, S., Kumar, A., Khan, M. U., & Deep, A. (2016). Pleiotropic effects of statins: A boulevard to cardioprotection. *Arabian Journal of Chemistry*, 9, S21–S27. <https://doi.org/10.1016/j.arabjc.2011.06.025>
- Rosenberger, D. C., Blechschmidt, V., Timmerman, H., Wolff, A., & Treede, R. D. (2020). Challenges of neuropathic pain: focus on diabetic neuropathy. In *Journal of Neural Transmission* (Vol. 127, Issue 4). Springer Vienna. <https://doi.org/10.1007/s00702-020-02145-7>
- Rosita, R., Kusumaningtiar, D. A., Irfandi, A., & Ayu, I. M. (2022). Hubungan Antara Jenis Kelamin, Umur, Dan Aktivitas Fisik Dengan Diabetes Melitus Tipe 2 Pada Lansia Di Puskesmas Balaraja Kabupaten Tangerang. *Jurnal Kesehatan Masyarakat (Undip)*, 10(3), 364–371. <https://doi.org/10.14710/jkm.v10i3.33186>
- Rudroju, N., Bansal, D., Talakokkula, S. T., Gudala, K., Hota, D., Bhansali, A., & Ghai, B. (2014). Erratum to: Comparative Efficacy and Safety of Six Antidepressants and Anticonvulsants in Painful Diabetic Neuropathy: A Network Meta-analysis (Pain Physician (2013), 16, (E705-E714)). *Pain Physician*, 17(2), 203.
- Schindler, E., Richling, I., & Rose, O. (2021). Pharmaceutical Care Network Europe

- (PCNE) drug-related problem classification version 9.00: German translation and validation. *International Journal of Clinical Pharmacy*, 43(3), 726–730.  
<https://doi.org/10.1007/s11096-020-01150-w>
- Slamet Pramono. (2022). *Profil RSUD Cilacap Tahun 2022. Profil RSUD*(28).  
[www.rsud.cilacapkab.go.id](http://www.rsud.cilacapkab.go.id)
- Soelistijo, S. (2021). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021. *Global Initiative for Asthma*, 46. [www.ginasthma.org](http://www.ginasthma.org).
- Soltanian, N., & Janghorbani, M. (2019). Effect of flaxseed or psyllium vs. placebo on management of constipation, weight, glycemia, and lipids: A randomized trial in constipated patients with type 2 diabetes. *Clinical Nutrition ESPEN*, 29, 41–48.  
<https://doi.org/10.1016/j.clnesp.2018.11.002>
- Stambaugh, J. E. (1981). Pharmacokinetics and mechanisms of action of analgesics in clinical pain. *Journal of Clinical Pharmacology*, 21(8-9 Suppl), 117–118.  
<https://doi.org/10.1002/j.1552-4604.1981.tb02607.x>
- Sternbach. (n.d.). *sternbach1991.pdf*.
- Suki, W. N. (1991). Myopathic effects of lovastatin. *Western Journal of Medicine*, 154(2), 223–224.
- Theodoridis, T., & Kraemer, J. (2022a). *Compication of diabetes*. CRC Press.
- Theodoridis, T., & Kraemer, J. (2022b). *Complication of Diabetes*.
- Wiernsperger, N. et al. (1995). Metformin–insulin interactions: From organ to cell. *Diabetes/Metabolism Reviews*, 11(1 S), S3–S12.  
<https://doi.org/10.1002/dmr.5610110503>
- Wise, B. L., Peloquin, C., Choi, H., Lane, N. E., & Zhang, Y. (2012). Impact of age, sex, obesity, and steroid use on quinolone-associated tendon disorders. *American Journal of Medicine*, 125(12), 1228.e23-1228.e28.  
<https://doi.org/10.1016/j.amjmed.2012.05.027>