

DAFTAR PUSTAKA

- Andrea, H., Bültmann, U., van Amelsvoort, L. G. P. M., & Kant, Y. (2009). The incidence of anxiety and depression among employees - The role of psychosocial work characteristics. *Depression and Anxiety*, 26(11), 1040–1048. <https://doi.org/10.1002/da.20516>
- Atika. (2019). Analisis Potensi Interaksi Obat Golongan Antidepresan pada Pasien Skizofrenia di Rumah Sakit Jiwa Dr. Soeharto Heerdjan Tahun 2016. *Pharm Sci Res*, Vol 6 No 1,2019.
- Bahar, E., Saharuddin, P., Ikawati, Z., Kristanto, C. S., Jiwa, K., Kedokteran, F., Masyarakat, K., Universitas, K., & Mada, G. (2021). Perbandingan Efektivitas Regimen Terapi Antipsikotik Pasien Schizophrenia di RSJ Dr. Ernaldi Bahar Palembang. *Majalah Farmaseutik*, 17(2), 206–216. <https://doi.org/10.22146/farmaseutik.v17i2.58508>
- Baihaqi, M., 2007. *Psikiatri Konsep Dasar dan Gangguan - Gangguan*. Refika Aditama, Bandung.
- Barbui, C. S. (2009). Does the Addition of a Second Antipsychotic Drug Improve Clozapine Treatment? *Schizophrenia Bulletin*.
- Bethesda (MD): National Institute of Diabetes and Digestive and Kidney Diseases; 2012-. Amitriptyline. [Updated 2016 Mar 1].
- Brigitta Bondy, M. (2002). Pathophysiology of depression and mechanisms of treatment. *Dialogues in Clinical Neuroscience*, 4(1).
- Brogan, K. (2014). *Psychoneuroimmunology "How Inflammation Affects Your Mental Health"*.
- Brown, C.H. (2008). Psychotropic disorders : Overview of drug–drug interactions with SSRIs. *US Pharm*. 33(1), 3-19
- Brunstein Klomek, A., Marrocco, F., Kleinman, M., Schonfeld, I. S., & Gould, M. S. (2007). Bullying, depression, and suicidality in adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 46(1), 40–49. <https://doi.org/10.1097/01.chi.0000242237.84925.18>
- B, S. (2017). Antidepressants: Mechanism of Action, Toxicity and Possible Amelioration. *Journal of Applied Biotechnology & Bioengineering*, 3(5). <https://doi.org/10.15406/jabb.2017.03.00082>
- Cipriani, A., Furukawa, T. A., Salanti, G., Chaimani, A., Atkinson, L. Z., Ogawa, Y., Leucht, S., Ruhe, H. G., Turner, E. H., Higgins, J. P. T., Egger, M., Takeshima, N., Hayasaka, Y., Imai, H., Shinohara, K., Tajika, A.,

- Ioannidis, J. P. A., & Geddes, J. R. (2018). Comparative efficacy and acceptability of 21 antidepressant drugs for the acute treatment of adults with major depressive disorder: a systematic review and network meta-analysis. *The Lancet*, 391(10128), 1357–1366. [https://doi.org/10.1016/S0140-6736\(17\)32802-7](https://doi.org/10.1016/S0140-6736(17)32802-7)
- Diyas Septyarini. (2021). Evaluasi ketepatan dosis obat pasien depresi rawat jalan di RSUD Kraton Kabupaten Pekalongan. The 13th University Research Conference.
- Dørheim, S. K., Gunnar, S., Bondevik, T., Eberhard-Gran, M., & Bjorvatn, B. (2009). DEPRESSION AND INSOMNIA ARE COMORBID AND INTERRELATED CONDITIONS, AND INSOMNIA IS OFTEN A PRECURSOR OF, AS WELL AS A NEGATIVE prognostic factor for Sleep and Depression in Postpartum Women: A Population-Based Study Sleep and Depression in Postpartum Women-Dørheim et al. In *SLEEP* (Vol. 32, Issue 7). <https://academic.oup.com/sleep/article/32/7/847/2679652>
- Fahrul, dkk. (2014) Rasionalitas Penggunaan Antipsikotik Pada Pasien Skizofrenia Di Instalasi Rawat Inap Jiwa Rumah Sakit Daerah Madani Provinsi Sulawesi Tengah Periode Januari-April 2014. *Online Jurnal Of Natural Science*. Vol.3(2): 18-29 Agustus 2014
- Feltham, C., & Horton, I. (2006). *Counseling and psychotherapy*. The Sage Handbook. 2nd edition British: Sage Publication, Ltd.
- Fornaro, M., Anastasia, A., Valchera, A., Carano, A., Orsolini, L., Vellante, F., Rapini, G., Olivieri, L., Natale, S., di Perna, G., Martinotti, G., di Giannantonio, M., & de Berardis, D. (2019). The FDA “black box” warning on antidepressant suicide risk in young adults: More harm than benefits? In *Frontiers in Psychiatry* (Vol. 10, Issue MAY). Frontiers Media S.A. <https://doi.org/10.3389/fpsy.2019.00294>
- Ikawati, Z. 2011. *Farmakoterapi Penyakit Sistem Saraf Pusat*. Bursa Ilmu, Yogyakarta.
- Hadi, I. et al. (2017) ‘Gangguan Depresi Mayor: Mini Review’, *Health Information: Jurnal Penelitian*, 9(1), pp. 34–49. [doi:10.36990/hijp.v9i1.102](https://doi.org/10.36990/hijp.v9i1.102).

- Hamon, M., & Blier, P. (2013). Monoamine neurocircuitry in depression and strategies for new treatments. In *Progress in Neuro-Psychopharmacology and Biological Psychiatry* (Vol. 45, pp. 54–63). <https://doi.org/10.1016/j.pnpbp.2013.04.009>
- Herawati, N., Program, D., Keperawatan, D., Poltekkes, S., & Padang, K. (2019). HUBUNGAN KARAKTERISTIK DENGAN KEJADIAN DEPRESI PADA LANSIA. In *Jurnal Keperawatan Jiwa* (Vol. 7, Issue 2).
- Horn, J.R., Hansten, P.D. and Chan, L.-N. (2007) 'Proposal for a New Tool to Evaluate Drug Interaction Cases', *Annals of Pharmacotherapy*, 41(4), pp. 674–680. doi:10.1345/aph.1H423.
- Jesulola, E., Micalos, P., & Baguley, I. J. (2018). Understanding the pathophysiology of depression: From monoamines to the neurogenesis hypothesis model - are we there yet? In *Behavioural Brain Research* (Vol. 341, pp. 79–90). Elsevier B.V. <https://doi.org/10.1016/j.bbr.2017.12.025>
- Joseph T. Dipiro. et al. (2020). *Pharmacotherapy a pathofisiologic approach eleventh edition*. McGraw Hill.
- Kando, J.C., Wells, B.G., Hayes, P.E., 2005. *Pharmacoterapy A Pathophysiologic 12 Approach : Depressive Disorders*, 6 th. ed. Appleton and Lange.
- Katona, C., Cooper, C., Mary, R. (2012). *At a Glance Psikiatri*. Ahli bahasa: Asri Dwi Rachmawati. Jakarta: Erlangga.
- Katzung, Bertram G. et al. 2014. *Farmakologi Dasar dan Klinik*. Buku Kedokteran EGC. Jakarta.
- [Kemenkes] Kementerian Kesehatan Republik Indonesia. (2018). *Prevalensi Depresi Pada Penduduk Umur ≥15 Tahun Menurut Provinsi Hasil Utama (RISKESDAS 2018)*.
- Kendler, K. S., Hettema, J. M., Butera, F., Gardner, C. O., & Prescott, C. A. (2003). *Life Event Dimensions of Loss, Humiliation, Entrapment, and Danger in the Prediction of Onsets of Major Depression and Generalized Anxiety*.
- Khawam, E. A., Laurencic, G., & Malone, D. A. (2006). Side effects of antidepressants: An overview. In *CLEVELAND CLINIC JOURNAL OF MEDICINE* (Vol. 73, Issue 4). www.ccjm.org
- Kornstein, S. G., Young, E. A., Harvey, A. T., Wisniewski, S. R., Barkin, J. L., Thase, M. E., Trivedi, M. H., Nierenberg, A. A., & Rush, A. J. (2010). The

influence of menopause status and postmenopausal use of hormone therapy on presentation of major depression in women. *Menopause*, 17(4), 828–839. <https://doi.org/10.1097/gme.0b013e3181d770a8>

Lisni, I., Octavia, Y.N. and Iskandar, D. (2020) 'STUDY ON RATIONAL ANTIHYPERTENSIVE DRUG PRESCRIBING IN ONE OF BANDUNG's PRIMARY HEALTH CARE CENTER', 11(1), p. 8.

Li, Zhazhan PhD; Li, Yanyan; Chen, Lizhang PhD; Chen, Peng MD; Hu, Yingyun MD Prevalence of Depression in Patients With Hypertension, *Medicine*: August 2015 - Volume 94 - Issue 31 - p e1317doi: 10.1097/MD.0000000000001317

Llorca, P. M., & Fernandez, J. L. (2007). Escitalopram in the treatment of major depressive disorder: Clinical efficacy, tolerability and cost-effectiveness vs. venlafaxine extended-release formulation. In *International Journal of Clinical Practice* (Vol. 61, Issue 4, pp. 702–710). <https://doi.org/10.1111/j.1742-1241.2007.01335.x>

Macqueen, G., Born, L., & Steiner, M. (2001). The Selective Serotonin Reuptake Inhibitor Sertraline: Its Profile and Use in Psychiatric Disorders. In *CNS Drug Reviews* (Vol. 7, Issue 1).

Mishra, S., Rekha Swain, T., & Mohanty, M. (2013). Adverse drug reaction monitoring of antidepressants in the psychiatry outpatients department of a tertiary care teaching hospital. *Journal of Clinical and Diagnostic Research*, 7(6), 1131–1134. <https://doi.org/10.7860/JCDR/2013/4985.3041>

Moraczewski J, Aedma KK. Tricyclic Antidepressants. [Updated 2022 May 2]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-.

Naranjo.C.A., Busto, U., Sellers, E.M., Sandor, P., Ruiz, I., Robert, E.A., 1981. A Method For Estimating the Probability of Adverse Drug Reactions. *Clin. Pharmacol. Ther.* 30:2, 239–45.

Nixon, N. et al. (2020) 'The bi-factor structure of the 17-item Hamilton Depression Rating Scale in persistent major depression; dimensional measurement of outcome', *PLOS ONE*. Edited by T.D. Tran, 15(10), p. e0241370. doi:10.1371/journal.pone.0241370.

Notoatmodjo, Soekidjo. 2005. *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta

- Nuvulani, Inaz N., 2019. Evaluasi Obat Antidepresan Pada Pasien Depresi Berat Dengan Gejala Psikotik Di Instalasi Rawat Inap Rumah Sakit Jiwa Grhasia Yogyakarta Periode 2017. Fakultas Kedokteran dan Ilmu Kesehatan. Universitas Muhammadiyah Yogyakarta, Yogyakarta.
- Puspitasari, A. W., & Angeline, L. (2019). Analisis Potensi Interaksi Obat Golongan Antidepresan pada Pasien Skizofrenia di Rumah Sakit Jiwa Dr. Soeharto Heerdjan Tahun 2016 Analysis of Potential Antidepressant Drug Interactions in Schizophrenic Patients at Dr. Soeharto Heerdjan 2016. *Pharmaceutical Sciences and Research*, 6(1), 13–20.
- Ridlo, I.A. (2020) 'Pandemi COVID-19 dan Tantangan Kebijakan Kesehatan Mental di Indonesia', *INSAN Jurnal Psikologi dan Kesehatan Mental*, 5(2), p. 162. doi:10.20473/jpkm.V5I22020.162-171.
- Rothschild, A. J., Williamson, D. J., Tohen, M. F., Schatzberg, A., Andersen, S. W., van Campen, L. E., Sanger, T. M., & Tollefson, G. D. (2004). A double-blind, randomized study of olanzapine and olanzapine/fluoxetine combination for major depression with psychotic features. *Journal of Clinical Psychopharmacology*, 24(4), 365–373. <https://doi.org/10.1097/01.jcp.0000130557.08996.7a>
- Sakti, Raditia Wijaya. 2011. Refrat Psikofarmaka, Fakultas Kedokteran Universitas Muhammadiyah, Surakarta.
- Setiawati, A. (2013). Interaksi obat, dalam Farmakologi dan Terapi Edisi 5. Departemen Farmakologi dan Terapeutik Fakultas Kedokteran Universitas Indonesia. Jakarta: Gaya Baru.
- Shanki, (2020). Adverse Drug Reaction due to Antidepressants among Patients with Depression in a Private Psychiatric Hospital of Nepal. *Hindawi BioMed Research International*.
- Sharma, S. (2017) 'Antidepressants: Mechanism of Action, Toxicity and Possible Amelioration', *Journal of Applied Biotechnology & Bioengineering*, 3(5). doi:10.15406/jabb.2017.03.00082.
- Stahl, S.M. (2013). *Stahl's Essential Psychopharmacology* (4th ed.). Cambridge : Cambridge University Press

- ‘Stockley’s drug interactions: a source book of interactions, their mechanisms, clinical importance and management’ (2010) Choice Reviews Online, 48(03), pp. 48-1222-48–1222. doi:10.5860/CHOICE.48-1222.
- Strawbridge, W. J., Deleger, S., Roberts, R. E., & Kaplan, G. A. (2002). Physical activity reduces the risk of subsequent depression for older adults. *American Journal of Epidemiology*, 156(4), 328–334. <https://doi.org/10.1093/aje/kwf047>
- Sukandar, E. Y., Andrajati, R., Sigit, J. I., Adnyana, I. K., Setiadi, A. P. & Kusnandar, 2008, ISO Farmakoterapi, Ikatan Sarjana Farmasi Indonesia, Jakarta.
- Surget, A., Tanti, A., Leonardo, E. D., Laugeray, A., Rainer, Q., Touma, C., Palme, R., Griebel, G., Ibarguen-Vargas, Y., Hen, R., & Belzung, C. (2011). Antidepressants recruit new neurons to improve stress response =regulation. *Molecular Psychiatry*, 16(12), 1177–1188. <https://doi.org/10.1038/mp.2011.48>
- Sola, C. L., Bostwick, J. M., Hart, D. A., & Lineberry, T. W. (2006). Anticipating potential linezolid-SSRI interactions in the general hospital setting: An MAOI in disguise. *Mayo Clinic Proceedings*, 81(3), 330–334. <https://doi.org/10.4065/81.3.330>
- Spina, E., Avenoso, A., Scordo, M.G., Ancione, M., Gatti, G., et al. (2002). Inhibition of risperidone metabolism by fluoxetine in patients with schizophrenia: a clinically relevant pharmacokinetic drug interaction. *J Clin Psychopharmacol*; 22(4):419-23.
- Tai-Yu Chen, MD₁Nian-Sheng Tzeng, MD₂Yueh-Ming Tai, MD, PhD₁*Amitriptyline-Induced Acute Kidney Injury and Acute Hepatitis: A Case Report*. (2019). www.americantherapeutics.com
- Theorell, T., Hammarström, A., Aronsson, G., Träskman Bendz, L., Grape, T., Hogstedt, C., Marteinsdottir, I., Skoog, I. and Hall, C., 2022. *A systematic review including meta-analysis of work environment and depressive symptoms*.
- Theorell, T., Hammarström, A., Aronsson, G., Träskman Bendz, L., Grape, T., Hogstedt, C., Marteinsdottir, I., Skoog, I., & Hall, C. (2015). A systematic review including meta-analysis of work environment and depressive symptoms. In *BMC Public Health* (Vol. 15, Issue 1). BioMed Central Ltd. <https://doi.org/10.1186/s12889-015-1954-4>
- Thour A, Marwaha R. Amitriptyline. [Updated 2022 May 15]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-.

- Tjay, T. H. & Rahardja, K., 2010. Obat Obat Penting. Jakarta: Elex Media Komputindo.
- Townsend, S. M., & Campbell, R. (2009). Organizational correlates of secondary traumatic stress and burnout among sexual assault nurse examiners. *Journal of Forensic Nursing*, 5(2), 97–106. <https://doi.org/10.1111/j.1939-3938.2009.01040.x>
- Yanuar, H. 2010. Hubungan antara jenis kelamin, usia dan status pernikahan dengan tingkat depresipada lansia di perumahan sinar waluyo semarang. <http://digilib.unimus.ac.id/files/disk1/110/jtptunimus-gdl-yanuarhida-5482-1-abstrak.pdf>. Diperoleh Mei 2022.
- Wijono, R, Nasrun, MW, dan Damping, CE 2013, ‘Gambaran dan Karakteristik Penggunaan Triheksifenidil pada Pasien yang Mendapat Terapi Antipsikotik’, *J Indon Med Assoc*, vol. 63, no. 1, Indonesia
- Wolff, J. et al. (2021) Pharmacotherapy, drug-drug interactions and potentially inappropriate medication in depressive disorders. preprint. *Pharmacology and Therapeutics*. doi:10.1101/2021.03.31.21254518.