

DAFTAR PUSTAKA

- Anders, C.K., Johnson, R., Litton, J., Phillips, M., Bleyer, A., 2009, Breast Cancer Before Age 40 Years, *Semin Oncol.* 36(3): 237–249
- Chambers, P., Daniels, S., 2010, Antiemetic Guidelines for Adult Patients Receiving Chemotherapy and Radiotherapy. Dapat diakses pada <http://www.londoncancer.org/media/65597/antiemetic-guidelines-november-2010.pdf>.
- Bouganim, N., Dranitsaris, G., Hopkins, S., Vandermeer, L., Godbout, L., Dent, S., *et al.*, 2012, Prospective Validation of Risk Prediction Indexes for Acute and Delayed Chemotherapy-Induced Nausea and Vomiting, *Curr Oncol* vol 19 e414-421
- Booth, C.M., Clemons, M., Dranitsaris, G., Joy A., Young, S., Callagan, W., *et al.*, 2007, Chemotherapy-Induced Nausea and Vomiting in Breast Cancer Patients : A Prospective Observatioinal Study, *J Support Oncol* 2007 5 :374-380
- Dahlan, MS, 2010, *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*, Jakarta : Salemba Medika
- Dahlan, MS, 2011, *Statistik Untuk Kedokteran dan Kesehatan*, Jakarta : Salemba Medika
- Fernandez, H., Bautista, M., Martinez, S., Ramirez, Z., Canada, B., 2010, Analysis of The Effectiveness of An Antiemetic Protocol Used In An Oncology Division, *Farm Hosp* 2010;34(3):125-138
- Gralla, R.J., Osoba, D., Kris, MG., Kirkbride, P., Hesketh, PJ., Chinnery, LW., *et al.*, 1999, Recommendations for the Use of Antiemetics: Evidense-Based, Clinical Practice Guideline, *J Clin Oncol.*17 (9) :2971-2994
- Hall, J. & Guyton, A., 1997, *Buku Ajar Fisiologi Kedokteran*, Setiawan, I., penerjemah; Jakarta: Penerbit Buku Kedokteran EGC. Terjemahan dari: *Textbook of Medical Physiology*
- Hatoum, H., Lin, S., Buchner, D., Cox, D., 2012, Comparative Clinical Effectiveness of Various 5-HT3 RA antiemetic regimens on chemotherapy-induced nausea and vomiting associated with hospital and emergency department visits in real practice, *Support Care Cancer* (2012) 20:941-949
- Hesketh PJ , 2008, Drug Therapy; Chemotherapy Induced Nausea and Vomiting, *N Engl J Med* 358:2482

- Hillarius, D., Kloeg, P., Wall, E., Heuvel, J., Gundy, C., Aaronson, N., 2011, Chemotherapy-Induced Nausea and Vomiting in Daily Clinical Practice : A Community Hospital-Based Study, *Support Care Cancer* (2012) 20:107-117
- Hudis, CA., Trastuzumab-Mechanism of Action and Use in Clinical Practice, 2007, *N Engl J Med.* 357:39-51.
- [IARC] International Agency for Research for Cancer Globocan, 2012, Estimated Cancer Incidence, mortality and Prevalence Worldwide in 2012, http://www.Globocan.iarc.fr/Pages/fact_sheets_population.aspx. Diakses pada tanggal 13 November 2014
- Jones, J., Qin, R., Bardia, A., Linquist, B., Wolf, S., Loprinzi, C., 2011, Antiemetics for Chemotherapy-Induced Nausea and Vomiting Occurring Despite Prophylactic Antiemetic Therapy, *Journal of Palliative Medicine* volume 14 number 7 2011
- Jordan, M, 2003, *Managing Breast Cancer Risk*, USA : BC Decker
- Katzung, G Bertram., 1998, *Farmakologi Dasar dan Klinik edisi VI*, Agoes, A., penerjemah; Jakarta : Penerbit Buku Kedokteran EGC. Terjemahan dari: *Basic and Clinical Pharmacology 6/E*
- Menkes Republik Indonesia, 2013, Keputusan Menteri Kesehatan Republik Indonesia Nomor 328/MENKES/IX/2013 Tentang Formularium Nasional, Menkes RI, Jakarta
- Navari, R., Gray, S., Kerr, A., 2011, Olanzapine Versus Aprepitant For The Prevention of Chemotherapy-Induced Nause and Vomiting : A Randomized Phase III Trial, *J Support Oncol* 2011;9:188-19
- [NCI] National Cancer Institute, 2009, Common Terminology Criteria for Adverse Events (CTCAE) version 4.0
- [NCCN] National Comprehensive Cancer Network, 2014, NCCN Clinical Practice Guidelines in Oncology; v.2.2014: Antiemesis. Dapat diakses pada http://www.nccn.org/professionals/physician_gls/pdf/antiemesis.pdf
- [NCCN] National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology; v.3.2014: Breast Cancer. Dapat diakses pada http://www.nccn.org/professionals/physician_gls/pdf/breast.pdf.
- Notoatmodjo, S, 2010, *Metodologi Penelitian Kesehatan*, Jakarta : Rineka cipta
- [ONS] Oncology Nursing Society, Emetogenic Risk of Chemotherapy and Biotherapy Agents. Dapat diakses pada https://www.ons.org/sites/default/files/emetogenicity_tool.pdf.

- Otto, E, 1996, *Buku Saku Keperawatan Onkologi* . Meiliya, E., penerjemah; Jakarta : Penerbit Buku Kedokteran EGC. Terjemahan dari: *Pocket Guide to Oncology Nursing*
- Petrella, T., Clemons, M., Joy, A., Young, S., Callaghan, W., Dranitsaris, G., 2009, Identifying Patients at High Risk for Nausea and Vomiting After Chemotherapy: The Development of a Practical Validated Prediction Tool, *J Support Oncol.* 7:W9-W16
- Purwastuti, E., 2008, *Kanker Payudara Pencegahan & Deteksi Dini*, Yogyakarta: Kanisius
- Rahmah, D.S., 2008, Evaluasi Penggunaan Anti Muntah pada Pasien Retinoblastoma Anak yang Menjalani Kemoterapi di Rumah Sakit Kanker Dharmais
- Riyanto, A., 2011, *Aplikasi Metodologi Penelitian Kesehatan*, Yogyakarta: Nuha Medika
- Roymond, S, 2008, *Buku Ajar Pendidikan dalam Keperawatan*, Jakarta: Penerbit Buku Kedokteran EGC
- Sastroasmoro, S., Ismael, S., 2011, *Dasar-Dasar Metodologi Penelitian klinis Edisi Ke-4*, Jakarta: Sagung Seto
- Schnell, F.M., 2003, Chemotherapy-Induced Nausea and Vomiting: The Importance of Acute Antiemetic Control, *The Oncologist* 2003; 8:187-198
- Vitasari, R.A., 2014, Evaluasi *Adverse Drug Reactions* (ADRs) Penyakit Kanker dengan Kemoterapi di RSUD Prof. Dr. Margono Soekardjo
- Wagstaf, A.J., Ibbotson, T., Goa, K.L., 2003, Capecitabine: A Review of Its Pharmacology and Therapeutic Efficacy in the Management of Advanced Breast Cancer [abstrak], *Drugs.* 63(2):217-36.
- [WHO] World Health Organization, 2012, world Health Organization Factsheet Cancer, <http://www.who.int/mediacentre/factsheets/fs297/en/>. Diakses pada tanggal 11 November 2014