

DAFTAR PUSTAKA

- [ACS] American Cancer Society., 2013, Colorectal Cancer Overview, *Cancer Legal Resource Center* :213-736-8310
- [IARC] International Agency for Reseach for Cancer Globocan. 2012. Estimated Cancer Incidence, mortality and Prevalence Worldwide in2012,http://www.Globocan.iarc.fr/Pages/fact_sheets_population.aspx. Diakses pada tanggal 13 November 2014
- [NCCN] National Comprehensive Cancer Network, 2014, NCCN Clinical Pactice Guidelines in Onclogy; v.2.2014: Antiemesis. Dapat diakses pada http://www.nccn.org/professionals/physician_gls/pdf/antiemesis.pdf
- [NCCN] National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology; v.2.2015: Colon Cancer. Dapat diakses pada http://www.nccn.org/professionals/physician_gls/pdf/colon.pdf
- [NCI] National Cancer Instituti., 2009, Common Terminology Criteria for Adverse Event (CTCAE). Version 4.0, U.S.Departemen of Health and Human Services
- [ONS] Oncology Nursing Society, Emetogenic Risk of Chemotherapy and Biotherapy Agents. Dapat diakses pada https://www.ons.org/sites/default/files/emetogenicity_tool.pdf
- [WHO] World Health Organization, 2012, world Health Organization Factsheet Cancer, <http://www.who.int/mediacentre/factsheets/fs297/en/>. Diakses pada tanggal 11 November 2014
- Adams, V.R, Deremer, D., 2008, Guide to Cancer Therapeutic Regimens, *Merk Oncology* : 20801694(4)-01/08
- Alteri, R.MD., Brooks, D.MD., Gansler,T.MD., Henning, A.MFA., Jacobs, E.PhD., Kirkland, D., *et al.*, 2014, *Colorectal Cancer Facts & Figures 2014-2016*. Georgia, American Cancer Society.
- Anonim, 2013, Chemotherapy Induced Nausea and Vomiting (CINV) Anti-emetic Guidelines. Dapat diakses pada <http://www.nescn.nhs.uk/wp-content/uploads/2012/11/Chemotherapy-Induced-Nausea-Vomitting-CINV-2-0-Antiemetic-Guidelines-NECN-August-2013.pdf>
- Barbara & Fernsebner., 2006, *Keperawatan Perioperatif*, Jakarta, EGC.
- Baughman, D.C., Hackley, J.C., 1996, *Keperawatan Medikal Bedah*, Jakarta, EGC.

- Booth, C.M., Clemons, M., Dranitsaris, G., Joy, A., Young, S., Callagan, W., *et al.*, 2007, Chemotherapy-Induced Nausea and Vomiting in Breast Cancer Patients : A prospective Observational Study, *J Support Oncol* 2007 5:374-380
- Budiarto, E., 2003, *Metodelogi Penelitian Kedokteran*, Jakarta, EGC.
- Budiarto, E., Anggraeni, D., 2001, *Pengantar Epidemiologi*, Jakarta, Buku kedokteran EGC.
- Cameron, L.J., 1997, *Terapi Bedah Mutakhir*. Ed ke-4, Penerjemah; Kusuma, W., editor: Jakarta, Binarupa Aksara. Terjemahan dari: *Current Surgical Therapy*.
- Chambers, P., Daniels, S., 2010, Antiemetic Guidelines for Adult Patients Receiving Chemotherapy and Radiotherapy. Dapat diakses pada <http://www.londoncancer.org/media/65597/antiemetic-guidelines-november-2010.pdf>.
- Chang, G.J ., Kaiser, A.M., Mills, S., Rafferty, J.f., Buie, W.D., 2012, Practice Parameters for the Management of Colon Cancer, *The American Society of Colon and Rectal Surgeons* 55: 831–843
- Churchill. G.A., 2005, Dasar-dasar Riset Pemasaran., Penerjemah; Andrianti., Yahya. D.K., Salim.E.; editor Saat. S., Kristiaji. W.C. Terjemahan dari: *Basic Marketing Research*.
- Dahlan, M.S., 2011, *Statistik Untuk Kedokteran dan Kesehatan Edisi 5*. Jakarta, Salemba Medika.
- Dahlan, M.S., 2013, *Statistik Untuk Kedokteran dan Kesehatan*. Ed ke-5, Jakarta, Salemba Medika.
- Davey, P., 2006, *At a Glance MEDICINE*, Jakarta, Erlangga.
- Feinberg, B.A, Gilmore, J., 2009, Data-driven medical decision-making in managing chemotherapy-induced nausea and vomiting, *Commun Oncol*;6:62–67
- Fernandez, H., Bautista, M., Martinez, S., Ramirez, Z., Canada, B., 2010, Analysis of the Effectiveness of an Antiemetic Protocol Used In An Oncology Division, *Farmacia Hospitalaria*, 34(3): 125-138.
- Fleishman, S.B., Mahajan, D., Rosenwald, V., Nugent, A.V., Mirzoyev, T., 2011, Prevalence of Delayed Nausea and/or Vomiting in Patient Treated With Oxaliplatin-Based Regimens for Colorectal Cancer

- Goi, T., Nakazawa, T., Kimura, Y., Sawai, K., Morikawa, M., Katayama, K., *et al.*, 2012, Retrospective Analysis of Chemotherapy-Induced Nausea and Vomiting (CINV) in Colorectal Cancer Patients Treated with Antiemetics, *Palliative Care & Medicine*. S1:006. doi:10.4172/2165-7386.S1-006
- Gruendeman, B.J. dan Fernsebner, B. 2006. *Buku Ajar Keperawatan Perioperatif*. Volume 2. Jakarta, EGC.
- Grunberg, M.D., 2004, Chemotherapy-Induced Nausea and Vomiting : Prevention, Detection, and Treatment-How Are We Doing?, *J Support Oncol* ;2(suppl 1):1-12
- Gunawan, S.G., Nafriald, R.S., Elysbeth., editor, 2007, *Farmakologi dan Terapi*. Ed ke-5, Jakarta, Departemen Farmakologi dan Therapeutil FK-UI.
- Gupta, M., Davis, M.P., LeGrand, S., Walsh, D., Lagman., 2013, Nausea and Vomiting in Advanced Cancer : the Cleveland Clinic protocol, *The Journal of Supportive Oncology* 11: 8-13
- Hesketh, P.J., 2008, Drug Therapy Chemotherapy-Induced Nausea and Vomiting: Review Article. *N Engl J M*358: 2482-94
- Hillarius, D., Kloeg, P., 2012, Chemotherapy-Induced Nausea and Vomiting in Daily Clinical Practice : A Community Hospital-Based Study, *Support Care Cancer* (2012) 20:107-117
- Holmes, F.A., 2011, Optimizing The Prevention of Chemotherapy-Induced Nausea and Vomiting (CINV): A 2011 Perspective, *Breast Onkologi Research* [terhubung berkala]. https://www.cardiology-review/lesson/pdf/PER_201112-01.pdf. [05 Oktober 2014]
- Kurahmawati, A., 2012, Hubungan Karakteristik (Usia dan Jenis Kelamin) dan Kadar Trigliserida Serum Dengan Kejadian Karsinoma Kolorektal di RSUP Dr. Kariadi Semarang [skripsi]. Semarang, Fakultas Kedokteran, Universitas Diponegoro
- Labianca, R, Nordlinger B., 2010, Primary Colon Cancer: ESMO Clinical Practice Guidelinesfor diagnosis, adjuvant treatment and follow-up, *Annals of Oncology*v70–v77.
- Navari, R.M., 2007, Overview of The Updated antiemetic Guidelines for Chemotherapy-Induced Nausea and Vomiting, *Community Oncology* 4 (4): 3-11
- Notoatmojo, S., 2010, *Metodologi Penelitian Kesehatan*, Jakarta, PT Rineka Cipta.

- Otto, E.S., 2005, *Keperawatan Onkologi*, Jakarta, EGC.
- Riyanto, A., 2011, *Aplikasi Metode Penelitian Kesehatan*, Jogjakarta, Nuha Medika.
- Ryu, J.W, Park S.J., 2013, The Use of Aprepitant In The First Cycle of Moderately Emetogenic Chemotherapy In Patients With Colorectal Cancer: Its Preventive Effect on Chemotherapy-Induced Nausea and Vomiting, *Korean Journal of Clinical Oncology*.9:47-52
- Santoso, S., 2009, *Panduan Lengkap Menguasai Statistik dengan SPSS 17*, Jakarta, PT Elex Media Komputindo. *Supportive Oncology* 5 : 374 – 380.
- Schnell, F.M., 2003, Chemotherapy-Induced Nausea and Vomiting: The Importance of Acute Antiemetic Control, *The Oncologist*; 8:187-198
- Sudoyo AW, Setyohadi B, Alwi I, KM Simadibrata, Setiati Siti (editors), 2009, *Buku Ajak Ilmu Penyakit Dalam*. Interna Publishing, Jakarta: Interna Publishing;.1865-982
- Swarjana, Ketut., 2012, *Metodelogi Penelitian Kesehatan*, Jogjakarta, CV Andi Offset.
- Vitasari, R.A., 2014, Evaluasi *Adverse Drug Reactions (ADRs)* Penyakit Kanker dengan Kemoterapi di RSUD Prof. Dr. Margono Soekardjo [skripsi]. Purwokerto, Fakultas Farmasi, Universitas Muhammadiyah Purwokerto
- Winarto, E.P, Ivone, J., 2009, Prevalensi Kanker Kolorektal di Rumah Sakit Immanuel Bandung Periode Januari 2005 – Desember 2007, Vol.8 No.2: 138-143