

DAFTAR PUSTAKA

- A. Bernkop-Schnürch. (2005). Mucoadhesive Systems in Oral Drug Delivery. *Drug Discov. Today Tech.* 2.p. 83–87.
- Abha, Doshi. Sheeja, Koliyote. Bhagyashri, Joshi. (2011). Design and Evaluation of Buccal Film of Diclofenac Sodium. *Int J.Pharm and Biol Sci.* p. 20.
- Acarturk, Fusun. (2009). Mucoadhesive Vaginal Drug Delivery Systems. *Recent Patents on Drug Delivery & Formulation.* 3(3).p. 193-205.
- Ahuja, A.K., Khar, R.P., Ali J. (1997). Mucoadhesive Drug Delivery System. *Dev.Ind.Pharm* 23(5).p. 489-515.
- Adibkia K., Saeed Ghanbarzadeh., Ghobad Mohammadi., Rahimeh Bairami Atashgah., Aras Sabzevari. (2013). Gastro Retentive Drug Delivery Systems: A Review. *Journal of Reports in Pharmaceutical Sciences.* 2(2). p.190-204.
- Alonso, Sande M., Terjeiro, D., Remunan Lopez C., Alonso M.J. (2009). Glucomannan, a Promising Polysaccharide for Biopharmaceutical Purpose. *Eur J. Pharm Biopharm* 72(2).p. 453-62.
- Amrutkar, P.P., Chaudhari, P.D., Pati, S.B.(2012). Design and *In Vitro* Evaluation of Multiparticulate Floating Drug Delivery System of Zolpidem Tartarate. *Colloids and Surfaces B: Biointerfaces.*89.p. 182–187.
- Anderson, NR., Banker, GS., 1984, Tablet, In: Lachman, L., Lieberman HA., Kanig, JL. (eds.) *Teori dan Praktek Farmasi Industri Volume kedua Edisi ketiga*, diterjemahkan oleh Suyatmi S., Jakarta, UI Press.
- Andrews ,G.P., Thomas P., Laverty T.P., David S., Jones S.D. (2009). Mucoadhesive Polymeric Platforms for Controlled Drug Delivery. *Eur. J. Pharm. Biopharm* 71.p.505-518.
- Anggraini, Ikarusli., 2008, *Formulasi sediaan lepas lambat tablet teofilin dengan matriks natrium karboksimetilselulosa dan xanthan gum dengan metode granulasi basah* [skripsi], Surakarta, Fakultas Farmasi, Universitas Muhammadiyah Surakarta.
- Anroop, B.Nair., Hiral Vyas., Ashok Kumar. (2010). Controlled Release Matrix Uncoated Tablets of Elanapril Maleate Using HPMC Alone. *J Basic Clin Pharm.*1(2).p. 71-75.
- Ansel, C. Howard. *Et al.* (2008). *Pengantar Bentuk Sediaan Farmasi.* Jakarta: UI Press.

- Amstrong, N.A., and James, K.C. (1986). *Pharmaceutical Experimental Design and Interpretation*. 205-215. Taylor and Francis Ltd, London, Gunpowder Square.
- Amstrong, N.A., dan James, K.C. (1996). *Pharmaceutical Experimental Design and Interpretation*. 205-222. Taylor and Francis. London.
- Bagul, U., Gujar, K., Dhat, S., Aphale, S., dan Bhavsar, M. (2009). In Vitro Study of Mucoadhesive Strength of Polymers for Mucoadhesive Drug Delivery Systems. *IJCPR*. Volume 1(1).
- Basset, J. (1994). *Kimia Analisis Kuantitatif Anorganik*. EGC. Jakarta.
- Baszkin, A., Proust J.E., Monsengo P., Boissonnade M.M. (1990). Wettability of Polymers by Mucion Aqueous Solutions. *Biorheology*. 27.p.503-514.
- Bolton, S. (1997). *Pharmaceutical Statistics, Practical and Clinical Applications, Third Edition*. Marcel Dekker. Inc. p. 326-352.
- [BPOM RI] Badan Pengawasan Obat dan Makanan Republik Indonesia. (2008). *Informatorium Obat Nasional Indonesia*. Jakarta: Sagung Seto.
- Chary, R.B.R., Vani, G., Rao, Y. M. (1999). *In Vitro* and *In Vivo* Adhesion Testing of Mucoadhesive Drug Delivery System. *Drug Dev. Ind. Pharm* 25(5).p. 685-690.
- Chamarthy, S.P., Pinal, R. (2008). Plasticizer Concentration and The Performance of a Diffusion Controlled Polymeric Drug Delivery System. *Colloid surf. A Physio Chem Eng. ASP* 331.p. 25-30.
- Chavanpatil M, Jain P, Chaudhari S. (2005). Development of Sustained Release Gastroretentive Drug Delivery System of Ofloxacin: *In vitro* and *In vivo* Evaluation. *Int J Pharm*. 304.p. 178-184.
- Chavanpatil, M. D., Jain, P., Chaudhari, S. (2006). Novel Sustained Release, Swellable and Bioadhesive Gastroretentive Drug Delivery System for Ofloxacin. *International Journal Pharmaceutics*. 316(1).p.86-92.
- Chen, J., Blevins, W.E., Park, H., Park, K. (2000). Gastric Retention of Superporous Hydrogel Composites. *J. Control. Release* 64 (1-3).p. 39-51.
- Chen, J., Park, K. (2000). Synthesis and Characterization of Super-porous Hydrogel Composites. *J. Control. Release* 65 (1-2).p. 73-82.
- Chen ,Y-C., Ho H-O., Lee, T-Y., Sheu M-T. (2013). Physical Characterizations and Sustained Release Profiling of Gastroretentive Drug Delivery Systems with Improved Floating and Swelling Capabilities. *International Journal of Pharmaceutics*. 441.p. 162-169.

- Chowdary KPR., Srinivas L. (2000). Mucoadhesive drug delivery systems: A review of current status. *Indian Drugs* 37(9).p.400-406.
- Chowdary KPR., Rao YS. (2003). Design and In Vitro and In Vivo Evaluation of Mucoadhesive Microcapsule of Glipizide for Oral Controlled Release: a Technical Note. *AAPS PharmSciTech* 4(3). p.1-6.
- Colombo, P. (1993). Swelling-controlled release in hydrogel matrices for oral Route. *Adv. Drug Del. Rev.* 11.p.37-57.
- Dehghan, Mohammed H.G., Furquan N.Khan. (2009). Gastroretentive Drug Delivery Systems: A Patent Perspective. *International Journal of Health Research* 2(1).p.23-44.
- [Depkes RI] Departemen Kesehatan Republik Indonesia. (1979). *Farmakope Indonesia Edisi Ketiga*. Jakarta: Depkes RI.
- [Depkes RI] Departemen Kesehatan Republik Indonesia. (1995). *Farmakope Indonesia Edisi Keempat*. Jakarta: Depkes RI.
- Derjaguin, B.V., Toporov Y.P., Muller V.M., Aleinkova I.N. (1966). On The Relationship Between The Molecular Component of The Adhesion of Elastic Particles to a Solid Surface. *J Colloid Interface Sci* 58.p. 528-533.
- Dharmesh, S., Maru B Sandip., Sameer A Agham., Nikunj Aghera. (2012). Gastro Retentive Drug Delivery System Based on Natural Mucoadhesive Polymers. *Pharmtechmedica* 1. p. 1-10.
- Fithriyani, Lia Nadia., Dhadhang Wahyu K., Eka Prasasti Nur R. (2014). Formulasi Tablet Mukoadesif Ekstrak Etanol Daun Mangga Bapang (*Mangifera indica* L. 'Bapang') Sebagai Antidiabetes Menggunakan Matriks Guar Gum. *Jurnal Ilmu Kefarmasian Indonesia* 12(2). Hal. 176-182.
- Gandhi R.B., Robinson J.R. (1988). Bioadhesion in drug delivery. *Ind. J. Pharm. Sci.* 50(3).p. 145-152.
- Garg, R., Gupta, G.D., (2008). Progress in Controlled Gastroretentive Delivery Systems. *Trop. J. Pharm. Res* 7(3).p. 1055-1066.
- Good, R.J.(1977). Surface Energy of Solids and Liquids. Thermodynamics, Molecular Forces, and Structure. *J Colloid Interface Sci.*59.p. 398-419.
- Guo, J., Skinner G.W., Harcum W.W., Barnum P.E. (1998). Pharmaceutical Applications of Naturally Occuring Water-Soluble Polymers. *Pharm Sci Tech* 11.p. 254-61.
- Gurny R and Junginger HE, editor. (1990). *Bioadhesion - Possibilities and Future Trends*. Wissenschaftliche Verlagsgesellschaft: Stuttgart .p. 13-4.

- Gurny R, Peppas NA. (1990). *Semi-solid dosage forms as buccal bioadhesives*. In: *Lenaerts V, Gurny R, eds. Bioadhesive Drug Delivery Systems*. Boca Raton, FL: CRC Press.p. 153-168.
- J Heller. (1987). Use of Polymers in controlled release of active agents, controlled drug delivery. *Fundamentals and applications*, J R Robinson, V H L Lee, Marcel Dekker; New York. p. 179-212.
- Hilton AK., Deasy PB. (1992). In Vitro and In Vivo Evaluation of an Oral Sustained Release Floating Dosage Form of Amoxycillin Trihydrate. *Int. J.Pharm.* 86 (1). p. 79-88.
- Hoffman, A. (1998). Pharmacodynamic Aspects of Sustained Release Preparation. *Adv. Drug. Deliv. Rev* 33.p. 185-199.
- Hoffman, A., Stepensky, D., Lavy. E., Eyal, S., Klausner, E., Friedman, M. (2004). Pharmacokinetic and Pharmacodynamic Aspects of Gastroretentive Dosage Forms. *International Journal of Pharmaceutics*.277.p. 141–153.
- Hwang, S.J., Park, H., Park, K., Gastroretentive Delivery Systems. *Crit. Rev. Ther. Drug.Carrier.Syst.*, 1998, 15 (3).243-284.
- Iannucelli, V. (1998). Air Compartement Multiple Unit Systems for Prolonged Gastric Residence Part 1: Formulation Study. *Int. J.Pharm.* 174(1).p. 47-54.
- Indrawati, Teti., Goeswin, Agoes., Elin Yulinah., Yeyet Cahyati. (2005). Uji Daya Lekat Mukoadhesif secara *In Vitro* Beberapa Eksipien Polimer Tunggal dan Kombinasinya pada Lambung dan Usus Tikus. *Jurnal Matematika dan Sains* 10(2). Hal. 45-51.
- Irawan, E. D., Fudholi, A. (2009). Optimasi Chitosan, Natrium Karboksi metil selulose dan Magnesium stearat Sebagai Sistem Mucoadhesive Tablet Kaptopril. *Majalah Farmasi Indonesia*. vol 20(4).Hal. 231-238.
- Jamaluddin, Abdul. W., 2013, Profil Disolusi Granul Lepas Lambat PropranololHCl Menggunakan Matriks Selulosa Nata Kelapa, Vol.3: 83-89.
- Jang ,S.W., Lee, J.W, Park, S.H, et al.(2008). Gastroretentive Drug Delivery System of DA-6034, a New Flavonoid Derivative, for the Treatment of Gastritis. *International Journal of Pharmaceutics*.356.p. 88–94.
- Junginger, H.E., Verhoef J.C., Thanou,M. (2007). *Drug Delivery: Mucoadhesive Hydrogels*. Dalam *James Swarbrick (Ed). Encyclopedia of Pharmaceutical Technology* (3rd ed., Vol.1). Informa Healthcare USA. New York.

- Kagan, L., Hoffman, A.(2008). Selection of Drug Candidates for Gastroretentive Dosage Forms: Pharmacokinetics Following Continuous Intragastric Mode of Administration in a Rat Model. *European Journal of Pharmaceutics and Biopharmaceutics*.69.p. 238–246.
- Kamath, K.R., & Park, K. (1992). Mucosal Adhesive Preparations in Encyclopedia of Pharmaceutical Technology Vol.X. *Marcel Dekker Inc*.p. 133-159.
- Krishnaias, Y. S. R., Alsaidan M. S., Chandrasekhar V. D., Satyanarayana V.(2005). Bioavailability of Nerodilol Based Transdermal Therapeutic System of Nicorandil in Human Volunteers. *J. Controlled. Release*. 106 (1).p. 111-122.
- Krishnarajan, D., N. Senthil Kumar., Sasikanth Kanikanti. (2014). *In Vitro* and *Ex Vivo* Evaluation of Mucoadhesive Tablets Using Natural Polymers By Gastroretentive Drug Delivery System. *Indo American Journal of Pharmaceutical Research* 4(01).p. 445-450.
- Lachman, L., Lieberman, H.A., Kaning, J.L. (1994). *Teori dan Praktek Farmasi Industri Ed 3*. Terjemahan Suyatmi, S. Jakarta: UI Press.
- Lee, J.W., Park, J.H., & Robinson, J.R. (2000). “Bioadhesive-based Dosage Forms : The next Generation“. *J. Pharm. Sci.* 89:7.p.850-866.
- Lehr, C.M. (1996). From Sticky Stuff to Sweet Receptors-Achievements, Limits and Novel Approaches to Bioadhesion. *Eur J Drug Metab Pharmacokinetic*. 21.p. 139.
- Lenearts, V., Couvreur,P., Grislain,L., Maincent,P. (1990). *Bioadhesive Drug Delivery Systems*. CRC Press: Boca Raton.
- Lieberman, H. A., L. Lachman., J. B. Schwartz. (1989). *Pharmaceutical Dosage Form : Tablets Volume 1.2nd edition*. The United States of American: Marcel Dekker, Inc
- Lin,D.W., N.Y, C.S.Sun. (2003). The Application of Pharmaceutical Excipients HPMC.15.p. 77-78.
- Liu J., Xiao Y., Allen C.(2004). Polymer-Drug Compatibility: A Guide to the Development of Delivery Systems for the Anticancer Agent, Ellipticine. *J. Pharm. Sci.* 93.p. 132–143.
- Longer, M. A., Ch’ng,H.S., & Robinson J.R. (1985). “Bioadhesive Polymer as Platforms for Controlled Drug Delivery III : Oral Delivery of Chlorothiazide Using a Bioadhesive Polymer“. *J. Pharm. Sci.* 74:4.p. 406-411.
- Longer, M.A., J R Robinson. (1990). *Sustained Release Drug Delivery System*. Remington’s Pharmaceutical Sciences, 18th edition.p.1676-1693.

- Majid, Febrind C.N., 2009, *Formulasi patch mukoadhesif Propranolol hidroklorida: pengaruh perbandingan konsentrasi natrium karboksimetilselulosa dan polivinil pirolidon terhadap sifat fisik patch dan pelepasan obat* [skripsi], Surakarta, Fakultas Farmasi, Universitas Muhammadiyah Surakarta.
- Majithiya, R.J., et al. (2008). *Enhancement of Mucoadhesion by Blending Anionic, Cationic, & Non ionic Polymers*. Januari 15, 2011.
- Martindale. (2009). *The Complete Drug Reference Thirty Sixth Edition*, London: Pharmaceutical Press.
- Martodiharjo, S. (1996). Pelepasan Teofilin Secara Terkontrol. *Majalah Farmasi Indonesia*. Vol. 7.
- Mathiowitz, E., Chickering DE III., Lehr CM.(2010). *Bioadhesive Drug Delivery Systems. Fundamentals, Novel Approaches, and Development*. Marcel Dekker, Inc. New York.
- Mikos,A.G., N.A. Peppas.(1986). Systems for Controlled Release of Drugs. V. Bioadhesive systems. *S T P Pharmacol* 2.p. 705-716.
- Mikos,A.G, N.A. Peppas. (1989). Measurement of the Surface Tension of Mucin Solutions. *Int J Pharm* 53.p. 1-5.
- Mojaverian P., Vlasses PH., Kellner PE., Rocci Jr ML. 1988. Effects of Gender, Posture and Age on Gastric Residence Time of an Indigestible Solid. *Pharmaceutical considerations. Pharm Res*.10. p. 639-644.
- Mortazavi, S.A. (2002). Investigation of various parameters influencing the duration of some polymer containing disc. [online]. Available from: <http://www.tums.ac.ir/daru/DaruVolum10-No3-2002/polymer.htm>.
- Mostafavi, A., Emami, J., Varshosaz, J., Davies, N.M., Rezazadeh, M.(2011). Development of a Prolonged-Release Gastroretentive Tablet Formulation of Ciprofloxacin Hydrochloride: Pharmacokinetic Characterization in Healthy Human Volunteers. *International Journal of Pharmaceutics*. 409.p.128–136.
- Muhidinov , Z., Bobokalonov J., Liu L. S., Fassihi R. (2008). In: A Kinetic Study of Poorly Water Soluble Drug Released from Pectin Microcapsules Using Diffusion/Dissolution Model. *New Delivery Systems for Controlled Drug Release from Naturally Occurring Materials, ACS Symposium Series* 992.p. 193–208.
- Murtaza, Ghulam. (2012). *Ethylcellulose Microparticles: A Review. Acta Poloniae Pharmaceutica-Drug Research*. Vol. 69 No.1.p. 11-12.

- Nakanishi, T., Kaiho, F., Hayashi, M. (1998). Improvement of Drug Release Rate from Carbopol 934 Formulation. *Chem. Pharm. Bull* 46(1).p. 171-174.
- Nayak, Amit K., Jadupati Malakar., Kalyar Kumar Sen. (2010). Gastroretentive Drug Delivery Technologies: Current Approaches and Future Potential. *J.Pharm Educ Res* 1(2). p.1-12.
- Pallavi, Pal., Vijay, Sharma., Lalit, Singh. (2012). A Review on Floating Type Gastroretentive Drug Delivery System. *International Research Journal of Pharmacy* 3(4).p. 37-43.
- Pandey,R., Khuller, G.K. (2004). Polymer Based Drug Delivery Systems for Mycobacterial Infections. *Curr.Drug.Deliv* 1.p. 195-201.
- Patel, V.M., Brajapati, B.G., and Patel, M.M. (2007). Design and Characterization of Chitosan-Containing Mucoadhesive Buccal Patches of PropranololHydrochloride. *Acta Pharm.* 57.p.61-72.
- Peppas N.A., Buri P.A. (1985). Surface, Interfacial and Molecular Aspects of Polymer Bioadhesion on Soft Tissue. *J. Controlled Release.* 2.p. 257-275.
- Porwal, A., Swarni, G., & Saraf. S. A. (2011). Preparation and Evaluation of Sustained Release Microballoons of Propranolol. *DARU.* 19(3).p. 193-201.
- Prajapati, B. G. R., and Patel., K. (2010). Design And In Vitro Evaluation Of Novel Nicorandil Sustained Release Matrix Tablets Based On Combination Of Hydrophilic And Hydrofobic Matrix System. *International Journal Of Pharmaceutical Sciences Review And Research.* vol. 1. issue 1.p. 33.
- Pujiastuti, Anasthasia. (2016). Pengaruh Natrium CMC, HPMC K100M, dan Etil Selulosa terhadap Karakteristik Tablet Nifedipin dengan Sistem Penghantaran Mukoadhesif. *Indonesian Journal On Medical Science.* 3(1).p. 5-14.
- Qin, D.M., H.Wang., H.Y. Li.(2004). *Anhui Medical and Pharmaceutical Journal.* 8.p. 173-174
- Reddy, L.H., Murthy R.S. (2002). Floating Dosage System in Drug Delivery. *Crit. Rev.Ther. Drug. Carrier. Syst* 19 (6).p. 553-585.
- Rowe, Raymond C., Paul J. Sheskey., Marian E.Quinn. (2009). *Handbook of Pharmaceutical Excipient Sixth Edition.* Chicago. London: Pharmaceutical Press.

- Sartori, Elen Romao., Nathalia Vieira Barbosa., Ronaldo Censi Faria., Orlando Fatibello-Filho. (2011). Conductometric Determination of Propranolol Hydrochloride in Pharmaceuticals. *Eletica Quimica* 36(1).p. 110-122.
- Sheth PR, Tossounian JL. (1979). Novel Sustained Release Tablet Formulations, US Patent 4167558 and 4140755.
- Shen, L.L.(2007). *China pharmaceuticals*.1.p. 64-66.
- Siepmann, J., N.A. Peppas. (2001). Modeling of Drug Release From Delivery Systems Based on Hydroxypropyl Methylcellulose (HPMC). *Advanced Drug Delivery Reviews* 48. p.139-157.
- Singh BN, Kim KH. (2000). Floating Drug Delivery Systems: an Approach to Oral Controlled Drug Delivery Via Gastric Retention. *Journal of Controlled Release* 63.p. 235–259.
- Singh B., Ahuja N. (2004). Response surface optimization of drug delivery system. In Jain NK, editor. Progress in controlled and novel drug delivery system. *CBS Publishers and Distributors*. New Delhi .p. 470- 509.
- Singh, Sameer., Kalpana Prajapati., A.K Pathak., A.Mishra. (2011). Formulation and Evaluation of Floating Tablet of Captopril. *International Journal of Pharmtech Research* 3.p. 333-341.
- Siswanto, A. dan Soebagyo, S.S. (2006). Optimasi Formula Sediaan Tablet Lepas Lambat Teofilin Dengan Bahan Matriks HPMC, Na CMC, dan Xanthan gum. *Majalah Farmasi Indonesia*. 17(3).Hal. 143-148.
- Smart, J.D. (2005). The Basis and Underlying Mechanism of Mucoadhesion. *Adv. Drug Delivery Rev* 57.p. 1553-55.
- Sugihartini, Nining. (2011). Optimasi Komposisi Tepung Beras dan Fraksi Etanol Daun Sendok (*Plantago major*, L) Dalam Formulasi Tabir Surya Dengan Metode *Simplex Lattice Design*. *Jurnal Ilmiah Kefarmasian*. 2(1). Hal. 63-70.
- Sujja-areevath J., Munday D.L., Cox P.J., Khan K.A.(1998). Relationship Between Swelling, Erosion and Drug Release in Hydrophilic Natural Gum Mini-Matrix Formulations. *Eur J Pharm Sci* 6.p. 207–17.
- Sulaiman, T.N Saifullah. (2007). *Teknologi dan Formulasi Sediaan Tablet*. Yogyakarta: UGM.
- Suprpto, dan Setiyadi, G. (2010). Formulasi Sediaan Tablet Matrik Sustained Release Teofilin: Studi Optimasi Pengaruh Tekanan Kompresi dan Matrik Etil selulosa dan HPMC dengan Model Factorial Design. *Jurnal Penelitian Sains dan Teknologi*. 11 (2). Hal. 100-116.

- Sutriyo., Joshita, D., Rosari, Indah. (2005). Perbandingan Pelepasan Propranolol Hidroklorida Dari Matriks Kitosan, Etil Selulosa (EC) dan Hidroksi Propil Metil Selulosa (HPMC). *Majalah Ilmu Kefarmasian*. 2(3). Hal.145-153.
- Sutriyo., Khairunnisya., Abdul Mun'im. (2013). Formulasi Sediaan Granul Mukoadhesif Kombinasi Ekstrak Kulit Batang Mimba (*Azadirachta indica* A. Juss) dan Kunyit (*Curcuma domestica* Val.). *Majalah Ilmu Kefarmasian*. 8(2). Hal. 57-124.
- Stockwell A.F, Davis S.S, Walker S.E. (1986). *In vitro* Evaluation of Alginate Gel Systems, *J. Control. Release* 3.p. 167-175.
- Syamsuni. (2005). *Farmasetika Dasar dan Hitungan Farmasi*. Jakarta: EGC.
- Tabor, D.(1977). Surface Forces and Surface Interactions. *J Colloid Interface Sci*.58.p. 2-13.
- Thakur, Vijay Kumar., Manju Kumari Thakur. (2015). *Handbook of Polymers for Pharmaceutical Technologies Volume 3 Biodegradable Polymers*. Canada: Wiley.
- The USP Convention Inc. (2008). The National Formulary Volume 32. The United States Pharmacopoeia XXXII. Rockville.
- Timmermanns J, Moes A. (1990). How Well Do Floating Dosage Forms Float. *Int. J. Pharm* 62(3).p. 207-216.
- Vasir J.K, Tambwekar K, Garg S. (2003). Mucoadhesive Tablets as a Controlled Drug Delivery System. *International Journal of Pharmaceutics* 255.p.13-32.
- Voight, R. (1994). *Lehrburch der Pharma Zeutishen Technology*. Terjemahan Soendari Noerono, Buku Pelajaran Tehnologi Farmasi, Edisi Ke-IV, Gadjah Mada University Press, Yogyakarta.
- Voight, R. (1995). Buku Pelajaran Teknologi Farmasi, diterjemahkan oleh Soendari Noerono, Gajah Mada University Press, Yogyakarta.
- Wade, A., Weller J. (1994). *Hand Book Of Pharmazeutical Eksipients. Second Edition*. London: American Pharmaceutical Association Society of Breat Writain.
- Wibowo, D.A., Agus Siswanto., Anjar Mahardian K. (2011). Formulasi Sediaan Tablet Lepas Lambat Aspirin Dengan Etil Selulosa Aqualon T10 Sebagai Matrik. *Pharmacy* 8(1). Hal. 92-101.
- Zate, S.U., et al. (2010). Gastro retentive bioadhesive drug delivery system: a review. *International Journal of PharmTech Research* 2(2).p. 1227-1235