

DAFTAR PUSTAKA

- Andres, M. *et.al* (2017). Cardiovascular risk of patients with gout seen at rheumatology clinics following a structured assessment. *BMJ Journals*.
- Choi, H. K and Gary, C. (2008). Soft drinks, fructose consumption, and the risk of gout in men: prospective cohort study. *BM*. Volume 336 : 309-336
- Dianati, N. A. (2015). Gout and Hyperuricemia. *J Majority*. Volume 4 (3) : 82-89.
- Dipiro, J.T., Talbert R.L., Yee G.C., Matzke G.R., Wells B.G. dan Posey L.M. (2008). *Pharmacotherapy: A Patophysiologic Approach, 7th Edition*. Mc Graw Hill, New York
- Dipiro, J.T. and Talbert R.L. (2012). *Benchmark evidence-based pharmacotherapy, 7th Edition*. Mc Graw Hill, New York
- Dira., Fitrianda, E. dan Sari, N. (2014). Uji Aktivitas Antihiperurisemia Ekstrak Etanol Kulit Buah Manggis (*Garcinia mangostana* L.) Dan Buah Asam Gelugur (*Garcinia atroviridis* Griff. ex. T. Anders.) Secara In Vitro. *Scientia*. Volume 4(2)
- Doti, D.M., 2018. *Uji Aktivitas Antihiperurisemia dan Antioksidan Fraksi Diklorometana dan Fraksi Etil Asetat Dari Ekstrak Etanol Daun Manggis (Garcinia mangostana L.)*. skripsi. Purwokerto. Fakultas farmasi, Universitas Muhammadiyah Purwokerto
- Fields, M., Charles, G. L., and Mark, D. L. (1996). Allopurinol, an inhibitor of xanthine oxidase, reduces uric acid levels and modifies the signs associated with copper deficiency in rats fed fructose, *J. free radical biology & medicine*. Volume 20 (4): 595-600
- Fua, T.P & Yee, H. D. L. (2016). Acute hip pain-a forgotten cause. *International Journal of Clinical Medicine*. Volume 7: 177-181
- Hermanto, C., Indriani, N. L. P. dan Hadiati, S. 2013. *Keragaman dan kekayaan buah tropika nusantara*. Jakarta: Kementrian Pertanian

- Ilyas, N.O., Suprihartono, F.A., dan Dewi, M. (2014). Beberapa faktor yang berhubungan dengan kejadian hiperurisemia pada pasien rawat jalan di RS Dustira Cimahi. *Gizi Indon*. Volume 37 (2): 91-100
- Katzung, B.G., Masters, S.B. and Trevor, A.J. (2012). *Basic & clinical pharmacology*. Ed ke-12. New York : McGraw-Hill Medical
- [Kemenkes RI] Kementrian Kesehatan Republik Indonesia. (2007). *Riset Kesehatan Dasar*. Jakarta: Kementrian Kesehatan Republik Indonesia
- Kitchen, D. B., Docornez, H., Furr, J.R. dan Bojanrath, B. (2004). Docking scoring in virtual screening for drug discovery: methods and application. *Nature Review Drug Discovery*, 3: 935-949.
- Korb, O., Stutzel, T. dan Exner, T. E. (2006). PLANT: application of ant colony optimization to structure based drug design. *Lecture Notes in Computer Science*, 4150: 247-258.
- Kroemer, R. T. (2007). Structure-based drug design: docking and scoring. *Current Protein and Peptide Science*, 8: 312-328.
- Kumala, M. (2010). Peran gizi dalam penatalaksanaan hiperurisemia dan pirai. *Damianus Journal of Medicine*. Volume 9 (2): 121-128
- Mardiana, L. (2011). *Ramuan dan Khasiat Kulit Manggis*. Jakarta : Penebar Swadaya.
- Morris, G. M. *et al.* (1998). Automated docking using a Lamarckian genetic algorithm and an empirical binding free energy function. *Journal of Computational Chemistry*, 19(14): 1639-1662.
- Obolskiy, D. *et al.* 2009. *Garcinia mangostana L.: A phytochemical and pharmacological review*: Wiley Interscience, 27 January 2009. *Phytotherapy research*: 1047-1065
- Putra, I.M.R., Putra, T.R (2010). Kolerasi antara konsumsi alkohol dan *fractional uric acid clearance* (FUAC) pada populasi suku Bali di Desa Penglipuran, Kubu, Bangli. *J Peny Dalam*. Volume 11 (3): 164-170

- Rukmana RH. (2008). *Bertanam Buah-buahan di Pekarangan*. Yogyakarta: Kanisius.
- Salgal, R & Agrawal, A. (2015). Pathogenesis and clinical management of gouty arthritis. *Journal of the association of physicians of India*. Volume 63: 56-63
- Setiawan, T. (2015). *Studi molecular docking ekstrak kurkuminoid asal wonogiri sebagai inhibitor enzim dna topoisomerase II*. Tesis. Bogor: Institute Pertanian Bogor
- Shah, F.A. *et al.* (2014). Chronic gout and hyperuricemia; treatment with febuxostat versus allopurinol. *Professional Med*. Volume 21 (1): 055-059
- Steins VCGGC, Blomergen S, PJ eyma. (1947). *Flora*. Moeso surjowinoto, penerjemah. Jakarta : PT. Pradnya Paramita
- Sukandar, E.Y. *et al.* (2013). ISO Farmakoterapi. Ed ke-3. Jakarta Barat : Isfi Penerbitan
- Zhu *et.al.* (2004). Effect of biota orientalis extract and its flavonoid constituents, quercetin and rutin on serum uric acid levels in oxonateinduced mice and xanthine dehydrogenase and xanthine oxidase activities in mouse liver. *Ethnopharmacology*. Volume 93: 133-140